

Mixing Text\* and Graphics

**High-Density Screen Dumps** for the Shoestring **Desktop Publisher** 

Add Captions to the Pictures You Create

**Print Invitations, Flyers,** Newsletters, etc., in any Style You Want

**Use Two CoCos** With One Drive

Plus: An 8K Printer Spooler, Two New OS-9 Utilities, Lunar Lander, CoCo Derby and MORE!



Compiler 1. and Mest of Color THE COLOR COMF High Rapacity Scree

By H. Allen Cuntia desistor publisher is reflected dinectly and enucially with the quality of its beneen durates. The hurpoone of this anticle is to present high quality, high espacity screen dumps that maximize the capabilities of whiters most commonly us By 2020 owners The someon dumps formers developed to w

DEPROPORT LEE deap FUBLISHER FIROGRACIAL 1 im o, unit Co



# SAVE up to 19%

when you buy a joint subscription to the magazine and either RAINBOW ON TAPE or RAINBOW ON DISK! A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 foreign surface rate and \$188 foreign airmail. A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S., \$138 in Canada, \$183 foreign surface rate and \$218 foreign airmail.\*

Every month, these convenient services bring you as many as 24 ready-to-run programs. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. A one-year combination subscription to THE RAIN-

BOW and RAINBOW ON TAPE or RAIN-BOW ON DISK give you more than 230 new programs! The typing time you save can be spent enjoying your CoCo!

# RAINBOW ON TAPE For No-Fuss Fun

Back issues of RAINBOW ON TAPE are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries.\*

# RAINBOW ON DISK Offers OS-9 Programs

In addition to all the programs offered on tape, part of one side of RAINBOW ON DISK is formatted for the OS-9 operating system. That means you can now get all the OS-9 programs from the magazine - programs that cannot be put on tape. Back issues of RAINBOW ON DISK are available beginning with October 1986. Subscriptions to RAINBOW ON DISK are \$99 a year in the U.S. Canadian rate is U.S. \$115. All other countries, U.S. \$130. Single copy rate is \$12 in the U.S.; U.S. \$14 in Canada; and U.S. \$16 in all other countries.\*

To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

Look for our envelope located between pages 66 and 67 for ordering individual subscriptions to THE RAINBOW, RAINBOW ON TAPE and RAINBOW ON DISK.

YES! Sign me	up for a joint 1-yea	r subscription (	12 issues) to:	☐ THE RAINI	BOW and F	RAINBOW ON TAPE
				☐ THE RAINI	BOW and F	RAINBOW ON DISK
				□ NEW □ R	RENEWAL	(attach labels)
Name	<u>-</u>					I accompany order)
Address				□ VISA   □ Ma Number		☐ Am. Express
City	State	ZIP	Signature	·		Ехр
*U.S. currency only for delivery of first	y, please. In order to ho copies. Joint subscripti	old down costs, we do	lo not bill. Kentuck and RAINBOW ON TAPE	y residents add 5% E or яАімвож on disk	sales tax. P	lease allow 6 to 8 weeks the current issue.

in no way authorizes that any copies be made of that original disk/lape. Specifically, this means that the original disk/lape itself may indeed be kept in a club library for use by members. However, a group purchase does not entitle club members, individually or as a group, to copy that disk/lape.

Unauthorized copying of any copyright product is strictly illegal. The copyright (right to make copies) is in no way conveyed in the purchase transaction.

Please note: While group purchases of RAINBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Yes, your group may even purchase a subscription to our disk/lape services, but such purchase

# From Computer Plus to YOU... PLUS after PLUS after PLUS



Tandy 1400 LT \$1369 Tandy 102 32K \$389\* Tandy 200 24K \$429\*











#### BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS	
Tandy 1000 HX 1 Drive 256K	439.00*
Tandy 1000 TX 1 Drive 640K	799.00*
Tandy 3000 NL 1 Drive 512K	1279.00
Tandy 4000 1 Drive 1 Meg.Ram	1959.00
Tandy5000 MC2 Meg. Ram	3799.00
PRINTERS	
Radio Shack DMP-106 80 CPS	439.00*

PRINTERS	
Radio Shack DMP-106 80 CPS	139.00*
Radia Shack DMP-132 120 CPS	289.00
Radio Shack DMP-440 300 CPS	549.00
Radio Shack DWP-230 Dalsy Whee	el 269.00°
Tandy LP-1000 Laser Printer	1899.00
Star Micronics NX-1000 144 CPS	199.00
Star Micronics NX-1000 Rainbow	269.00
Panasanic KXP 1180 192 CPS	249.00
Panasonic KXP 1191 240 CPS	299.00
Panasanic KXP 1124 192 CPS	399.00
Okłdola 320 300 CPS	369.00
Okidola 390 270 CPS 24 Wire Hd	515.00
NEC Pinwriter P-2200 170 CPS	399.00
MODELIC	

MOOEMS	
Radia Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Practical Peripheral 2400 8aud	229.00
Practical Peripheral 1200 Baud	149.00

COLOR COMPUTER MISC.	
Rodjo Shack Drive Controller	99.00
Extended Basic Rom Kil (28 pin)	14.95
64K Ram Upgrade Kit (2 or 8 chlp)	39.00
Radio Shack Deluxe Keyboord Kit	24.95
HI-RES Joystick Interface	8.95
Color Computer Defuxe Mause	44.00
Multi Pak Pal Chip for COCO 3	14.95
PBH Converter with 64K Buffer	119.00
Serial to Parallel Converter	59.95
Radio Shack Deluxe Joystick	26.95
Magnavox 8515 RGB Monitor 2	299.00
Magnavox Green or Amber Monito	r99.00
Radio Shack CM-8 RGB Monitor :	249.00
Radio Shack VM-4 Green Monitor	99.00
PBJ 0K COCO 3 Upgrade Boord	19.95
PBJ 512K COCO 3 Upgrade	CALL
Tandy OK COCO 3 Upgrade 8oord	24.95
Tandy 512K COCO 3 Upgrade	CALL
COLOR COMPUTER SOFTWARE	

COLOR COMPUTER SUFTWARE				
TAPE DISH				
25,95				
34.95 34.95				
34.95 34.9				
34.95 34.95				

١	ICK COMPOTER PRODU	C13
	COCO Util II by Mark Data	39.95
	COCO Max III by Colorware	79.95
	Max 10 by Colorware	79.95
	AutoTerm by PXE Computing 29.95	39.95
	TW-80 by Spectrum (CoCo3)	39.95
	TeleWriter 64 49.95	59.95
	TeleWriter 128	79.95
	Elite Word 60	79.95
	Ellie Calc 3.0	69.95
	CoCo 3 512K Super Ram Disk	19.95
	Home Publisher by Tandy (CoCo3)	35.95
	Sub Bottle Sim. by Epyx (CoCo3)	26.95
	Thexder by Sierra (CoCo3)	22.45
	Kings Quest III by Sierra (CoCo3)	31.45
	Flight Sim. II by SubLogic (CoCo3)	31,45
	OS-9 Level II by Tondy	71.95
	OS-9 Development System	89.95
	Multi-View by Tandy	44.95
	VtP Writer (disk only)	69.95
	VIP Integrated Library (dlsk) 1	149.95

Prices are subject to change without notice. Please call for shipping charges, Prices in our re-tall store may be higher. Send for complete

# **CALL TOLL FREE** -800-343-8124

- LDWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHDPPING CONVENIENCE







P.O. Box 1094

480 King Street Littleton, MA 01460

IN MASSACHUSETTS CALL (508) 486-3193

### Table of Contents

Printer Spooler

A time-saver for CoCo 3

May 1989 Vol. VII No. 10

Marc Genois

86

users

100



**High-Capacity** Screen Dumps H. Allen Curtis High-density printer

enhancements for the shoestring desktop publisher

The Forgotten Chip Carl Austin Bennett Get your modem to work with OS-9 for under \$20

138 BASIC09 Programming Tool Philip Brown Using Syscall to enhance BASIC09

144 Chown Evan Robinson Sharing those system liles

# 42



Made Easy Edward Jones Alter those fonts for printing chores

Font Selections 🦃

### -Features

20 Text for Graphics

Jack D. Welsh Add captions to the pictures you create

28 Lunar Lander 🦈 Jeff Donze

A space shuttle simulation that lets you be the pilot

CoCo Derby 🥞 Joe Wilensky And they're off!

46 Having a Party?

R.J. McCorkle Print invitations, flyers, classified ads, etc., in any style you want



54

58

68

Jeff Baier

Wow! One Disk

Drive, Two CoCos

CoCos with one disk drive

Build this adapter to use two

Desktop Publishing

Comes to the CoCo

82 3-D Without Glasses William P. Nee Part XI: Machine language made BASIC

#### Columns

88
BASIC Training
Joseph Kolar
BASIC bird watching

98
BASICally Speaking

Larry Boeldt BASIC problems solved here

742
CoCo Consultations
Marty Goodman
Just what the doctor ordered

Delphi Bureau
Don Hutchison
That facts about FAX
and the database report

136
Doctor ASCII
Richard Esposito
The question fixer

Education Notes Steve Blyn
Fraction action

10 Print #-2, Lawrence C. Falk Editor's Notes

**80**Turn of the Screw
Tony DiStefano
The ABCs of Disk Drives

92
Wishing Well
Fred Scerbo
The twelve months

# Departments-

160
49
26
6
128
158
14
129
116
<u>_117</u>

### Rainbowtech

146 Accessible Applications Richard A. White More BASIC09 programming

150
Barden's Buffer
William Barden, Jr.
Interlacing for the all-thumbs
CoCoNut

"KISSable OS-9" will return next month.

The casselle lape/disk symbols beside fealures and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAINBOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ad on the inside front cover.

# Novices Niche

74 Hi-Res Screen Dump Shane Messer

**75 The Timer** Wayne Hufford

**75** Beam3D Joseph Pendell

**76** Hot Stuff Ric Pucella

**76 Math Drill** William A. Queen, III

77 \$Chores\$ for Dollars Steve Paul

78 Note Card Darrin Seats

## **Product Reviews**

BASIC Unravelled Series/Microcom Software	.118
CoCo Graphics Designer Plus/Zebra Systems, Inc.	110
CoCo 3 Wheel/SPORTSware	124
DS-69B Digisector/The Micro Works	.121
Dino Database/RAM Electronics	.122
Fontgen/JR & JR Softstuff	.128
KJV on Disk/BDS Software	.124
Keyboard Exfender/HAWKSoft	.118
Math Tufor/ZCT Systems	113
Orc Ambush/SPORTSware	.114
Revenge of the Germs/The Software Systems	.116
Printer Drivers for Home Publisher/Tandy	
Corporation	.117
Vehicle Cost Printouf/Alan Hanusiak	.125

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoff Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (562) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW end RAINBOWfest logotypes are registered to trace the trace of the RAINBOW of the RAINBOW of the RAINBOW of the RAINBOW of the RAINBOW, P.O. Box 385, Prospect, KY and additional offices, USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Authorized as second class postage paid from Hamilton, Onterio by Canada Post, Ollawa, Ontario, Canada.

• Entire contents copyright to by FALSOFT, Inc., 1989. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as Is" basis, without warranty of any kind whalsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered to the use of lademarks of the Tandy Color. • Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rales are U.S. \$38, Surface mall to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available Issue. • Limited back Issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue, A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.

#### The Rainbow

Editor and Publisher
Lawrence C. Falk

Managing Editor Julia Kapthammer Associate Editor Sue Fomby Reviews Editor Lauren Willoughby Submissions Editor Tony Olive Copy Editor Keily Goff Technical Editors Cray Augsburg,

Ed Ellers
Technical Assistant David Horrar
Editorial Assistants Wendy Faik Barsky,

Conlibuling Edilors
William Barden, Jr.,
Sleve Blyn, Tony DiStelano,
Richard Esposito,
Martin Goodman, M.D.,
Joseph Kolar, Dale Puckell,
Fred Scerbo, Richard White

Art Director Heidl Maxedon Designers Sharon Adams, Teri Kays, Denise Webb

Typesetters Linda Gower, Renee Hutchins

#### Falsoft, Inc.

President Lawrence C. Falk General Manager Bonnie Frowenfeld Assi, General Mgr. for Finance **Долпа Shuck** Admin, Asst. to the Publisher Kim Thompson Editorial Director John Crawley Assi. Edilorlal Director Judi Hulchinson Director of Production Jim Cleveland Chiel Bookkeeper Diane Moore Dealer Accounts Judy Quashnock Assl. General Manager For Administration Sandy Apple Word Processor Manager Patricia Eaton Customer Service Manager Beverly Bearden Customer Service Representative Carolyn Fenwick Development Cooldinator Ita Baisky Chief of Printing Services Melba Smith Dispalch Paul Bauscher Business Assistants Laurie Falk. Vivian Turbeville Chief of Building Security and Maintenance Jessie Brooks Advertising Coordinator Doris Taylor Advertising Representatives Belinda Kirby, Kim Vincent

For RAINBOW Advertising and Marketing Office Information, see Page 160

Advertising Assistant Debbie Baxter (502) 228-4492

Cover illustration by Fred Crawford



#### Double-sided DeskMate 3

Editor:

As an owner of a double-sided disk system I realized that using *DeskMate 3*, with two disks configured for a 35-track single-sided system, was a waste of power. So 1 put everything in one double-sided disk, I just wanted to let you know that the package is now much more enjoyable to use.

Here's what I did. First, format a blank disk as double-sided 40-tracks, using a customized OS-9 Level II system disk. Then, make a boot file on the blank disk using the configuration utility included with the Level II package containing the following options: p; t2; d0 - 40d or d1 - 40d; ddd0 -40d; term-ydg; no windows unselect the w and w1 that come selected within the utility); and 60 HZ (American Power) for the clock module. After the boot file is generated, select the "No commands, stop now" option and your work with Config will be finished. Now you have a bootable doublesided disk ready to receive the files from both DeskMate 3 disks.

Here is how to dsave the files contained in the *DeskMate 3* disks using pipes, so if your customized OS-9 Level 11 system disk doesn't handle pipes, prepare a new one that can do this, keeping in mind that pipes are useful when dealing with dsaves.

With the OS-9 disk in Drive 0, load dsave, copy and maked 1r. Insert DeskMate 3's Disk 1 in Drive 0 and the newly formatted disk in Drive 1, type chd/do then, pressenter, dsave /d0 /d1! shell, and pressenter and wait until the procedure is over. Then insert Disk 2 of DeskMate 3 in Drive 0 and type chd/do/cmds and pressenter, dsave /d0 /d1/cmds! shell and pressenter. Don't bother with the Error #218 message that will appear during this last saving procedure, they are "file already exists" errors and will denote only that there are some identical files in both disks of DeskMate 3.

When the job above is done, boot this new version of *DeskMate 3* and config it as you want remembering only that both the folders three and four must refer to directory /d0/cmds. After configuring your *DeskMate 3* to match your hardware, don't forget to put a write protect tab on the disk. And finally, just reboot your customized *DeskMate 3* and start playing with it. Note

that you will be able to format and backup 40-track double-sided disks from within this new *DeskMate 3*.

For those with only one disk drive, change the dsave commands accordingly and swap the disk when prompted.

Albert Schriefer Salvador, Brazil

#### Click'n Blink

Editor:

I want to contribute a small improvement to Mr. Dingle's excellent *CoCoPong* program (January '89, Page 63). Considerable improvement is achieved by the following:

Change Line:

140 PCOPY1 TO 2:PCOPY1 TO 3

Add line:

155 PMODE 0.2

Change lines:

300 PSET (X,Y,1) : PCOPY2 TO 1

310 IF PPOINT(X+MX,Y)=5 THEN MX = MX: EXEC43345

320 IF PPOINT(X,Y+MY)=5 THEN MY = MY: EXEC43345

Add Line:

361 PCOPY2 TO 1

Change Line:

380 PCOPY2 TO 3:SOUND100,5:SOUND 1,4:X=140:Y=RND(131)+19:MS=-MX :MY=-MY:RETURN

These line changes and additions remove the blinking of the paddles and ball and add a small "click" when the ball is hit (EXEC43345 is a ROM call that does this) without appreciable loss of speed.

John Murvine Ebensburg, Pennsylvania

#### INFORMATION PLEASE

Editor:

I am using the genealogy program Aucestors, by Christopher Meek, to catalog relatives of the past. Unfortunately, the program has several draw backs, which Chris says he doesn't have the time to devote writing patches for. Since numerous people have written modifications or Telwriter-64, I was wondering if the same has been done for Aucestors.

If anyone is familiar with adapting *Ancestors* please write to me.

Paul Urb<mark>alius</mark> 2887 Republic Avenne Radcliff, Kentucky <mark>40160</mark>

#### The Unknown Pirate

Editor:

Help! I'm a new CoCo user and was trying to make a copy of *DeskMate* that I purchased for my CoCo 2, and I turned off the CoCo before I took the disk out of the drive. No more program. Can anyone send me a copy? I'd be glad to compensate for someone's time and disk.

Y. Jones

Sorry, but if someone were to send you a copied disk they would be guilty of pirating software. Your best bet is to contact your local Radio Shack dealer for a replacement.

#### Looking for an Ink Well

Editor:

I am the owner of the *Mac Inker* from Computer Friends in Portland, Oregon, one of your former advertisers. They are apparently no longer in business because my letter to them was returned marked "undeliverable". Since I need some more printer ribbon ink, is there anyone who knows where I can buy black ink for printer ribbons?

Norman Th<mark>ode</mark> 7807 Finch Trai<mark>l</mark> Anstin, Texas 78745

Most office supply stores should stock ink for re-inking ribbons.

#### Editing the Point

Editor:

Can you help me? I am looking for an OS-9 Level II pointers editor (e.g., instead of an hourglass, a cloud with a couple of Z's in it).

Scott Chase 3 Thomas St Baxter 3911 Victoria, Australia



#### **AUTOTERM**

TURNS YOUR COLOR COMPUTER INTO THE

# WORLD'S SMARTEST TERMINAL!



YOU'LL ALSO USE AUTOTERM FOR SIMPLE WORD PROCESSING & RECORD KEEPING

#### **EXTRA FEATURES ON COCO 3 DISK**

80 char. screen, 2400 baud thru serial port, 95,000 to 475,000 character bufler.

#### EASY COMMUNICATION

Full prompting and error checking. Step-by-slep manual has examples. Scroll text backward and forward. No split words on screen or printout. Save, load, delete lites while on line. Print, save all or any part of text. 300 or 1200 baud. All 128 ASCII characters. Works with D.C. Hayes or any modem. Screen widths of 32, 40, 42, 51, 64.

DISK VERSION SUPPORTS RS232 PAK, XMODEM and SPLIT SCREEN FOR PACKET RADIO.

Please hire the mentally relarded.
They are sincere, hard working and appreciative. Thanks!

Phyllis.

quic

cursor. Find strings instantly too! Insert printer control codes. Specify page size and margins. Switch quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text or files, download information, file it, and sign-off; then edit the receive data, print it in an attractive format, and/or save it on life. Compatible with TELEWRITER.

WORD PROCESSING

Editing is super simple with the

#### CASSETTE \$29.95 DISKETTE \$39.95

Add \$3 shipping and handling

#### TOTAL AUTOMATION

Advanced system of keystroke macros lets you automate any activity, such as dial via modem, sign-on, interact, sign-off, print, save. Perform entire session. Act as message taker. At start-up, disk version can automatically set parameters, dial, sign-on, interact, read/write disk, sign-off, etc. Timed execution lets AUTOTERM work while you sleep or play. No other computer can match your COCO's intelligence as a terminal.

PXE Computing 11 Vicksburg Lane Richardson, Texas 75080

#### REQUEST HOTLINE

Editor:

I'd like to write a few words to you about a problem the whole European CoCo community faces.

Month after month we avidly read the RAINBOW. Of course, we also read The Database Report, and that's where our frustrations begin. We constantly read of interesting programs uploaded on Delphi, while knowing the programs are unavailable to us. The costs to go on-line on a BBS in the States from Europe are forbidding.

According to the latest telephone directory for Belgium, a conversation with the U.S., not involving an operator, costs more than \$2 a minute. If the telephone link is made by an operator, it is almost \$2,40 per minute.

Furthermore, in Belgium and many other European countries, not many people have a modem. And moreover, there are only a few BBSs here, most uninteresting.

We fully understand that Delphi is a commercial company with protected interests. We do not expect free programs. But there must be a solution. Couldn't someone at Delphi put these programs on disk to be

sold to CoCo users outside the U.S.? It eertainly is not going to take away participants from the BBS since buyers would be primarily those unable to log on or who have no modem.

It may also discourage software piracy, a problem that has resulted from a complete lack of support for the CoCo market here.

Ludo LeJenne Belgium

Good idea? We'll discuss your suggestion with Delphi and keep you posted on the results.

#### KUDOS

Editor:

I am a CoCo 3 owner as well as subscriber to this remarkable publication. Through the past year thave closety monitored the product reviews and after the January 1989 review of Max-10, I called and ordered CoCo Max III and Max-10. The person I spoke with was polite and extremely professional, answering all my questions promptly and indicating that I would receive my software within 10 days.

I anxiously awaited my order as this was my first purchase through the mail; six

days later, during the Christmas season. I received my programs and am absolutely thrilled. My CoCo 3 has come to life, creating graphics and text effectively and efficiently.

Thank you rainbow and Colorware.

Paul S. Merch<mark>ant</mark> Lawton, Oklahoma

#### Living up to Promises

Editor:

Zebra Systems has one of the fastest delivery systems I have seen. I mailed a check for *CoCo Graphics Designer Phas* on February third, and received it on the 10th. It took only seven days while a friend's order with another company, by credit card, took 14 days.

The product not only arrived quickly, but lived up to its promises. It is much better than the older BASIC version. I found it easy to use and very powerful.

It is nice to see that most companies have great service. I have ordered products from several other companies, but none had the speed that Zebra Systems showed.

Kevin Donnelly Columbux, Georgia

#### Some Help from my Friends

Editor:

Recently, I took a computer test for a Jets Team competition. This was through my Physics class. There were tests that pertained to all areas of study (Physics, Math, English, etc.). I placed third overall of about 30 students from many different schools around the area.

The test consisted of many flow charts, converting numbers to decimal, binary, hexadecimal and questions about computers in general. There were also a lot of questions dealing with many languages (Pascal, Assembly Language and FORTRAN).

I'm just writing to say that I couldn't have done that well without the articles I read from Dale Piickett and William Barden, Jr. They explained many technical things in an easy-to-read format. So, thanks and keep up the good work.

Timothy P. DeJong Rock Valley, Jana

#### Out of Rough Water

Editov:

I want to thank Mr. Puckett and others at RAINBOW for your assistance in getting this old retired sailor out of rough water with Multi-Vue. After reading his instructions I had no trouble changing my boot. Now I enjoy using that program.

I like using Computerware's word processor Screen Star, and would like to know if anyone has changed the screen driver so it will work with Multi-Vue? When I try going from OS-9 to Screen Star without rebooting 1 get the message that Screen Star takes a special driver. I would like to use it on an 80-column screen.

Melviu A. Grow Alameda, California

#### REVIEWING REVIEWS

Editor:

I am extremely dissatisfied with the program CoCoNewsroom. When I read the product review in your magazine, I was led to believe that this was a quality program. I find this is not the case.

The Type-up subroutine does not allow for return to the main menu. There is no way that I could find to move to the Lay-Out program after preparing the text. This is not to mention the clumsy process for setting up the text. There is no wrap-around feature at all. If the word typed is too long for the line, it divides haphazardly between two lines of text.

The Newspaper Picture Disk would not load. I suspect this was because it has no graphics programs on it to load. I wonder what else is missing from this program.

All in all, this was a frustrating experience. Paying good money for shoddy merchandisc gives all software companies a bad name. I suppose it might be silly to expect a relund, but I am going to ask for it anyway.

Dennis D'Ovidio Bristol, New Hampshire

CoCo Newsroom, which was previously sold by Spectrum Projects and Microcom Software, is no longer on the market. Eric Wolf, the author of the pragram, has revised the pragram and has given Second City Saftware exclusive rights to sell the new version, now called Newspaper Plus.

Second City Software is affering owners af CoCo Newsroom to apprade to the new Newspaper Plus system for \$19.95. Simply send your original disks and manual, along with \$19.95 to Second City Software and your original copy will be replaced with Newspaper Plus.

Far more information on Newspaper Plus, see "Desktop Publishing Comes to the CaCo" heginning on Page 58 of this issue.

#### Another View

Editar;

I take mild exception to the review of Max-10 by Jim K. Issel in the January '89 issue of the rainbow. His unreserved enthusiasm for the program is understandable. It is a remarkable program for those who want a graphics-based word-processor or desktop publisher. However, I think a word of caution is in order; this is not a word processor for the beginner or, for anybody's only word processing program. One reason is that as a graphics-based program, its printed output is painfully slow for text-only applications. For those who want to mix pictures with text or use a variety of fonts, that is a perfectly acceptable trade-off. But for those who will be using a word processor mostly for straight text, to type letters, memos, reports, etc., a character-based word processor like Telewriter-128 would be easier to use and would be much faster in producing a printed copy. Also, for typing a straight-text document, I find the mixture of keyboard and joystick operations required by Max-10 to be unnatural and awkward compared to the keyboard-only operation of a characterbased word processor.

So, to alter Jim Issel's bottom-line comment, if you want to mix pictures with text, experiment with fancy fonts or unusual layouts, this is a marvelous program that's a lot of fun to use—buy it, you'll like it! But if you want a work-horse word processor primarily for typing text, buy something else, you'll be glad you did.

Dave Otis Montpelier, Vermont

#### Copy Protection a Nuisance

Editor:

I purchased a CoCo 3 and must applaud MicroWorld for their good service. The one thing that I don't like about the new machine is its incompatibility with some of the best software, such as CaCo Max II. It seems that some programmer could come up with a way to fully emulate a CoCo 2 on the new machine. Part of this incompatibility can be overcome by disabling all CoCo 3 commands with POKE 65502.0 (POKE 65503, 0 to re-enable) and some others by running ROMRAM as published in previous editions of the rainbow. I have found that CoCo Graphics Designer requires ROMRAM, while Don't Forget! will run correctly after the poke, If anyone can find a simple method to run CoCo Max II please let me know.

Thave recently ordered Max-10, and like the features. What appalls me is the copy protection scheme, which will be a major misance when using a Hi-Res Joystick Interface. The ad, which states "disk not copy protected", is misleading, as it suggests that no protection is used. This hardware protection scheme would have been miknown to me if not for your thorough review in January. Thave seen such devices for PCs, but had hoped not to see such for the CoCo.

Francis G, Swygert Apa, San Francisca

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RAI to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then seteet Letters for Publication. Be sure to include your complete name and address.



# Word Power 3.2

More Versatile . More Powerful With Spooler • Calculator • Split-Screen • 2-Column Printing Review for Word Power

... friendly...amazing execution speed...much easier to use than VIP software & 2 other word processing systems I've tried...very user-friendly...massive text storage capacity ...highest among word processors..." - Rainbow Oct. 88

Unparalleled Power packed in this 100% ML Word Processor written from seratch for the CoCo 3! No other word processor offers such a wide array of features that are easy to learn & use.

#### DISPLAY & SPEED



Word Power 3.2 runs at double-clock speed and uses the true 80-column display with lowercase instead of the graphics screen. The result is lightning fast screen reformatting and added speed! All prompts are displayed in

plain English in neat colored windows. The current column number, line number, page number, percentage of free memory is displayed at all times. Even the page break is displayed so you know where one page ends and the other begins. The Setup program allows you to change fore/background colors as well as (in) visible carriage returns. Word Power 3.2 ean be used with RGB/Composite/Monoehrome monitors as well as TV.

#### MAXIMUM MEMORY



Word Power 3.2 gives you over 72K on 128K and over 450K on 512K CoCo 3 for Text Storage - more memory than any other CoCo word-processor. Period.

#### ORTLESS EDITING

Word Power 3.2 has one of the most powerful and user-friendly full-screen editor with word-wrap. All you do is type. Word Power takes eare of the text arrangement. The unique Auto-Save feature saves text to disk at regular intervals for peace of mind.

Insert/Overstrike Mode (Cursor Style Changes to indicate mode);OOPS Recall during delete; Type-ahead Buffer for fast typers; Key-Repeat (adjustable); Key-Click: 4-way cursor and scrolling; Cursor to beginning/end of text, beginning/end of line, top/bottom of screen, next/previous word; Page up/down; Delete character, previous/next word, to beginning/end of line, complete line, text before/after cursor; Locate/Replace with Wild-Card Search with auto/manual replace; Block Mark, Unmark, Copy, Move & Delete; Line Positioning (Center/Right Juslified); Set/Reset 120 programmable tab stops; Word-Count; Define Top/Bottom/Left/Right margins & page length. You can also highlight text (underline-with on-screen underlining, bold, italies, superscripts, etc.). Word Power even has a HELP screen which an be accessed any time during edit.

#### SPLIT-SCREEN EDITING

Splits the screen in half so you can view one portion of your text while you edit another. You'll love it!

#### MAIL-MERGE



Ever try mailing out the same letter to 50 different people? Could be quite a chore. Not with Word Power 3.2! Using this feature, you can type a letter, followit with a list of addresses and have Word Power print out personalized letters. It's that easy!

#### CALCULATOR

Pop-up a 4-function calculator while you edit! Great for tables!

#### SAVING/LOADING TEXT

Word Power 3.2 creates ASCII format files which are compatible with almost all terminal/spell-checking & other word-processing programs. Allows you to Display Free Space, Load, Save, Append & Kill files. The ARE YOU SURE? prompt prevents accidental overwriting & deletion. You can select files by simply cursoring through the disk directory. Supports double-sided drives & step-rates.

#### PRINTING

Word Power 3.2 drives almost any printer (DMP, EPSON, GEMINI, OKIDATA, etc.). Allows options such as baud rates, line spacing, page/print pause, partial print, page numbering/placement, linefeeds, multi-line headers/footers, right justification & number of copies. The values of these parameters & margins can be changed anytime in the text by embedding Printer Option Codes. The WHAT YOU SEE IS WHAT YOU GET feature allows you to preview the text on the sereen as it will appear in print. You can view margins, page breaks, justification & more.

#### PRINT SPOOLER

Why buy a hardware Print Spooler? Word Power 3.2 has a builtin Spooler which allows you to simultaneously edit one document & print another.

#### TWO-COLUMN PRINTING

This unique feature allows you to print all or portion of your text in two columns! Create professional documents without hours of aligning text.

#### SPELLING CHECKER



Word Power 3.2 comes with spelling checker/dielionary which finds & corrects mistakes in your text. You ean add words to /delete words from dictionary.

#### PUNCTUATION CHECKER

This checker will proofread your text for punctuation errors such as capitalization, double-words, spaces after periods/commas, and more. Its the perfect addition to any word processor.

#### DOCUMENTATION

Word Power 3.2 comes with a well-written instruction manual & reference card which makes writing with Word

Power a piece of eake! Word Power 3.2 comes on an UNPROTECTED disk and is compatible with RSDOS. Only \$79.95

(Word Power 3.1 owners can get Word Power 3.2 Upgrade FREE by sending proof of purchase & \$5.00 to cover S&H costs & instructions)

### MICROCOM SOFTWARE



2000 Monroe Ave, Rochester, NY 14618. Order Status, Info, Technical Info: 716-383-8830 To Order: Refer to Page 17 of our 6-page ad series: (Pgs. 9-17)

Credit Card Toll Free Orderline 1-800-654-5244 (9am-8pm 7days/week





# Balancing a RAINBOW

ne of the most difficult things about publishing THE RAINBOW has always been the job of booking the magazine every month. Booking, you see, is the process by which we select the stories and articles that will appear in its pages.

Managing Editor Jutta Kapfhammer, Submissions Editor Tony Olive and a number of others all contribute to this process. They do a significant job, based on a few guidelines set up by mc. Those guidelines are simply that we must have a broad range of ideas, topics and things you can do with your CoCo in each issue.

One thing that amazes me, as we approach our Eighth Anniversary Issue and begin our ninth year of publication, is how well our staff handles this procedure. Another is that the more things change, the more they stay the same.

What I mean is that almost since RAINBOW's inception, we have received letters and calls asking us for "more" of this or "less" of that. Frequently on the very same day, I get letters stating readers' opinions that we have "too many games and not enough scrious stuff" and that we have "too much technical material and not enough games or fun projects." The same goes for "too many little simple things" and "not enough short, simple programs."

I have always taken the position that as long as both sides complain, both sides are getting what they want. Remember, THE RAINBOW reaches a wide audience of paid circulation — some 65,000 in all. (By the way, that is not "readership," because we have never used that sort of figure, Some magazines do, figuring something like 7.3 people read each issue and quoting that number. We never do.)

One of the reasons for this is because the shape of the CoCo Community is ever-changing. And it changes within the scope of a year as well. It is no secret that more CoCo sales are made in the November-January period than any other and these users are new to our world. We try to hand-hold a little more in the earlier part of the year than at other times; it is one of the reasons our "Beginner's Issue" comes out in January of each year.

Still, except for the occasional lost or torn-up magazine — usually the fault of the postal systems we use (United States and Canadian, plus a lot of other countries to a lesser extent) — the "content" issue is the one we hear the most about,

There are several reasons for it, and one of them is simply that of scale. Take the 160-plus pages in this month's issue and devote 20 of them to games, and you end up with readers deep into OS-9 who are unhappy that 20 pages are "wasted" on games. Yet that represents but 13 percent of the total available pages. Of course 20 pages is about half the total available if we were, say, a little 50-page magazine.

At one time we considered splitting THE RAINBOW up into two parts — a

Best Desktop Publishing / Document Creator for the CoCo 3, Features Pull Down Menus, What You See Is What You Get, UNDO, integrated text & graphics capability , multiple fonts & more. Graphics can be imported from CoCo Max I, II, III, MGE, MGF, 5 Level DS-69, PMODE 4, HSCREEN 2/3 pictures. Sup-DMP 105/130, **EPSON** ports; MX/FX/RXLX/ Gemini 10 Series, CGP-220 and OKI-92, Only \$79.95

#### VIP CALC III

Best Spreadsheet for your CoCo 3. Features color menus, 32/40/64/80 column display, 2 Mhz speed & more. Allows up to 1024 rows x 512 columns. VIP Calc III also has up to 16 windows, trig, averaging, sorting, algebraic & sorting functions. Locate, block move/copy commands & limitless programmable functions, Works with any printer, Only \$69.95

Font Disk #1,#2 for CoCo Graphics Designer: \$19.95 each

# SCHEMATIC ESIGNED

By Prakash Mishra

An excellent Circuit Schematic Design Software Package for CoCo 3. Features:


- \* Runs in 640x192 at 1.8 Mbz
- \* Pull Down Menus
- \* Keyboard/Mouse/Joystck Support
- RGB/ Composite/Monochrome

Monitor Support

- \* 72 Modifiable Symbols
- \* Multiple Hi-Res Fonts
- \* Mulliple UNDO Command
- \* Symbol Rotate/Line/Box Draw
- \* Supports 3 Layers of Circuits
- \* Powerful Screen Print Command DMP/Gemini/Epson Printers

\* Complete Documentation

Only \$39.95



A Revolutionary Program that allows you to use Basic Programs from OS9!

OS9 Level 2 is the future of the CuCo. Unfurtunately, most Basic Programmers are "afraid" of using OS9 because it is different from Basic, Introducing RSB! It allows you to run Basic from OS9 and take advantage of features such as multitasking, no half Roppies and high speed operation. RSB is your first step into OS9! Reg. OS9 Level II. Only \$39.95



The ancient game of strategy moves into the future. HSCREEN 2 for normal play, HSCREEN 4 for triple level play. Move your pieces through time as well as space, Reij. RSDOS 128K CoCo 3 and 2 Players. Disk Only \$24.95

#### ULTRAPATCH SYSTEM

by Randall Reid Patches the Superpatch EDTASM + ® for 80 columns, 47K Buffer (approximately 3000 lines!) & more, Req CoCo 3. Only \$19.95

#### GAMES

(Disk only)

(CoCo 1,2 & 3 except where mentioned)

WARRIOR KING (CaCo 3): \$29.95

IN QUEST OF STAR LORD(Animated Graphics Adventure

for CoCo 3): \$34.95 Hint Sheet: \$3.95

HALL OF THE KING 1,2,3: \$29,95 Each Trilingy: \$74,95

FLIGHT 16: \$34.95

PYRAMIX(Cubix for CoCo 3): \$24,95

KUNG FU DUDE: \$24,95

DRAGON BLADE: \$19,95

CHAMPION: \$19,95

WHITE FIRE OF ETERNITY: \$19.95

QUEST FOR THE SPIRIT STONE (CoCo 3): \$18

WARGAME DESIGNER (CoCo 3): \$29

TREASURY PACK#1: Lumar Rover Patrol, Cubix, Declathon, Qix, keys of Wizard, Module Man, Pengon, & Roller Con-

troller.Only \$29.95

TREASURY PACK #2: Lancer, Ms. Gobbler, Froggie, Madness & Minotaur, Ice Castles, Galagon, Devious. Only \$29.95 SPACE PAC: Color Zao, Invaders, Planet Invasion, Space Race, Space War, Galax Attax, Anaroid Attack, Whirlybird, Space Sentry & Storm Arrows, Only \$29,95

WIZARD'S CASTLE: A hi-res graphics adventure game filled with traps, tricks, treasures. Only \$19.95

XENOCOPY-PC

An amazingly versatile program that allows you to Formal/Duplicate / Read/ Write disks from over 300 different computers. For example you could trans-fer programs between CoCo, IBM, PC-DOS, TRS-80 Model 3, TRS-80 Model 4, TRS-80 Model 100, Xerox 820, Zenith, Kaypro II, Novelt, NEC DOS and much much more!! Send for FREE List. Requires an 1BM Compatible with 2 drives. Disk \$79.95.

#### 512K BACKUP LIGHTNING

for

(From Colorventure)
The ultimate CoCo 3 disk copying utility!! Reads your master diskette once and then makes as many copies as you want. It automatically formats an unformatted disk white copying! Supports 35, 40 or 80 track drives with various step rates. A must for any disk user!! Only \$19.95

#### PRINTER LIGHTNING

(From Colorventure)

Never wait for your printer again!! This Print Spooler allows you to print to your printer and simultaneously continue with your programming. No need to wait for those long printouts! Disk Only \$19.95

#### BASIC FREEDOM

A Full Screen Editor for Basic Programs!! A Must for anyone who writes Basic Programs. Only \$24.95

#### VOCAL FREEDOM

Turn your computer into a digital voice / sound recorder. Produces natural voices/ sound effects. Req. inexpensive RS Amplifier (#277-1008) & any microphone. Only \$34.95

#### HACKER'S PAC

Allows you to incorporate voices created by Vocal Freedom into your own Basic and ML programs. Only \$14.95



### MICROCOM SOFTWARE















Credit Card Toll Free Orderline 1-800-654-5244 (9am-8µm 7days/week) Order Statos, Info, Technical Info: 716-383-8830

"serious" magazine and a "fun" magazine. However, after discussions with a lot of people, some surveys of readers and some hard thinking, we decided this would be neither practical nor useful to the CoCo Community as a whole.

Yes, we would prohably have stemmed some of the complaints, but our research showed we would have forced easily a third of you to buy two magazines. We would have also ended up pressuring our advertisers to advertise in two places.

Both of those would have been silly for us to do — and destructive to the CoCo Community.

That is why our booking process is so important. We make sure we have a balance because that is what we want and what our research says the vast majority of you prefer. If you are a game fanatic, we've got a bunch of pages of material for you; if you are heavily into OS-9, we have a bunch of pages for you, too. And we will continue to do so.

All we ask is simply to look at what rou get, not what someone else gets, too. By appealing to the entire CoCo Community as we do, we can afford to produce a top-quality magazine for you every month, hold onto columnists you

like, and provide a way for you to learn all the excellent new products available to you by our advertisers.

"We make sure we have a balance because that is what we want and what our research says the vast majority of you prefer."

THE RAINBOW is an inexpensive purchase both for you and for our advertisers. Assume we deliver 165 pages a month for 12 months: That costs you just a a little more than a penny a page. If, say, we delivered 50 pages every other month, the magazine would cost you five cents a page even if we cut our subscription rate in half.

As far as advertisers are concerned, a comment made by Terry Simons of Des Moines, lowa, in his CoCo club newsletter is a good case in point. He quotes information and rates from THE

RAINBOW and from a newsletter with a claimed circulation of about 1,000. If we use Terry's figures, it costs about \$30 to reach 1,000 people through THE RAINBOW, while the cost for reaching the same 1,000 people in the newsletter he mentioned would be \$180.

That is pretty much off the subject. I was saying that we at THE RAINBOW work hard to give you a balanced magazine that is useful to everyone. I think our editors do a fine job, and I know most of you agree. For those who sometimes get frustrated, consider the scale of what you hold in your hands right now. It is an important consideration.

Meanwhile, here in Kentucky, the flowers are beginning to bloom and we are making plans for the Eighth Anniversary Issue. It is what we eall "Derby season," because the Kentucky Derby is right around the corner.

Derby is exciting and so is spring. But here, there is nothing quite as exciting as planning another Anniversary Issue and looking forward to serving all of you and the CoCo Community in the years ahead.

Lonnie Falk

# METRIC INDUSTRIES, INC.

#### Model 101 Serial to Parallel Printer Interface



★ Compatible with 'Centronics" Parallel Input Printers

★ Just lum the knob to select any one of 6 band rates 300-9600

★ Comes complete with cables to connect to your printer and computer

\* Can be powered by most printers

# Model 104 Deluxe Interface with "Modem Switch"

★ Same Features as 101 Plus

★ Buill in Serial Port for your Modern or other serial device

★ Switch between Serial Output and Parallel Output

★ Comes with cables to connect to your computer and printer

★ Can be powered by most printers

#### Model 105 Serial Switch

★ Connects to your COCO to give you 2 switch selectable Serial Ports

★ Comes with a 3 foot cable to connect to your computer ★ Now you can connect your Printer (or printer interface) and your Modem (or other serial device) to your COCO and tip the switch to use either device

★ Does not require power

#### **Cassette Label Printing Program**

 New Version 2.1 prints 7 lines of information on Cassette labels

Comeson Tape with instructions to transfer to disk

Menu driven, very easy to use

\* Save and Load Labels from Tape and Disk

 Uses the leatures of your printer to print standard, expanded, and condensed characters

\* Automatically Centers Each Line of Text

\* Allows editing of label before printing

\* Program comes with 24 labels to get you started

★ 16K ECB required

#### That Can -Supply power for the 101 and

Supply power for the 101 and 104 are Radio Shack, Star, Okidata, Brother, Juki, and Smith Corona.

### Some of the Printers That Cannot —

Supply power for the interfaces are Epson, Seikosha, Panasonic, Silver Read and NEC. Il your printer cannol supply power to the interface you can order your interface with the "P" option or you can supply your own AC adapter. We recommend the Radio Shack 273-1431 AC adapter with a 274-328 connector adapter.

Write or call for more information or for lechnical assistance.

#### Price List

 Model 101
 35.95

 Model 101P
 41.95

 Model 104
 44.95

 Model 104P
 51.95

 Model 105
 14.95

 Cassette Label Program
 6.95

 Pin Feed Cassette Labels:

While 3.00/100
Colors (specify) 3.60/C
Red-Blue-Yellow-Tan

# 4 Pin Din Serial COCO Cablee:

COC Cablee:
Male/Male 6 fool 4,49
Male/Female 6 fool 4.49
Female/Female 6 lool 4.49
Other Lengths Available,

All items covered by a 1 year warranty

#### Ordering Info

\* Free Shipping In the U,S.A. (except AK and HI) on all orders over \$50

On orders under \$50 please add \$2.50 for shipping and handling

 On orders outside the U.S.A. please write or call for shipping charges

#### You Can Pay By:

★ VISA or MasterCard

★ C.O.D. add \$2.25

★ Or send check or money order payable in U.S. funds

Metric Industries Inc. P.O. Box 42396 Cincinnati, OH 45242


(513) 677-0796

#### CoCo 3 Utilities Galore

(CoCo 2 Versions included where specified)
(All Programs are for RSDOS unless specified)

#### SUPER TAPE/DISK TRANSFER (--)





- \* Tape-Io-Disk Auto Relocate
- \* Disk-to-Tape Copy \* Tape-to-Tape Copy Copies Basic/ML/Data Files. CoCo 1,2 or 3. Req. min. 64K Disk System. Disk Only \$24.95

#### CEBBS

Best BBS for CoCo 3. Xmodem Up/Downloading, unlimited means, login, message base, built-in clock/calendar, execution of external programs. Sysop has full control of user's acess to menus, time on system & remote system access. Full Error Trapping. Hyper1O Compatible! Reg. \$59.95. Intro. Special \$49.95. Min Req CoCo 3, 1 Drive, RS232 Pack.

#### **DISK UTILITY 2.1A**



A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename & kill file entries. Lightning fast Disk I/O for format, copy & backup. Single key execution of Basic/ML programs. This will become your MOST USED program!! CoCo1,2 or 3. Req. Min. 64K, Disk Only \$24.95

#### **MAILLIST PRO**



The ultimate mailing list program. Allows you to add, edit, view, delete, change, sort (by zipcode or name) and print labels. Its indispensible!! Disk \$19.95 (CoCo 2 version included)

#### DISK LABEL MAKER

Allows you to design professional disk labels! Allows elongated, normal and condensed format for text. Double Strike, Border Creation, and multiple label printing. Its a MUST for any user with a disk drive. Supports DMP 105/106/110/120/ 130/430, GEMIN1, STAR, EPSON and compatibles, (CoCo 2 version included). Only \$19.95

# COCO UTIL II COCO.DOS



(Latest Version): Transfer CoCo Disk files to IBM compatible computer and vica-versa, Requires 2-Drive IBM Compatible, Disk \$39.95

#### **RGB PATCH**

Displays most games in color or, RGB monitors. CoCo 3 Disk \$24.95

# COMPUTERIZED CHECKBOOK




Why bother with balancing your checkbook? Let the CoCo do it for you. Allows you to add, view, search, edit, change, delete and printout (in a lable/individual entry format) checkbook entries. Updates balance after each entry. Allows files for checking, savings, and other accounts. Disk \$19.95. (CoCo2version included)

# BOWLING SCORE KEEPER



An excellent utility to keep track of your bowling scores. Allows you to save scores under individuals or teams. You can edit change, delete, and compare scores. A must for anyone who wants to keep track of his or her bowling performance, Disk \$19.95 (CoCo2 version included)

#### VCR TAPE ORGANIZER



#### COCO 3 SCREEN DUMP



32, 40, 80 column text dump, PMODE 4 Graphics Duntp. Single Keystroke Operational-lows you to take snapshots of your screens even when programs are running! Works on DMP's, Epson, Gemini and compatibles. CoCo 1, 2 and 3. Disk \$24.95

#### HOME BILL MANAGER 🕾



Let the CoCo keep track of your bills. Allows you to enter bills under various categories and reminds you when they are due. Disk \$19.95

#### CALENDAR MAKER



Generate monthly calendars on your printer for any year in the 20th century. Disk Only \$19.95 (CoCo 2 version included)

#### ADOS 3

Advanced disk operating system for CoCo 3. Comes on disk and is EPROMable!! Disk \$34.95. ADOS (for CoCo 1,2): \$27.95

#### Start OS9

An Enjoyable Hands-on Guide to OS9 Level II, Includes step-by-step tutorials, articles. Pree disk includes examples & utilities. Req. 512K, Level II, 2 drives & ntonitor, Book + Disk; \$32.95

The Zapper: Paich Disk Errors, \$19,95 Disk Manager Tree: Change, create & delete directories quickly. Req. 512K LH, \$29,95

Level II Tools: Wildeards, tree commands, windowing & 22 more utilities. 128K Reg. \$24.95

Witt'p One: Complete LII Windowing, Terminal, Auto Dial, macros, file transfer, capture, timer, chat, etc. Req. 512K. Only \$34.95

Miniti-Menu: Create your own pull-down ntenus. Reg. 512K & OS9 Level 11, \$19.95

OS9 Level 11 BBS 2.0: Supports multiple users. Tsmon, Login, chat, Message/Mail Retrieval, Uloadx, Dloadx & much more! Req. 512K, \$29.95

XWord: Best OS9 Word Processor with true character oriented editing & more. \$69.95 XMerge: Mail Merge for Xword: \$24.95 Xspell: Spelling Checker, 40000 words. \$39.95 XEd: OS9 Full Sereen Editor. \$39.95

XDis: OS-9 Disassembler, \$34.95 XTerm; Communications pro. w/ Up/download, xmodem,serial /RS232 pack support, \$49.95

XDir & XCal: Hierarchial Dir. & Calc. \$24,95

OS9 Level II RAMDISK; Must for any Level II user, Reg 512K, \$29.95

GSC File Transfer Utilities: Transfer files to & from MSDOS/OS9/RSDOS & Plex, Req. OS9 (LII for Multivue Version),2 drives, SDISK/SDISK3. Standard Version: \$44.95. Multivue Version: \$54.95

PC-XTer Utilities: Programs to format/transfer files to/from MSDOS diskettes to CoCo Under Level 1 & 2. Requires SDISK or SDISK 3, \$44,95 SDISK 3: Standard drive module replacement allows full use of 40/80 track double-sided drives. Req. OS9 Level 11, \$29.95. SDISK: \$29,95

Wild & MV Version 2.1: Use "wildcards" with OS9 & re-arrange directory tree. \$19.95

EZGen Version 1.04; Powerful OS9 bootfile editor. Cltange names, add/delete modules, patch bytes, etc. \$19.95

WIZ: 'Terminal Package with 300-19200 band rates/windowing. Req 512K & RS232 Pack. \$79.95

DYNASTAR: Word Processor with Macros, terminals/windows, mail-merge & more. Only \$99.95 DYNASPELL: \$79.95

Bolk Dynastar & DynaSpell: \$124.95



#### MICROCOM SOFTWARE









2900 Monroe Ave, Rochester, NY 14618. Order Status, Info, Technical Info: 716-383-8830 To Order: Refer to Page 17 of our 6-page act series: (Pgs. 9-17)

Credit Card Tult Free Orderline 1-800-654-5244 (9am-8pm 7days/week)
Order Status, Into, Technical Into: 716-383-8830





#### How To Read Rainbow

When we use the term CoCo, we reter to an affectionate name that was tirst given to the Tandy Color Computer by its many fans, users and owners.

The BASIC program tistings printed in THE RAIN-BOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. It the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you fhe minimum system a program needs. But, do read the text before

you start typing.

Finally, the little disk and/or cassette symbols on the table of contents and at the beginning of articles indicate that the program is available through our RAINBOW ON DISK or RAINBOW ON TAPE service.

#### Using Machine Language

The easiest way to "put" a machine language program into memory is to use an editor/assembler, a program you can purchase from a number of sources. All you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of putting an ML listing into CoCo is called "hand assembly" — assembly by hand, which sometimes causes problems with DRIGIN or EQUATE statements. You ought to know something about assembly to try this.

Use the Iollowing program it you want to handassemble ML listings;

IO CLEAR200,&H3F00:I=&H3F80 20 PRINT "ADDRE55:";HEX\$(I); 30 INPUT "BYTE";B\$ 40 POKE I, VAL("&H"+8\$)

50 I=I+1:GOTD 20

This program assumes you have a 16K CoCo. II you have 32K, change the &H3F00 in Line 10 to &H7F00 and change the value of I to &H7F80.

#### OS-9 and RAINBOW ON DISK

The OS-9 side of RAINBOW ON DISK contains two directories: CMDS and SDURCE. It also contains a lite, read.me.first, which explains the division of the two directories. The CMD5 directory contains executable programs and the SDURCE directory contains the ASCII source code for these programs. BASICO9 programs will only be offered in source form so they will only be tound in the SDURCE directory.

OS-9 is a very powerful operating system. Because of this, it is not easy to learn at first. However, white we can give specific instructions for using the OS-9

programs, you witi find that the OS-9 programs will be of little use unless you are familiar with the operating system. For this reason, if you haven't "learned" OS-9 or are not comfortable with it, we suggest you read The Complete Rainbow Guide to OS-9 by Dale Puckett and Peter Dibble.

The tollowing is not intended as a course in OS-9. It merefy states how to get the OS-9 programs from RAINBOW ON DISK to your OS-9 system disk. Use the procedures appropriate to your system. Before doing so, however, boot the OS-9 operating system according to the documentation from Radio Shack.

Type load dir list copy and press ENTER.

- 2) If you have only one disk drive, remove the OS-9 system disk from Drive 0 and replace it with the OS-9 side of RAINBOW ON DISK. Then type chd/d0 and press ENTER. If you have two disk drives, leave the sylem master in Drive 0 and put the RAINBOW ON DISK in Drive 1. Then type chd/d1 and press ENTER.
- List the read.me.first file to the screen by typing list read.me.first and pressing ENTER.
- 4) Entering dir will give you a directory of the OS-9 side of RAINBOW ON DISK. To see what programs are in the CMDS directory, enter dir cmds. Follow a similar method to see what source tiles are in the SOURCE directory.
- 5) When you find a program you want to use, copy it to the CMDS directory on your system disk with one of the following commands:

One-drive system: copy /d0/cmds/filename /d0/cmds/filename -s

The system will prompt you to alternately place the source disk (RAINBOW ON DISK) or the destination disk (system disk) in Drive 0.

Two-drive system: copy /d1/cmds/filename /d0/cmds/filename

Once you have copied the program, you execufe it from your system master by placing that disk in Drive 0 and entering the name of the file.

#### The Rainbow Seal



The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has actually been seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manutacturers of products — hardware, software and timware — are encouraged by us to submit their products to THE RAINBOW for certification.


The Seal is not a "guarantee of satisfaction." The cellitication process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certilication process. Certilication is open and available to any product per-

taining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the tirm advertises or not.

We will appreciate knowing of instances of violation of Seat use.

#### Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

Rainbow Check PLUS counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use Rainbow Check PLUS, type in the program and save it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW and press ENTER to remove it from the area where the

program you're lyping in will go.

Now, while keying in a listing Irom THE RAINBOW, whenever you press the down arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is ditlerent, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helptul utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since Rainbow Check PLUS counts spaces and punctuation, be sure to type in the listing exactly the

way it's given in the magazine.

- 10 CL5:X=256\*PEEK(35)+178
- 20 CLEAR 25, X-1
- 30 X=256\*PEEK (35)+178
- 40 FOR 2=X TD X+77
- 50 READ Y: W=W+Y: PRINT Z.Y: W
- 60 POKE Z,Y; NEXT
- 70 IFW=29BSTHENBOELSEPRINT "DATA ERROR": STOP

80 EXEC X: END

100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA I, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
150 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0

90 DATA 182, 1, 106, 167, 140, 60, 134

# Books That Can Launch A 1000 Programs!!

Pokes, Peeks and Execs are your guides into the jungle of computer programming. These commands give you the power of Machine Language without leaving the security of BASIC. Each book is a collection of "inside" information, with explanations and examples to help you immediately put it to use. Everyone from the novice to the professional will find these handy books a wealth of information.

#### 300 POKES. PEEKS, 'N EXECS for COCO III

- \*40/80 column Screen Text Dump \*Save Text/Graphics Screen to Disk
- \*Command/Functions Disables
- \*Enhancements for CoCo3 BASIC
- 128K/512K RAM Test Program

\*HPRINT Character Modifier

Only \$19.95

#### **500 POKES** PEEKS,'N EXECS

- \*Antostart your BASIC programs
  \*Disable Color BASIC/ECB/Disk BASIC commands
- \*Disable Break Key/Clear Key/Reset Button

\*Generate a Repeat-key

- \*Transfer ROMPAKs to tape
- \*Set 23 different GRAPHIC modes
- \*Merge two BASIC programs \*And much much more!!!

For CoCo 1,2 and 3. Only \$16.95 ALL 3 BOOKS for \$39.95

#### SUPPLEMENT TO 500 POKES, PEEKS, 'N EXECS

200 additional Pokes, Peeks and Execs (500 Pokes Peeks 'N Exces is a prerequisite)

\*ROMPAK transfer to disk

\*PAIN'1' with 65000 styles

\*Use of 40 track single/double sided drives

\*High-speed Cassette Operation

\*Telewriter, CoCo Max enhancements
\* Graphics Dump (for DMP printers) / Fext Screen Dump

For CoCo 1,2 or 3. Only \$9.95

### **UNRAVELLED SERIES**

300

OKES W EXECS



An invaluable aid for Basic and Machine Language programmers, these books provide a complete disassembly and annotated listing of the BASIC/ECB and Disk ROMs. These listings give complete, uninterupted memory maps of the four ROMs. Gain complete control over all versions of the color computer.

EXTENDED COLOR BASIC UNRAVELLED: COLOR BASIC and EXTENDED BASIC ROM Disassembly: \$39.95 DISK BASIC UNRAVELLED; DISK BASIC ROM 1.1 and 1.0 Disassembly: \$19.95

BOTH ECB AND DISK BASIC UNRAVELLED: \$49.95 SUPER EXTENDED BASIC UNRAVELLED: SUPER EX-TENDED BASIC ROM Disassembly for CoCo 3. \$24.95 COMPLETE UNRAVELLED SERIES (all 3 books): \$59.95

#### COCO LIBRARY

CoCo 3 Service Manual: \$39.95 CoCo 2 Service Manual: \$29.95 Inside OS9 Level II: \$39.95

Rainbow Guide To OS9 Level II: \$19.95 Rainbow Guide To OS9 II (disk): \$19.95

Complete Guide To OS9 (Level 1): \$19.95 Complete Guide To OS9 (2 Disk): \$29.95

CoCo 3 Secrets Revealed: \$19.95 Basic Programming Tricks: \$12.95

Assembly Language Programming(tepco): \$18

Addendum For CoCo3 (tepco): \$12

Color Computer Disk Manual (with ref card): \$29.95

Start OS-9 (Book & Disk): \$32.99

#### OTHER SOFTWARE ...

COCO MAX III (with hi-res interface): \$79.95 COCO MAX II: Disk \$77.95 Tape \$67.95 MAXFONTS #1,.#2,#3,#4; Disk \$19.95 Each NX1000 Rainbow Driver for CoCo Max III: \$19.95 MAXPATCH; Run COCO MAX II on COCO 3. \$24.95

EDT/ASM 64D: Editor-assembler (specify 1,2,3) \$59.95 SOURCE: CoCo Disassembler \$34.95 SOURCE III: \$49.95 CBASIC: Best Basic compiler \$149.95 CBASIC III: \$149.95

TELEWRITER 64 (COCO 1&2) :Best Word Processor for CoCo 1 & 2. Disk \$57.95 Tape \$47.95

AUTOTERM: Modem software Disk \$39.95 Cas \$29.95 PRO-COLOR FILE \*ENHANCED\*: \$59.95

#### VIP DATABASE III

Best Database for CoCo 3. Features 40/64/80 columns, size limited only by disk space, easy to understand menu system, LIGHTNING FAST in-memory sort, multiple search, builtin mail merge, built-in MATHPACKAGE, print spooler and report generator, unlimited print formats & more. \$69.95

#### WINDOW MASTER


The hottest program for your CoCo 3!! Imagine using Windows, Pull-Down Menus, Buttons, Icons, Edit Field, and Mouse Functions in your Basic Programs. No need to use OS9. It uses the 640x255 (or 320x255) hires graphics mode for the highest resolution. Up to 31 windows can appear on the screen at one time. Need extra character sets? Window Master supports 5 fonts in 54 sizes! How about an enhanced Editor for Basic? It gives you a superb Basic Editor which leaves the standard EDIT command in the cold. And don't forget that many existing Basic/ML programs will operate under Window Master with little or no changes, In fact, it does NOT take up any memory from Basic. Requires 1 Disk Drive, RS Hi-res Interface & Joystick or Mouse. Includes 128K & 512K Version. \$69. 95 Window Master & Hi-Res Interface, Only \$79.95

#### FKEYS III

A user friendly, user programmable function key utility that creates up to 20 function keys. Includes EDITOR, DOS mods, DISABLE, and its EPROMable! Disk \$19.95

#### SIXDRIVE

Allows the use of 3 double-sided drives from RSDOS or ADOS. Only \$16.95











2900 Monroe Ave, Rochester, NY 14618. Order Status, Info, Technical Info: 716-383-8830 To Order: Refer to Page 17 of our 6-page ad series: (Pgs. 9-17)

Credit Card Toll Free Orderline 1-800-654-5244 (9ani-8pm 7days/week) Order Status, Info, Technical Info: 716-383-8830

# **12K BASIC**

From the authors of Word Power 3.2, the best-selling Word Processor for CoCo 3, comes a revolutionary programming tool!

Do you have a 128K or 512K CoCo 3? Are you being told that you could only use 22K from Basic?? Don't believe it!!

Lets face it. You bought your CoCo 3 so you could get better graphics, more speed and more MEMORY. Unfortunately as it comes, the CoCo 3 only allows you to use 22K for Basic Programs. A big disappointment for Basic Programmers.

Introducing the revolutionary 512K Basic. It gives you up to 80K Basic program/variable space (64K for Basic Program/16K for variables) on a 128K CoCo and over 400K (384K Basic Program Space & I6K Variable Space) on a 512K CoCo! There are no new commands to remember and approximately 90-95% of the existing Basic Software will run without any modifications. 512K Basic is completely transparent to the user. You won't even know its there until you realize that you were able to type in a massive Basic program without the dreaded ?OM Error. And 512K

Basic will even run at double clock-speed and automatically slow down for printer and disk operations.

Step up to 512K Basic, It's the tool you need to tap the full potential of your CoCo 3, 512K Basic Requires a 128K or 512K CoCo 3 with a disk drive, OS9 is NOT required. Only \$39.95

#### 512K Upgrades for CoCo 3.

(Only \$160 with purchase of 512K Basic) Fully assembled, tested and ready to be shipped now. Comes with \$100 worth of 512K Software;

- \$12K Backup Lightning \$12K Print Spooler
- 512K Memory Test 512K Ramdisk
- OS9 Level II Ramdisk.

No soldering. Comes with all instruction manuals, 90 day warrauty. Only \$188

0K Upgrade Board: \$39.95

Each 512K Upgrade tested 120 times before shipmen! Datarase EPROM

#### KEYBOARDS, ETC.

KEYBOARD EXTENSION CABLE: Move your keyboard away from the com-

puter & type with ease. Use your existing

keyboard with this cable or leave your present keyboard in- ¿ tact and use a second keyboard. Only \$39.95,



Cable with CoCo 2 Keyboard; \$49,95 Cable with CoCo 3 Keyboard: \$69.95 CoCo 3 Keyboard (with free FUNCTION KEYS software value \$14.95):\$39.95

CoCo 2 Keyboard; \$19,95

#### COMMUNICATIONS EXTRAVAGANZA

1) Avatex 1200e Modein: Fully Hayes compatible 300/1200 w/ speaker, Auto-Dial/Answer/Redial.

2) MODEM CABLE: 4 pin/DB 25 (Reg. \$19.95)

3) Autoterm Software: (Reg \$39.95) 4) FREE Compuserve Offer & Acess Time

5) UPS 2nd Day Air Shipping Only \$129.95

With Avatex 2400c instead of 1200c: \$229.95

Avatex 1200e Modem Only: \$85 Avatex 2400e Modern Only: \$189.

#### INTRONICS EPROM PROGRAMMER

(for CoCo): Programs 2516-27512 & more! Includes software & complete documentation. Latest version. Lowest Price Anywhere! Only \$137.95

EPROM ERASER: Fast cruse of 24/28 pin

EPROMs. Only \$49.95

BOTH EPROM PROGRAMMER &

ERASER: \$179.95

EPROMS: 2764-\$8 27128-\$9

ROMPAK (w/ Blank PC Board 27xx Series): \$12.95

BLANK CARTRIDGE (Disk Controller Size): \$10.95

### ACCESORIES

5 1/4" DS/DD Disks: \$.40 each 3 1/2" DS/DD Disks: \$1.49 cach 5 1/4" Disk Case (for 70 disks): \$9.95

3 1/2" Disk Case (tor 40 disks): \$7.50

Curtis Printer Stand: \$19.95 Surge Supresser Strip w/ 6 outlets: \$14.95

Curtis Static Mat: \$24.95



RIBBONS

NX1000 Color Ribbon: \$12.95 NX1000 Black Ribbon: \$8.50 DMP, EPSON, Seikosha, Panasonic, Okidata, Gemini Ribbons: \$8.50 each

#### CABLES

MAGNAVOX 8505/8515/8CM643 Analog RGB Cable: \$24.95

SERIAL-TO-PARALLEL INTERFACE: Use your parallel printer at high speed (300-9600 band) with CoCo. Contes will all cables. No software compatibility problems. Only \$44.95 15" MULTIPAK/ROMPAK EXTENDER CABLE: \$29,95

VIDEO DRIVER; Use a monochronic/color monitor with your CoCo 2. Comes with audio/video cables. Excellent picture quality/resolution1\$34.95

RS232 Y CABLE: Hook 2 Devices to the serial port. Only \$24.95

Y CABLE: Use your disk system with Speech Pak, CoCo Max, DS69, etc. \$27.95

RGB Analog Extender Cable:\$19.95 SONY Monitor Cable: \$29.95

MODEM CABLE:4 pin to DB25. Only \$19.95 2-POSITION SWITCHER: \$29.95

III-RES JOYSTICK INTERFACE: \$11.99



#### CHIPS, ETC

7月中月11日午月11日

Disk Basic Rom 1.1 (Needed for CoCo 3): \$29.95 ECB ROM 1.1:\$29.95 68B09E or 6809E Chip; \$14.95 MultiPak PAL Chip for CoCo 3: \$19.95

PAL Switcher: Now you can switch between the CoCo 2 and 3 modes when using the Multi-Pak, You need the OLDER & NEW PAL chip for the 26-3024 Multipak. Only \$39.95. With NEW PAL Chip: \$49.95.

#### **UPGRADES**

64K Upgrade for CoCo l's, CoCo II's with Cat #26-3026/27, 26-3134, 26-3136: \$29.95

64K Upgrade for 26-3134 A/B CoCo II: \$39.95

(Free 64K Software juct. with 64K Upgr.)



MICROCOM SOFTWARE

VISA







2000 Monroe Ave, Rochester, NY 14618. Order Status, Info, Technical Info: 716-383-8830 To Order: Refer to Page 17 of our 6-page ail series: (Pgs. 9-17).

Credit Card Toll Free Orderline 1-800-654-5244 (9am-8pm 7days/week) Order Status, Info, Technical Info: 716-383-8830



#### **New OS9 Products**

(For B&B HyperIO System)

Hard Drive Utilities: MSA Backup, Copy/Kill/Rename, Hard Backup to Floppies (vica versa), wild card & more, Only \$21.95 ... Disk Doctor: Checks/locks out bad sectors. Only \$17,95 Hard Drive Zap: View tracks Irr-

tors, modify data on your hard disk. Only \$21.95

1 Drive Cable: \$16.95

DS69B Digitizer: Usc your CoCo 3 to display pictures from your VCR or video camera, Includes C-SEE 3.3 software. Only \$149.95

Gravis Joystick: The BEST joystick for your CoCo. Tension, rotary,centering, free-floating controls with 3 buttons: \$59.95

MPI Locking Plate (Specify Cat #):\$8

Coming Soon, RUMPAK With card. Lets you transfer ANY Rompak to disk.

4 Drive Cable: \$34,95

### MAGNAVOX 8CM515 RGB MONITOR

picture Razor-sharp quality for your CoCo! 14" Has screen, RGB, Analog/TTL Composite Inputs for CoCo 2/3, Speaker, tiltstand & 2 year warranty! Only \$265 (add \$12 S&H/\$40 in Canada)



Magnavox RGB Cable for CoCo 3 and Composite Video / Audio Cable Set with purchase of monitor: \$19.95

#### DISK DRIVES for CoCo 2 & 3

There are a lot of dealers selling disk drives for the CoCo. Why buy from us? First, all our drives are Brand New and made by Fujitsu. They are sleek, quiet and have a reputation of superb reliability. Second, our Drive 0 systems come with the acclaimed DISTO Controller - with gold-plated contacts. Third, our Drive 0 systems come with the official 200 page Radio Shack Disk Manual with floppy disks; everything you need to get started. Fourth, you get \$60 worth of our utility software (Disk Util 2.1A & Super Tape/Disk Transfer) & our DISKMAX software which allows you to access BOTH sides of our drives. Our drive systems are head & shoulders above the rest.

Drive 0 (With Disto Controller, Case, Power Supply, 1 Drive Cable, Manual, Software): \$209

Drive 1 (With Case, Power Supply & software): \$129 Bare 5 1/4" Drive: \$89

2 Drive System (With Disto Controller, Case, Power Supply, 2 Drive Cable, Manual & Software): \$309 2 Drive Cable: \$ 22.95

FD501 Upgrade Kit: Bare Drive, 2 Drive Cable & Instructions: \$109

#### HARD DRIVE SYSTEMS/ **INTERFACES**

Complete w/ Hard Drive, Western Digital Controller, B&B Interface, Cables, Case, Power Supply, Software (HYPER IO) & Instruction manuals. Assembled/tested/formatted, Just Plug'N'Run. This is the best hard drive deal for the CoCo.

Seagate 20 Meg System: \$509 Seagate 30 Meg System: \$539



CoCo XT: Use 25-120 Meg Drives with your CoCo. Only \$69.95 w/ Real Time Clock: \$99.95

Colo AT NOW Sook 059 hom nard tuppy. 1995 HYPERIO: Allows Hard Drive Use with RSDOS. Only \$29.95 HYPERIO: Disto Version: If you have a DISTO Controller w/ Hard Drive Interface, this program will allow you to use your Hard Drive from RSDOS!! Only \$29.95

#### PRINTERS

1000 Sheets of paper included FREE with every printer

NX1000 Rainbow System: NX1000 Color Printer w/144 CPS draft • Friction/Tractor Feed • Epson/IBM Compatible • 1 Year Warranty, Only \$289

NX1000 System; NX1000 Printer w/ 144 cps Draft • Friction/Tractor Feed Epson/IBM Compatible • 1 Year Warranty. Only \$199

Panasonic KX-P1080i II System: Panasonic Printer w/ 144 cps Draft Tractor/Friction Feed • Epson/IBM Compatible • 2 Year Warranty. Only \$189

Panasonic KX-1592 System: Panasonic Printer w/216 cps Draft • 16.5" Wide Carriage • 2 Year Warranty: \$399

#### DISTO PRODUCTS ...

Disto Super Controller: \$99.95 Disto Super Controller 11: \$129.95

 Mini Eprom Programmer Add on: \$54.95 Hard Disk Add On: \$49.95

 RT Clock & Parallel Interface: \$39.95 MEB Adapter Add On: \$24.95

MULTI-BOARD ADAPTER: Printer Port, Faster RT Clock & true RS-232 Serial Port. \$59,95

RS232 SUPER PACK; Here it is! True RS-232 Port for your CoCo. Compatible with Tandy® Delnxe RS232 Pack, Includes DB25 Cable, Requires Multipak. Only \$54.95










MICROCOM SOFTWARE 2900 Monroe Avenuc • Rochester, NY 14618

To Order: All Orders \$50 & above (except Printers, Monitors, Drives, Computers) shipped by UPS 2nd Day Air in Continental US. We accept Visa,MC, Amex, Discover, Cheek & MO. Please add \$3.00 S&H (\$10 for Drives/Printers) in continental US; foreign add 10% S&H (Min \$5), NYS Residents please add sales tax. Our Australian Agent: Aust. Peripheral Development. Ph; 07-208-7820

Credit Card Toll Free Order line 1-800-654-5244 (9am-8pm 7 days/week) Order Status, Info, Tech. Info: (716)-383-8830. FAX: 716-383-0026. BBS: 716-671-1449





# **HOW DO YOU GIVE A RAINBOW?**

It's simple — Give a RAINBOW gift certificate . .

Let a gift subscription to THE RAINBOW carry the premier Color Computer magazine right to your friend's doorsteps. THE RAINBOW is the information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year 'round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — pages loaded with delightful programs, regular columns and plenty of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more tracking down borrowed copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

Get your order to us by May 25 and we'll begin your friends' subscriptions with the July issue of RAINBOW.

Please	begin	a one-year	(12	issues)	gift	subscription	to
THE RAI	INBOW	for:					

Mail to

Rainbow Gift Certificate, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax, U.S. currency only, please. All subscriptions begin with the current Issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.

# 3 Fabulous Bargains!

These specials will be withdrawn without notice. Don't miss them!



The Dazzling Word Processor 95

Max-10: the Rolls-Royce of word processors. The only one with true graphic capability and dozens of type styles. Using your dot matrix printer you get from tiny lootnates (6 point) to big titles (24 point).

The Rainbow review (1/89) said: "An incredible job of providing power, flexibility and speed in a program that is as easy to use as it is to pronounce! ... Max-10 takes a back seat to none, and is beyond comparison with most," Max-10, the only word processor with "What You See Is What You Get". A word processor you will love at first sight.

The Famous Graphics Creator

CoCo Max III: now a classic and probably the most popular CoCo program ever. If the price was the reason that stopped you before, this special will delight you. Listen (Rainbow 3/88): "There are no limits to what you can do with this fabulous program. Speed, ease, animation, power and color, all in one package. CoCo Max III is the ultimate program for the CoCo 3." Check any Rainbow (up to 4/89) for complete info on CoCo Max.

To top it off, we include a free Demo Disk plus the super CoCo Show program, which lets you make your own "slide shows".

Save \$70 CoCo Max III and Max-10 for

Desktop Publishing: together, CoCo Max III and Max-10 lorm an unbeatable system for reports, flyers, invitations, greeting cards, signs, newsletters, etc. It's far beyond anything you've ever seen on a CoCo.

Here is one of the hundreds of unsolicited letters we got: "Max-10" and CoCo Max III are wonderful. They are the first Color Computer products I have purchased that were even better than I hoped for."

At Colorware, we all work hard to make you feel that way and we thrive on your appreciation.

#### About Max-10

What the CoCo Community needs is a word processor that's rock solid, blindingly fast, teels like a Macintosh, makes all the others look boring, and does not cost \$80 Max-10 is just that and more, it allows on screen mixing of graphics and text, large headlines, multiple columns and full page

preview (with graphics). We swear that Max-10 will add excitement to your word processing, and that's no small

PRINTERS SUPPORTED: EPSON FX.MX.RX.LX AND COMPATIBLES; DMP 105,106,110,130; CGP220 (B&W), OKI 162,92,192; STAR NX 10, NX-1000

#### Max-10 Add-ons

Order #C-24.....\$29,95

#### System Requirements

Max-10 and CoCo Max III Require; any CoCo 3; 1 or more disk drives; joystick or mouse; Radio Shack or Colorware Hi-Res Pack; a video or RGB monitor or a TV.

#### About CoCo Max III

Whether you doodle for fun or do graphics for a living. CoCo Max will amaze you. It's a nromise.

promise.

Its major features include: Huge picture area (2 full hi-res 320x192 screens), Large editing window, Zoom mode tor detail work. 28 point and click drawing tools, Shrink and stretch. Rotation at any angle (1.5° steps), 512K memory support (all features work with 128K too). Undo (Oops) feature to fix mistakes, Animation. Special effects. Color sequencing (8 colors variable speed), 13 sequencing (8 colors, variable speed), 13 fonts (more available). Each font has 8 sizes and 5 slyles for thousands of possible combinations. Translalle program to convert most types of pictures. CoCo Show "slide show program. Miniload program to help use pictures with your software. Color editing of patterns. Prints in single or double size. Select 16 of 64 available colors, all 64 size. Select 16 of 64 available colors, all 64 colors are shown at once for easy selection. Pull-down menus. 40 paint brush shapes. Two color lettering. Spray can. Amazing "flowbrush", RGB and composite monitor support. Colors print in 5 shades of gray.

PRINTERS SUPPORTED: EPSON RX.FX.MX LX AND COMPATIBLES: STAR/GEMINI NX. 10.NX-1000 DMP100.165, 106,110,120,130,200 OKI 62A,182,192, CGP 220/R84W)

Color Drivers available. See next column.

#### CoCo Max III Add-ons

- Max Fonts disks, 95 IonIs on 4 disks. 

#### CoCo Max I and II

 CoCo Max I on tape. See previous ads or write for info. For CoCo 1 or 2. Order #C-7 CoCo Max II. For all disk CoCos, Multipak or Y-Cable required #C-85...... \$69,95

#### Digitizers

Digitize any picture from any video source (VCR, camera...) for use with CoCo Max III and Max-10.

Call or Write Now WS4 (203) 348-9436 Weekdays 9-5 EST

Ordering Information: We accept Visa, Mastercard, Checks, and M.O. C.O.D. is \$4 extra. Purchase orders are subject to credit approval. CT residents add 7.5% sales tax. Shipping: \$4 per order (usually UPS ground), UPS 2nd Day Air: \$4 extra. Next Day service available, Canada: \$6 per order (Airmail), Outside US and Canada: Add 10% of order total.



COLORWARE 242-W West Avenue Darien, CT 06820

(32K FCB (1990))

Add captions to the pictures you create for bulletins, posters, advertisements, banners, greeting cards, etc.

# **Text for Graphics**

By Jack D. Welsh

ots of great graphics programs have been published by THE RAINBOW, and many times while using these programs I've wished that I could add text to my creations. I wrote this program to do just that.

The program will work on any system consisting of at least 32K Extended Color BASIC and a cassette recorder or disk drive system. For printouts you'll need a printer and a screen dump program compatible with your printer. [See Richard Lack's "Get the Picture With Gemini Screen Print" (May 1985, Page 45); Mark Sullins' "Picprt: Good Things Come in All Sizes" (May 1985, Page 72 for dot-matrix printers); John Handis' "A Full Page Dump for the DMP-105" (May 1988, Page 92); and David Fitzsimmons' "Penumbral Prints" for the Gemini 10x (May 1986, Page 95.] After typing in the listing, save it to a couple of disks so you won't lose your work.

When you run the program, you will see a display of the PMDDE 4 graphics pages. Press SHIFT and CLEAR to clear the screen if it doesn't contain a picture or contains memory garbage. You are now in the Position Mode. In the center of the display you will observe a blinking pixel.

Now press 1 and then 0. This adjusts the cursor movement to increments of 10. The cursor will move 10 pixels in the direction of the arrow when you press an arrow key. Pressing any other number key in conjunction with the 1 key will set the cursor movement increment to that number of positions. If the cursor reaches the far right side, it will jump to the far left side if pressed again,

THE WINNER'S CIRCLE

Text was added to this graphics image to make a sign. (Graphics taken from Art Deli, eourtesy Specialty Projects.)

FUNCTION	KEY
HOME CURSOR	"H" KEY
TEXT MODE	ALT KEY
POSITION MODE	CLEAR KEY
SAVE PICTURE	"S" KEY
LDAD PICTURE	"L" KEY
CURSOR STEP RATE	"I" KEY
CHANGE TEXT SIZE	"@" KEY

and vice versa. On the top and the bottom of the display this does not occur; the cursor merely stops at the top or bottom.

You may now use the arrow keys to position the cursor anywhere on the screen you want to place text. Press At.T to jump into the Text Mode, and type your message or desired text. Press @ and then type some more. The @ key switches text sizes up to the fifth size and then starts back over at the smallest size,



To return to the Position Mode, press CLEAR. You can move the cursor to another position on the display to add more text. To load or save a picture, get into the Position Mode and press L or S, respectively.

To place text onto an already saved picture, make sure that the desired picture file is in one of your disk drives. After loading this program press L. Follow the prompts and the picture will pop onto the screen; you can then add text anywhere on the picture you desire.

Jack Welsh is an income tax consultant who learned programming through reading publications and manuals.

After completing your masterpiece, press S. You are prompted to name your creation, and it is saved to disk.

To save or load a file to or from a drive other than the current one, just type the drive number, a colon and the picture filename. It will be loaded or saved to the requested drive when you press ENTER.

The characters used in this program are made up of DRAW strings in lines 90 through 620. The variable array CHARS(x) is used to define the DRAW


strings, where x corresponds to the ASCII value of the key pressed. You can use your imagination to define other pictures or graphic stamps using DRAW strings. For instance, change Line 150, which defines the character A, to 150 CHAR\$(65) = "RAUALADA". Now when you press the A key, it will print a box on the screen in any of the five sizes that you choose with the @ key. Some of you with artistic talent can make great use of this feature!

To run the program on a cassette

system, change Line 1250 to 1250 CSA-VEM PICNAMES, &HS00, &HIDFF, 0. Then change LDADM in Line 1320 to CLOADM.

I have found this program useful to make bulletins, posters, news ads and banners that I then print out, using my favorite screen dump program.

(Questions or comments concerning this program may be addressed to the author at RD#I, Box 112, Conneaut Lake, PA 16316. Please enclose an SASE when requesting a reply.)



#### The listing: GRAFTEXT

ø ' COPYRIGHT 1989 FALSOFT,INC 1Ø REM TEXT FOR GRAPHICS 2Ø REM COPYRIGHT (C) SEPT 1987 3Ø REM BY JACK D. WELSH 4Ø REM CONNEAUT LAKE, PA

50 GOSUB 880

60 '\*\* SETS UP MEMORY & DEFINES ARRAYS & CONSTANTS

7Ø CLEAR 1ØØØØ 8Ø C=2:SCALE=4

9Ø DIM CHAR\$ (2ØØ) 100 DIM K\$(500):K=0 11Ø R=1 12Ø INC=1 130 '\*\* DEFINES CHARACTERS IN LI NES 100 - 570 14Ø CHAR\$ (73) = "R4L2U8L2R4" 15Ø CHAR\$(65)="U3R4D3U6H2G2D3" 16Ø CHAR\$(66)="U4R3L3U4R3F1D2G1F 1D2G1L3" 17Ø CHAR\$ (67) = "R3E1G1L3H1U6E1R3F 111 18Ø CHAR\$(58)="BUIU1BU3U1" 19Ø CHAR\$ (68) = "U8R3F1D6G1L3" 200 CHAR\$ (69) = "R4L4U4R2L2U4R4" 21Ø CHAR\$ (7Ø) = "U4R3L3U4R4" 22Ø CHAR\$(71)="R3E1U2L1R1D2G1L3H 1U6ElR3F1"

23Ø CHAR\$(72)="U8D4R4D4U8"

# ARCADE STYLE JOYSTICK JUST FOR THE COCO

NOW GET THE RESPONSE YOU WANT WHILE PLAYING YOUR FAVORITE COCO GAME.

MOVE THE CONTOLRED GRIP JUST A FRACTION OF AN INCH IN ANY DIRECTION AND INSTANTLY YOUR COCO IS PERFORMING YOUR COMMAND.

FEATURES:

Auto fire lockdown
releases continuous
stream of bullets
dual fire buttons
use either thumb
or trigger finger
suction cup base
for one hand play
for switches
fur super sensitivity

To get your own Questron joystick, send \$29.95 to

QUESTRON P.O. Box 1013 Rochester, IN 46975-1013 or call 219-223-5584 C.O.D.s add \$3,00



### THE RGB HARD DISK

A warranty can replace your Hard Disk **Drive**, but not the **valuable** data it contains! Think about this **BEFORE** you buy a used or rebuilt hard drive.

RGB Computer Syslems uses only **BRAND NEW** Hard Disk Drives. Controllers and Components, all with the Full Manutacturers Warranty.

Due to the unique design of our components and software. RGB also has the fastest and most reliable data transfer in the industry!

The RGB Hard Disk System fully supports both BASIC and OS-9, and provides the ability to bool up OS-9 completely from the Hard Disk without the need for special EPROMS or the loss of Disk Basic.

If you need a Fasl, **Reliable** Hard Disk System and don't mind spending a few dollars more for **Quality**, please give us a call loday!





294 STILLWELL AVE KENMORE, NY 14217

(716) 876-7538

# T & D SOFTWARE PRICE

ISSUE #3, JULY T982 CDVER 1 RACE TRACK HANGMAN MUSIC ALBUM LIFE EXPECTANCY WORD TESTS KILLER MANSION BARTENDER CALENDAR ROBDT WAR

ISSUE #2, AUG. 1982 UFO COVER PT. 1 BIORYTHIM BOMBARDMENT BLACK JACK COST OF LIVING FRENZY BUSINESS LETTER OUCK THINK QUEST INSTRUCTIONS QUEST INSTRUCTIONS QUEST FOR LENORE

ISSUE #3, SEPT, T982 UFG COVER PT 2 BASKETBALL CHUCKLUCK SLOT MACHINE ALPHABETIZER NEL PREDICTIONS FLAG CAPTURE ROBOT BOMBER

ISSUE #4, GCT. 1982
UFO RESCUE
TANK BATTLE
DRIVEWAY
SOUNDS
RALLOON OROP
MIND BOGGLE
COCO-TERRESTRIAL ADV
CALORIE GOUNTER
JACK-O-LANTERN

ISSUE #5, NOV. 1982
CATALUG COVER
BOWLING
PROGRAM INVENTORY
PROMISSORY-LDANS
CHECKBOOK BALANGER
TRIBONOMETRY TUTOR
CONVOY
BAG-IT
SPECTRA SOUNO
CONVEYOR BELT

ISSUE #6, DEC. T982
CHRISTMAS COVER
RAINDROPS
STOCK MARKET
ADVANCE PONG
DESTROY
SOUNO ANALYZER
CREATIVITY TEST
VOICE DATA
MIL TUTORIAL PT 1
LOONY LANDLE

ISSUE #7, JAN. 1983
NEW YEARS COVER
LIST ENHANCER
SUPER PRECISION DIV
BOMB DIFFUSF
SPACE STATION
ME TUTORIAL PT 2
SHOOT OUT
FIND UTILITY
CYBORG INS
CYBORG FACES

ISSUE #8, FEB., 1983
COVER 8
DECEND
3 DIMERISIONAL MAZE
COCO CONCENTRATION
AUTO LINE NUMBERING
ML TUTORIAL PT.38
ML TUTORIAL PT.38
NUCLEAR POWER PLANT
DUAL BARRIER
BRICKS

ISSUE #9, MARCH 1983
TIME MACHINE COVER
TRIG DEMO
PYRAMID OF CHEDPS
PROGRAM PACKER
BUDGET
ELECTHONIC DATE BOOK
ML TUTORIAL PT.4
TAPE DIRECTORY
910CK-STIR
COCO ADDING MACHINE

ISSUE #10, APRIL 1983
TENTH COVER
PYRAMID OF DANGER
TYPING TUTOR
ML TUTORIAL PT 5
TINYCALC
STOCK MARKET COMP
YAH-HOD
MISSILE ATTACK
SCREEN PRINT
RRIKPANG

ISSUE #TT, MAY T983 ELEVENTH COVER ARCHERY FROG JUMP ML TUTORIAL PT 6 MLT DICTIONARY BASIC SPEED UP TOT METRIC CONVERTOR GRAPHICS DUAD ANTENNA GRAPHICS PROGRAM CATERPILLAR CAVE

ISSUE #T2, JUNE 1983
TWELFTH COVER
SHOOTING GALLEPY
BOMB STOPPER
VALLEY BOMBER
STAR CIGHTER
WHEEL OF FORTUNE
ML TUTORIAL PT.7
MERGE UTILITY
RAM TEST
LAUDER

ISSUE #T3, JULY T983
THIRTEENTH COVER
FLASH CAPD
ICE BLOCK
COSMIC FORTHESS
MAIL LIST
DOLLARS & CENTS
ML TUTDRIAL PT 8
SOSK COPY
MUSIC SYNTHESIZER
CRAWLER

ISSUE #T4, AUG. 1983
MYSTERY COVER
ROW BOAT
COMPUTER TUTL PT. 1
INDEX DATA BASE
DISK ZAPPER
COCO-MONITOR
COCO-ARTIST
POBOT COMMAND
TEST SCREEN PRINT
HIGH RESOLUTION TEXT

ISSUE #15, SEPT. 1983
MYSTERY COVER PT 2
GOLD VALUES
TREK INSTRUCTIONS
TREK
HIGH TEXT MODIFICATION
ASTRO DDDGE
DR. CDCD
PEG JUMP
MORSE CODE
PURGE UTILITY

ISSUE #16, BCT. T983
MYSTERY COVER
BDPOTADN
DIRECTORY RECALL
VECTOR GRAPHICS INST
VECTOR GRAPHICS
SKYOIVER
SWERVE AND DOOGE
NIMBO BATTLE
TAPE ANALYSIS UTILITY
LIFE GENERATIONS

ISSUE #18, DEC. 1983
CHRISTMAS COVER
CLIMBER
GALACTIC CONQUEST
WARLDROS
STATES REVIEW
MATH TUTOR
MACHINE LANGUAGE DATA
PRINTER UTILITY INST
PRINTER UTILITY
MUTANT WAFFLES

ISSUE #19, JAN. 1984
BANNER
PROBE
DISK DIR PROTECTOR
OPTICAL CONFUSION
WORD PROCESSOR
WORD SEARCH
ASTADNAUT RESCUE
STAR TRAP
PIE CHART
FORCE FIELD

ISSUE #29, FEB. 1984
INTRODUCTION
HINTS FOR YOUR COCO
ESCAPE ADVENTURE
SEEKERS
MASTER BRAIN
LIST CONTROLLER
DISKETTE GERTICIER
ROM COPY
BASIC RAM
SNAELIS

ISSUE #21, MAR. 1984
BASIC COUVERSIONS
FINANCIAL ADVISE
CASTLE STORM
DOS HEAD CLEANER
COCO TERMINAL
SNAKE CRAWLER
WAR CASTLE
SKY FIRE
EASY BASIC
DOTS 3-D

ISSUE #22, APRIL 1984
HEALTH HINTS
GLIBLIBS
CLOTHER SLITHER
BBLE 1 & 2
BIBLE 3 & 4
CATCH ALL
INVADER
ALIEN RAID
MOON ROVER
IO ERROR IGNORER

ISSUE #23, MAY 1984
MOMEY SAVERS 1 & 2
STOCKS OR BOMBS
WALL AROUND
COCO TECHNICAL LOOK PT.1
NUCLEAR WAR INST.
THERMONUCLEAR WAR
CIRCUIT BREAKER
MOUSE RACES
SUPER SOUEZE
DATA FALL

JSSUE #24, JUNE 1984
OIR PACK & SORY
BRICK OUT
COCO TECHNICAL LOOK PY. 2
USA SLIDE PUZZLE
51 '24 SCREEN EDITOR
51 '24 SCREEN EDITOR
CITY INVADERS
PRINTER SPOOLER
STEPS
SNAKE

SSUE #25, JULY 1984
CLOCK
COCO TECHNICAL LOOK PT.3
SKID ROW ADVENTURE
MONEY MAKER
PIN-HEAD CLEANING
LINE EDITOR INST
LINE EDITOR
BOOMERANG
BUBBILE BUSTER
ROCOCHET

ISSUE #26, AUG. 1984
PEER POKE & EXECUTE
SAUCER RESCUE
YOUNG TYPER TUTDR
O-TEL-O
OLYMPIC EVENTS
OOUBLE DICE
COCO DATABASE
BATTLE STAR
GOCO-PIN BALL
MONTEZUMAS DUNGEONS

ISSUE #27, SEPT, T984
CDCO TO COM 64
GALACTIC SMUIGGLER
INDY RACE
ACCOUNT MANAGER
CASSETTE MERGE UTILITY
STRING PACKING TUTORIAL
SPACE OUEL
BUGS
TRAP-BALL
BALLOOM FIRE

ISSUE #28, OCT, 1984
HANGING TREE
CHECKERS
COOTBALL
MORE PERKS & POKES
SPELLING CHECKER
SOUND DEVELOPMENT
WORD GAME
SCREEN REVERSF
AUTO COPY
RAT ATTACK

ISSUE #29, NOV. 1984
DISK ROLL DUT
ROBOT ON
MULTIPONG
ADVENTURE GENERATOR
OUEST ADVENTURE
OUARTER BDUNCE
DUAL DUTPUT
KEY REPEAT
FULL EDITOR
METEOR

ISSUE #30, DEC. 1984
MATH HELP
ZECTOR ADVENTURE
WORLD CONQUEST
DRAG RACE
MINE FIELD
T. NOTES TUTORIAL
T. & D. PROGRAM INDEXER
SYSTEM STATUS
ERROR TRAP
DROLL ATTACK

ISSUE #31, JAN. 1985
TREASURES OF BARSOOM
BATTLEGROUND
STRUCT. COMPILED LANG
MINIATURE GOLF
STAR DUEL
ARITHMETIC FOOTBALL
GRID RUN
SPIRAL ATTACK
FAST SORT
MUNCHMAN

ISSUE #32, FEB. 1985
DR. SIGMUNO
ICE WORLD ADVENTURE
LOTTERY ANALYST
BASIC COMPILER
MUSIC CREATOR
MEANIE PATROL
TRI-COLOR CARDS
SHAPE RECOGNITION
DISK BACKUP
SPACE PROTECTOR

ISSUE #33, MAR. 1985
EIGHT CYCLE
PAINT
SKEET SHOOTING
GUITAR NOTES
MI DISK ANALYZER
PERSONAL OIRECTORY
NAUGHA ADVENTURE
EGGS GAME
OISK DIRECTORY PRINT
SPEED KEY

ISSUE #34, APRIL 1985
HOVER TANK
POWER SWORD
TERMITE INVASION
SPELLING CHECKER
DOS 80SS
NINE CARO CHOICE
MUSIC GENERATOR
FYRORACA
DRIVE TEST
GRAPHIC TOUR

ISSUE #35, MAY 1985
SELECT A GAME 1
TAPE PROBLEMS
STROLL TRIVIA
SOFTBALL MANAGER
FONTS DEMO
CLOWN DUNK MATH
ALPHA MISSIOII
DOS ENHANCER
KNOCK DUT
HAUNTEO HOUSE

ISSUE #36, JUNE 1985
SELECT A GAME 2
VIDEO COMPUTER
SPEECH SYNTHESIS
SPEECH RECOGNITION
SPACE LAB
AUTO COMMAND
COMPUTER MATCHMAKER
KNIGHT & THE LABYRINTH
STAR SIEGE
TALKING SPELLING QUIZ

ISSUE #37, JULY 1985 CHESS MASTER BIBLE 5-7 SHIP WREK ADVENTURE FILE TRANSFER FOUR IN A ROW MARSHY TAPE CONTROLLER CATACOMB AUTO TALK SCRRPAK

ISSUE #38, AUG. 1985
GOLF PAR3
WIZARD ADVENTURE
KITE DESIGN
ROBOTS
GOMOKU
AMULET OF POWER
LINE COPY UTILITY
DISK PLUMBER
SUPER HAM CHECKER
GRAPHIC HORSE RACE

ISSUE #39, SEPT, 1985
ORUNK DRIVING
CAR MANAGER
SOUEEZE PLAY
SUPER BACKUP
RECIPE MACHINE
ANTI-AIRCRAFT
UNREASON ADVENTURE
TALKING ALPHABET
SUPER VADERS
AUTOMATIC EDITOR

ISSUE #40, OCT. 1985 STAR TREK HAM RADID LOG COCO WAR DISK LABELER SHIP WAR ELECTRIC COST MULTIKEY BUCFER NUKE AVENGER CURSOR KING SAND ROYER

ISSUE #41, NOV. 1985
GRUMPS
DISK DRIVE SPEED TEST
SOLAR CONDUEST
GAS COST
RIME WORLD MISSION
WUMPUS
CHARACTER EDITOR
GRAPHIC TEST
GRAPHIC LOOPY
80L0 PRINT

ISSUE #42, DEC. 1985
HOME PRODUCT EVALUATION
YARTZFE
DISK UTILITY
MACH II
ELECTRONIC BILLBOARD
CAR CHASE
SUPER MANSION AOVENTURE
SLOT MACHINE GIVE AWAY
TEXT BUFFER
TUNNEL RUN

# MasterCard



#### SUPER SAVINGS

 Single Issue
 \$ 8.00 ea

 2-5 Issues
 \$ 6.00 ea

 6-10 Issues
 \$ 5.00 ea

 11 or more Issues
 \$ 4.50 ea

 All 80 Issues
 \$220.00

Purchase 20 or more Issues and receive a free 6 month subscription.

- Every Issue Contains
   10 or More Programs
- Many Machine Language Programs
- Available for COCO I, II and III
- All Programs Include Documentation
- We send 1st Class No Charge
- Personal Checks Welcome!



# BLOWOUT SALE

ISSUE #43, JAN. 1986
DUELING CANNONS
WATER COST
ZIGMA EXPERIMENT
MUSICAL CHORDS
SAFE PASSAGE
PASSWORO SCRAMBLER
GUNRIGHT
KEYPAD ENTRY
STYX GAME
PRINTER OWERT

ISSUE #44, FEB. 1986 HOME INVENTORY NIME BALL PRINTER REVIEW EXPLORER ADVENTURE SPANISH LESSONS CROSS FIRE RAM SAVER GRAY LADY JOYSLICK INPUT COSMIC SWEEPER

ISSUE #45, MAR. 1986
INCOME PROPERTY MGMT.
ELECTRONIC BILLBOARD 2
MOUNTAIN BATTLE
THE FIGHT
COCO KEEND
HOCKEY
LOGICAL PATTERNS
ON SCALE SCREEN
LIBERTY SHIP
SINGLE STEP RUN

ISSUE #46, APRIL 1986
SPECIAL EVENTS REMINDER
DISK LOCK
SMALL BUSINESS MANAGER
BOMB RUN
TANKS
TAR PITS
BASEBALL
NUMBER RELATIONSHIPS
ROULETTE
GLOBAL EDITOR

ISSUE #47, MAY 1986 CHRISTMAS LIST BLACK HOLE PITCHING MANAGER SYMEDLIC DIFF BUG SPRAY OWARE CAPTURE EASY GRAPHICS DESERT JOURNEY SGREEN CONTROL FULL ERROR MESSAGE

ISSUE #48, JUNE 1986
CHESTER
TV SCHEOULE
BASE RACE
HDMAN NUMERALS
ASTRO DOOGE
HIRED AND FIRED
MULTI COPY
AUTO MATE
SCROLL PROJECT
NOISE GERLERATOR

ISSUE #49, JULY 1986
COMPUTER I.O U
DISK DISASSEMBLER
BAKCHEK
PACHINKO
STOCK CHARTING
HAUNTEO STAIRCASE
CANYON SOMBERS
DRAGONS I & 2
GRAPHIC SCROLL ROUTINE
AUTO BORDER

ISSUE #5D, AUG. 1986
BUSINESS INVENTORY
D & D ARENA
DISK CLERK
PC SURVEY
TREASURE HUNT
SCREEN GENERATOR
ASTRO SMASH
NFL SCORES
BARN STORMING
SMASH GAME

ISSUE #51, SEPT, 1986
ASSET MANAGER
MONEY CHASE
FISHING CONTES1
RIP OFF
HAND OFF
BUDGET 51
VAN GAR
DOS EMULATOR
MEM DISK
VARIABLE REFERENCE

ISSUE #52, DCT. 1986
ACCOUNTS RECEIVABLE
WORKMATE SERIES
CALENDAR
INVASION
THE TRIP ADVENTURE
FOOT RACE
FLIPPY THE SEAL
SCREEN CALCULATOR
ABLE BUILDERS
SUPER ERROR2

ISSUE #53, NOV. 1986
CORE KILL
LUCKY MONEY
COCKIES ADVENTURE
NICE LIST
SPANISH OUIZZES
PAINT EOITOR
GARVERN CRUISER
SNAP SHOT
MEGA RACE
KICK GUY

ISSUE #54, DEC. 1986
JOB LOG
PEGS
DIGITAL SAMPLING
JUNGLE ADVENTURE
PAINT COCO 3
CONVERT 3
COMPUTER TYPE
PANZER TANKS
MRS PAC
BIG NUM

ISSUE #55, JAN. 1987 GRADE BOOK MAIL LIST DOWN HILL FIRE FOX JETS CONTROL GALLOWS DIR MANAGER FIRE RUNNER GRAPHICS BORDER COSMIC RAYS

ISSUE #56, FE8. 1987
CALENDAR PRINT
CRUSH
GALACTA
DCEAN DIVER
GLUE SUSPECT
WORD EOITOR
AL'EN HUNT
DEMON'S CASTLE
PICTURE DRAW
DIG

ISSUE #57, MAR. 1987
THE BAKERY
ENCHANGED VALLEY ADV.
SAFE KEEPER
WAR I
BOMB DISABLE
PIANO PLAYER
SPREAD SHEET
SLOT MANEUVER
LIVING MAZE
GEM SEARCH

ISSUE #58, APRIL 1987
ACCOUNTS PAYABLE
PRINTER GRAPHICS
SIMON
PANELING HELPER
MULTI CAKES
CAR RACE
ELECTRONICS I
BATTLE TANK
DISKETTE VERIFY
WEIROO

ISSUE #59, MAY 1987 GENEOLOGY HOME PLANT SELECTION CHECK WRITER HELIFILSCUE KABDOM NEW PONG CRODUET FUNCTION KEYS ZOOM ELECTRONICS 2

ISSUE #60, JUNE 1987
JOB COSTING
LABELS
CATCH A CAKE
COCC MATCH
ROBOTS
STREET RACERS
BOWLING 3
ELECTRONICS 3
GRAFIX
KRON

ISSUE #61, JULY 1987
EZ ORDER
SUBMISSION WRITER
KEYS ADVENTURE
WALLPAPER
CHOPPER COMMAND
UNDERSTANDING OPPOSITES
BIT CODE PLOTTING
ELECTRONICS 4
KING PEDE
RAIDER

ISSUE #62, AUG. 1987
PENSION MANAGEMENT
HERB GROWING
CATOLOGER UTILITY
RAIDERS
ALPHABETIZING
U.F.D
ELECTRONICS 5
RAMBO ADVENTURE
BLOCKS
MULTI SCREEN CAVES

ISSUE #63, SEPT. 1987
GENEDLOGIST HELPER
SMART COPY
MAINTENANCE REPORTING
COCO3-COCO 2 HELPER
DIRECTORY PICTURE
SUB ATTACK
SAVE THE MAIDEN
CAVIATOR
ELECTRONICS B
MONKEY SHINE

ISSUE #84, OC1. 1987 GARDEN PLANTS FORT KNDX ELECTRONICS FORMULAS SNAKE IN THE GRASS CYCLE JUMP GEOMETRY TUTOR WIZARO GAME OF LIFE ELECTRONICS 7 FLIGHT SIMULATOR

ISSUE #55, NOV. 1987
TAXMAN
DAISY WHEEL PICTURES
CHILDSTONE ADVENTURE
SIR EGGBERT
CROWN QUEST
GYM KHANA
COCO 3 ORAWER
FOOTBALL
ELECTRONICS 8

ISSUE #58, DEC. 1987
ONE ROOM AOVENTURE
DS9 TUTORIAL
RIVER CAPTAIN
SOUND EFFECTS
BETTING POOL
ADVANCE
MATH TABLES
ELECTRONICS 9
LOWER TO UPPER

ISSUE #57, JAN, 1988
AUDIO LIBRARY
SAVE THE EARTH
WEIGHTS AND MEASURES
LOW RES PICTURES
WORD COUNTER
BACARAT
BATTLE SHIP
ELECTRONICS 10
TAPE CONVENIENCE
PENDUIN

ISSUE #68, FEB. 1988
COINFILE
WORD COUNTER
SOUIJREL ADVENTURE
AREA COOES
DRAW POKER
TURTLE RACES
ELECTRONICS 11
MULTI SCREEN
CANON PRINT
COCO 1ENNIS

ISSUE #69, MAR. 1988
POLICE CADET
STAMP COLLECTION
BARRACKS ADVENTURE
CITY/TIME
HI-LO/CRAPS
OLYMPICS
HI-RES CHESS
ELECTRONICS 12
DOUBLE EDITOR
OUBLE BREAKOUT

ISSUE #70, APRIL 1988
BLOTTO DICE
SUPER COM
GENESIS ADVENTURE
PLANETS
PHK/MAR
SIGN LANGUAGE
ARX SADOTOUT
ELECTRONICS 13
MAGIC KEY
SNAP PRINT

ISSUE #71, MAY 1988 SUPER LOTTO ROBOT ADVENTURE MAZE YAHTZEE 3 PHASER SHAPES & PLATES STAR WARS ELECTRONICS 14 PRINTER CONTROL MAZE 2

ISSUE #72, JUNE 1988
FLYING DBJECTS
THREE STOOGES
HOSTAGE
PROGRAM TRID
GLADIATOR
US & CAN DHZ
JEDPAROY
ELECTRONICS 15
COCO 3 PRINT
CTTY COMMUNICATOR

ISSUE #73, JULY 1988
FOREIGN OBJECTS
CHESS FUNDAMENTALS
WATERFOWL QUIZ
WHAMMY 3
ADVENTURE TUTDRIAL
CIRCLE 3
EDUCATIONAL TRIO
WRITE-UP EDITOR
PICTURE PACKER
AIR ATTACK

ISSUE #74, AUGUST 1988
VIDEO CATALOG 3
ONE EYE WILLIE
JAVA
GAME TRIO
CRIONAUT WARRIOR
ENVELOPE PRINT
RAM DRIVE 3
MODE 2 UTILITY
XMODEM TRANSFER
CAVE II

ISSUE #75, SEPT. 1988
DRACULA HUNT
HELP TRIO
SHOWDOWN DICE
TARZAR 1 ADVENTURE
ARAKNON
CASHFLOW REPORTING
GRAPHIC LETTER
GRAPHIC FOITOR
AOORESS BOOK
SOUARES

ISSUE #76, OCT. 1988 SUPER BLITZ 3 CHAMBERS TRIO RACE EARTH TROOPER STARGATE BOWLING SCORE KEEP JOYSTICK TO KEYBOARD KEYBOARD TO JOYSTICK OISK TUTORIAL SALLORMAN

ISSUE #77, NOV. 1988
POLICE CADET #2
STARSHIP SHOWDOWN
MUSIC GOMPOSER
COUPONS/REBATES
PROGRAM LIDRARY
BOY SCOUL SEMAFORE
HOUSEHOLD CHORES
MAXOMAR ADVENTURE
CHUCK LUCK 3
BUZZARO BATE

ISSUE #78, DEC, 1988
POLICE CAGE1 #3
TANK TURRET
WAR OF THE WORLDS
SPINSTER CAFE
COCO SIZE
SIGN MAKER
LEGAL DEDUCTIONS
BOOKKEEPING
CAR LEASE 3
WAREHOUSE MUTANTS

ISSUE #79, JAN. 1989
POLICE CADET #4
POKER 3
TILER TEX
BATTLE
INSIDE THE COCO
COCO B 8.5
HOT DIRECTORY
VOR TUTORIAL
PRINTER CONTROLLER
THE KING

ISSUE #80, FEB, 1989 SCRABBLE SPELLING CHECKER SANDSTONE FAMILY FEUD HARNESS RACING MINI GOLF 3 ULTIMATE TERMINAL 3 NETWORK TUTORIAL THE NETWORK MONEYOPOLY

Gentlemen.
"I just reversed my first
order and I am very
pleased! Enclosed is a
check for all the remain
ing back issues plus a
I-year subscription.
Gary Rhodes
Fontana, EF

Dear ToD

"Its the Computer
Instructor for our
school, I have been a
subscriber to TBD
software for two years, I
love your programs, The
anality is excellent!"

"Earry SR. Goblin
Staten Island, NY

MAIL TO:

T & D Subscription Software 2490 Miles Standish Drive Holland, Michigan 49424 (616) 399-9648

Name		
Address		
City	State	Zip
Credit Card#		
Expires		
TOTAL AMOUNTS		

One Year Subscription ONLY \$60.00!!

CIRCLE ISSUES DESIRED

1 9 17 25 33 41 49 57 65 73
2 10 18 26 34 42 50 68 66 74
3 11 19 27 35 43 51 59 67 75
4 12 20 28 36 44 52 60 68 76
5 13 21 28 37 45 53 61 69 77
6 14 22 30 38 46 54 62 70 76
7 15 23 31 39 47 56 63 71 79
8 16 24 32 40 48 56 64 72 80

PLEASE CIRCLE

TAPE or DISK

```
24Ø CHAR$(74)="H1U2D2F1R2E1U7L2R
                                               C) + II ; II
                                               79Ø K$(K)=B$
25Ø CHAR$ (75) = "U4R1F4H4E4G4L1U4"
                                               800 A$=X$+CHAR$(N)
26Ø CHAR$(76)="R4L4U8"
                                               81Ø DRAW 5$+A$
27Ø CHAR$(77)="U8F2E2D8"
                                               82Ø K=K+1
28Ø CHAR$(78)="U8D1F4D3U8"
                                               83Ø IF TRIG=1 THEN K=K-1:C=2:TRI
29Ø CHAR$(79)="R3E1U6H1L3G1D6F1"
                                              G=Ø:X=X-(SCALE*2)
300 CHAR$(80)="U8R3F1D3G1L3"
                                              84Ø X=X+(SCALE*2)
31Ø CHAR$(81)="R2F1H1R1E1U6H1L3G
                                              85Ø C=2
86Ø GOTO 66Ø
1D6"
32Ø CHAR$(82)="U8R3F1D3G1L3R2F3"
                                              870 '** SETS UP SCREEN MODE
33Ø CHAR$(83)="HlUlD1F1R3E1U2H1L
                                              880 PMODE 4,1:SCREEN 1,1
3H1U2E1R3F1D1"
                                              89Ø RETURN
34Ø CHAR$(84)="BR2U8L2R4"
                                               900 ' HANDLES BACKSPACE ROUTINE
35Ø CHAR$(85)="H1U7D7F1R2E1U7"
                                               WHEN GOING FROM A LINE TO LINE A
36Ø CHAR$(86)="BR2H2U6D6F2E2U6"
                                               BOVE.
37Ø CHAR$(87)="U8D8E2F2U8"
                                              91Ø IF K<1 THEN K=Ø :GOTO 66Ø
                                              92Ø IF X<5 THEN X=INT(255/(SCALE *2))*(SCALE*2):Y=Y-(SCALE*4)
38Ø CHAR$(88)="U2E2H2U2D2F4D2U2H
2E2U2"
                                              93Ø K=K-1:B$=K$(K):TRIG=1:C=5:X=
39Ø CHAR$(89)="BR2U4H2U2D2F2E2U2
                                              X-(SCALE*2):GOTO 68Ø
400 CHAR$(90)="R4L4U2E4U2L4"
                                               940 '** BEGINNING OF CODE TO POS
41Ø CHAR$(48)="H2U4E2R1F2G4E4D4G
                                               ITION THE CURSOR
2L1"
                                               95Ø IF PPOINT(X,Y)=2 THEN GOTO 9
42Ø CHAR$ (49) = "R2U8G2E2D8R2"
                                               9Ø
43Ø CHAR$(5Ø)="R4L4U2E1R2E1U3H1L
                                               96Ø D$=INKEY$
2G1"
                                               97Ø IF PPOINT(X,Y)<>5 THEN GOTO
44Ø CHAR$(51)="H1F1R2E1U2H1L1R1E
                                               1010
                                              98Ø PRESET(X,Y)
1U2H1L2G1"
                                              99Ø FOR CC=1 TO 5Ø:NEXT
45Ø CHAR$(52)="U4L2U4D4R5L3U3"
46Ø CHAR$(53)="H1UlDlFlR2E1U2H1L
                                              1000 PSET(X,Y)
                                               1919 IF D$="I" THEN GOTO 1169
3U4R4"
                                               1020 IF D$="S" THEN GOSUB 1220
1030 IF D$="L" THEN GOSUB 1290
47Ø CHAR$(54)="H1U2D2F1R2E1U2H1L
2GlU4ElR2F1"
                                              1949 IF D$=CHR$(64) THEN SCALE=4
48Ø CHAR$ (55) = "U2E4U2L4D1"
49Ø CHAR$ (56) = "H1U2E1R2L2H1U2E1R
                                               : GOTO 66Ø
                                               1050 IF D$=CHR$(92) THEN PCLS5
1060 IF D$=CHR$(72) THEN X=0:Y=0
2F1D2G1F1D2G1L2"
5ØØ X=Ø:Y=3Ø
                                              1070 IF D$=CHR$(9) THEN X=X+INC:
510 CHAR$ (57) = "BU4R4L4U4R4D7G1L2
                                               GOTO 96Ø
                                              1080 IF D$=CHR$(8) THEN X=X-INC
52Ø CHAR$(63)="BR2U1BU2U1R1E1U2H
                                               1000 IF X>255 THEN X=0
1100 IF X<0 THEN X=255
1L3G1D2"
53Ø CHAR$(46)="RIUILIDI"
                                              1110 IF D$=CHR$(10) THEN Y=Y+INC
1120 IF D$=CHR$(94) THEN Y=Y-INC
54Ø CHAR$(44)="R1D2L1R1U2L1"
55Ø CHAR$(39)="BR1BU5U2H1"
                                              113Ø IF Y>192 THEN Y=192
56Ø CHAR$(36)="H1F1R3E1U2H1L3H1U
                                              114Ø IF Y<Ø THEN Y=Ø
115Ø GOTO 95Ø
2ElR3F1H1L1U1D1Ø"
57Ø CHAR$(42)="E5BD5H5"
58Ø CHAR$(61)="BU2R5BU2L5R5"
                                              116Ø C$=INKEY$:IF C$="" THEN 116
59Ø CHAR$(34)="BU6U2BR2D2"
600 CHAR$ (47) = "BU1E5"
                                               117Ø INC=VAL(C$)
61Ø CHAR$(33)="BR1U1BU2U5"
                                              118Ø IF INC<Ø OR INC>9 THEN GOTO
62Ø CHAR$ (45) = "BU3R3"
                                                1160
                                               119Ø IF INK=Ø THEN INC=1Ø
63Ø X=128:Y=96
64Ø GOTO 98Ø
                                               1200 GOTO 950
650 1** GETS INPUT AND DRAWS TEX
                                               1210 1** ROUTINE TO SAVE A PICTU
T IN LINES 600-830
                                               RE
669 B$=INKEY$:IF B$="" THEN 669
                                               122Ø CLS
67Ø IF B$=CHR$(12) THEN PMODE 4,
1:SCREEN 1,1: GOTO 95Ø
                                              123Ø PRINT @32*8+5, "PICTURE NAME
                                                > 0;
68Ø IF ASC(B$)=64 THEN SCALE=SCA
                                               124Ø LINE INPUT PICNAME$
                                               125Ø SAVEM PICNAMES, &HØEØØ, &H25F
LE+4:GOTO 66Ø
69Ø IF B$=CHR$(92) THEN PCLS5
                                               F,Ø.
                                               1260 PMODE 4,1:SCREEN 1,1
700 IF SCALE>20 THEN SCALE=4
71Ø IF B$=CHR$(92) THEN PCLS5:X=
                                               127Ø RETURN
                                               1280 '** ROUTINE TO LOAD A PICTU
-8:Y=3Ø
72Ø IF ASC(B$)=8 THEN GOTO 9ØØ
73Ø N=ASC(B$)
                                              129Ø CLS: PRINT @32*8+5, "NAME OF
74Ø IF B$=CHR$(13) THEN X=Ø:Y=Y+
                                              PICTURE TO LOAD"
                                               1300 PRINT@32*9+10,"> ";
SCALE*4:GOTO 660
75Ø IF X>(255-(SCALE*2)) THEN X=
                                               1310 LINE INPUT PICNAME$
\emptyset: Y=Y+(SCALE*4)
                                               132Ø LOADM PICNAMES
76Ø IF Y>192 THEN Y=192
                                               133Ø PMODE 4,1:SCREEN 1,1
77Ø X$="BM"+STR$(X)+","+STR$(Y)
                                               134Ø RETURN
78Ø S$="S"+STR$(SCALE)+"C"+STR$(
```

(

# VIP Writer III Ver. 2 \*Cat. #90-908

VIP Writer III offers, screen widths of 32, 40, 64 & 80 - all with 24 lines and actual lower case letters using the CoCo 3's hardware display. If runs at double dock speed and has 4-color monus making VIP Writer III FAST and EASY to use! You can choose longround, background, hillite and cursor colors from up to 64 hues. Color can be turned ON or OFF for the best possible display using a monochrome monitor or TV set. VIP Writer III has a context sensitive help facility to display command usage in easy to read colored windows.

CUSTOMIZER & PRINTER INSTALLER

VIP Writer III comes with a configuration / printor installation program which lets you customize VIP Writer III to suit your own liking. You can set screen width and colors as well as margins and more. You can also install your own printer and set interface type (serial, parallol or J&M), baud rate, line leeds, etc. Once done, you never have to enter these paramoters againt VIP Writer III will load n' go with your custom contiguration every time!

MORE TOTAL TEXT STORAGE

VIP Willot III has 106K total text storage in a 128K CoCo 3 (495K in 512K). VIP Writer III creates ASCII text lilos which are compatible with all other VIP Programs as well as other programs which use ASCII files. You can use VIP Writer III to oven type BASIC programs! There is a 48K text buller (438K in a 512K CoCo 3) and disk lile linking allowing virtually unlimited text space. VIP Writer III works with up to lour disk drives and lets you display directories and free space as well as roname or kill disk files. In addition VIP Writer III is 100% compatible with the RGB Computer Systems Hard Disk.

"In the beginning there was VIP Writer and users saw that it was good, But it's not the best anymore. There's a new word processor to claim the crown... "—RAINBOW SEPT, 1988

POWERFUL EDITING FEATURES

VIP Writer III has a Juli leafured screen editor which can be used to edit text with lines up to 240 characters long with or without automatic word wrap around. You can select to 240 characters long with or without automatic word wrap around. You can select type-over mode or insort mode. There is even an OOPS command to recall a cleared text buffer. Other editing leatures include: Type-ahead - Type-ahead is every repeat and key beap to Itawless text entry - end of line bell - full four way cursor control with scrolling - lop of textilitie - bottom of textilitie - page up - page down - top of screen - bottom of screen - beginning of line - end of line - left one word - right one word - DELETE character, to beginning or end of line, word to the left or right, or entire line - INSERT character or line - LOCATE and/or CHANGE or DELETE single or multiple occurrence using wildcards - BLOCK copy, move or delete with up to TEN simultaneous block manipulations - TAB kay and programmable lab stops - word count - line restore - three PROGRAMMABLE FUNCTIONS to preform texts such as auto column creation and multiple programmation. FUNCTIONS to perform tasks such as auto column creation and multiple copy printing.

Writer III or Library /W owners: Upgrade to the VIP Writer III 2.0 for \$10 + \$3 S/H. Send ORIGINAL disk and \$13 lotal.

"VIP Writer III, Version 2, has almost every conceivable feature one could ask for... you'll find VIP Writer's 125 page tutorial a real prize and professionally packaged, VIP Writer III ...way ahead of whatever's in second place."-RAINBOW APRIL'89

AUTOMATIC TEXT FORMATTING

VIP Writer III automatically formals your text for you or allows you to formal your text in any way you wish. You can change the top, boltom, left or right margin and page length. You can set you lext flush left, centor or flush right. You can turn right hand justification on or off. You can have headers, looters, page numbers and TWO auxiliary linos which can appear on odd, oven or all pagos. You can also select the line on which they appear! You can even change the line spacing! Paramoters can be altered ANYWHERE!

#### PREVIEW PRINT FORMAT WINDOW

VIP Writer III leatures an exclusive formal window which allows you to preview your documeлі BEFORE PRINTING IT! You are able to move up, down, lett and right to see centored and justified text, margins, page breaks, broken paragraphs, orphan lines etc.

PRINTING VERSATILITY

VIP Writer III prints TWICE as last as any other CoCo word processor! It supports most serial or parallel printors using J&M JFD-CP or Rainbow interface and gives you the ability to select baud rates from 110 to 19,200, You can imbed printer control codes anywhere in your text file EVEN WITHIN JUSTIFIED TEXTI. VIP Writer III also has TWENTY programmable printer macros which allow you to easily control all of your printors capabilities such as bold, underline, italics and superscript using simple key strokes. Other leatures include: multiple copy printing single sheet pause in line teods.

BUILT IN PRINT SPOOLING

VIP Writer III has a print spooler with a 57,000 character buller which allows you to print one document WHILE you are editing another. You don't have to wait until your printer is done belorg starting another job! Some word processors DO NOT include this leature!

50,000 WORD SPELLING CHECKER
VIP Writer III includes VIP Speller (not FREEWARE) to check your text for misspelled words it has a 50,000 (not 20,000) word dictionary that can be added to or edited.

**OUALITY DOCUMENTATION** 

VIP Writer III comes with a well written 125 page manual which is Laser printed, not dotmatrix like the competition. It includes a tutorial, glossary of terms and examples for the beginner as well as a complete indext. VIP Writor III is truly the BEST you can buy, VIP Writer III includes VIP Speller 1.1. DISK \$79.95

VIP Writer owners: Upgrade to the Writer III 2.D for \$49.95 + \$3 S/H. Send original disk and \$52,95 total.

# IP Database III \*Cat. #90-915

VIP Database III leatures selectable screen displays of 40, 64 or 80 charactors by 24 lines with choice of 64 loreground, background, hillie and cursor colors for EASY DATA ENTRY. It uses the CoCo 3's hardware screen and doublo clock speed to be the FASTEST database available! VIP Database III will handle as many records as will fit on your disks and is structured in a simple and easy to understand menu system with full prompting for easy operation. Your data is stored in records of your own dosign. All files are fully indexed for speed and efficiency. IN MEMORY SORT of records is LIGHTNING FAST and provides for easy listing of names, ligures, addressos, etc., in asconding or descending alphabetical or numeric order. Records can be searched for specific entries using multiple search criteria. The built-in mail-merge lets you sort and print mailing lists, print form letters, address envelopes - the list is endless. The built-in MATH PACKAGE even performs arithmetic operations and updates other fields. VIP Database III also has a pant spooler and report generalor which uses pant forms you create. DISK \$69.95

VIP Dalabase owners: Upgrade to the VIP Database III for \$39.95 + \$3 S/H. Send ORIGINAL disk and \$42,95 total.

Library

The VIP Library AVDCE (Writer Database Calc Enhanced) combines all six popular VIP application programs · VIP Writer III, Database III, Calc III, Speller, Teiminal and Disk-ZAP · Into one inlegiated program on one disk called VIP Dosktop. DISK \$179.9 DISK \$179.95 For VIP Library shipping please add \$4 USA. \$5 Canada, \$10 Foreign

VIP Library owners: Upgrade to the VIP Library /WDCE for \$99,95 + \$3 S/H. Send ORIGINAL disk and \$102,95 total.

VIP Library MDE owners: Upgrade to the VIP Library MDCE for \$10 + \$3 S/H. Send ORIGINAL disk and \$13 total.

SD Enterprises

We accopt VISA / MASTERCARD and C.O.D. olders by phono.
Non VIP Library olders add \$3 lor shipping and handling in USA, Canada \$4. Foreign \$6. COD olders add an additional \$2.75, Checks allow 3 weeks lor delivery.

\* Available through your nearby Radio Shack Computer Center® and participating Radio Shack stores and dealers - or order direct from Express Order M by dialing 1-800-321-3133.

# VIP Calc III \*Cat, #90-916

FAST 4-color POPUP menus - PRINT SPOOLER 32, 40, 64 and 80 Column HARDWARE display! Runs VERY VERY FAST at double clock speed! Now every CoCo 3 owner has access to a calculating and planning tool better than VisiCalc™, containing all its features and commands and then some. VIP Calc III allows a large worksheet with up to 512 columns by 1024 rows! In addition, VIP Calc III has up to 16 windows which allow you to compare and contrast results of changes. Other features include 8 AND 16 digit precision . hig, lunctions • averaging • algebraic functions • column and row ascending and descending SORTS · locate formulas or titles in cells · block move and replicate global or local column width · limitless programmable functions · create BAR charts. Embed printer control codes for customized printing. Combine spreadsheet data with VIP Writer documents to create ledgers, projections, statistical & financial budgets and reports, DISK \$69.95

VIP Calc owners: Upgrade to the VIP Calc III for \$29.95 + \$3 S/H. Send original disk and \$32.95 total

### Buy RGB-DOS for \$29.95, Get Hard Disk support, new commands and a Disk Drive FREE!

Sounds loo good to be true? If you own a Radio Shack FD 502 or other double sided Disk Drive, using RGB DOS, you can access the other side of your Disk Drive giving a second disk drive absolutely Iree!\* RGB-DOS also supports up to 2 Hard Drives that can be used by DISK BASIC as well as OS-9. RGB-DOS works with CoCo 1, 2 and 3 and supports double sided drives and faster slepping rates. Other leatures include: Full screen directory display shows drive #, free space and even a disk name! RUNM command and FLEXIKEY Last Command Recall and Edit system • EPROM version execules any

program when CoCo is turned on for hands free start-up. 64K Reg'd. All products run under RSDOS and are not copy protected.

# CoCo Gallery



# 1st Prize

Lady in the Grass David Dawson

This picture, created with a graphics editor of David's graphics editor of David sown design, captures in vivid colors, a lady relaxing near a shoreline. David lives in Vermillion, South Dakota.

SHOWCASE YOUR BEST! You are invited to nominate original work for inclusion in upcoming showings of "CoCo Gellery." Share your reations with the CoCo Community! Be sure to send e cover letter with your name, eddress and phone number, detailing how you with your picture (what programs you used, etc.) and how to created your picture (what programs you used, etc.) and how to display it. Also, please include a few fects about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's alreedy screens, digitized langes from TV programs or material that appears been submitted elsewhere. A digitized copy of a picture that appears in a book or magezine is not an original work.

In a book or magezine is not an original work.

We will eward two first prizes of \$25, one for the CoCo 3 and one in the CoCo 1 and 2; one second prize of \$15 and one third prize of \$10. Honorable Mentions may also be given in the CoCo Gellery.

Please send your entry on either tape or disk to the CoCo 3. THE RAINBOW, P.O., Box 385, Prospect, KY 4059, Remember, this is a contest and your entry will not be returned.

2nd Prize

Desert Tom LoConte

Another day in the desert comes to a close. Tom, of Rocky Point, New York, has an associate degree in computer science. His hobbies include science fiction and programming on the CoCo 3. Tom wrote the program for this picture.



# 1st Prize CoCo 1 and 2

Tree Michael Y. Chu Michael takes advantage of the available patterns in his graphics available patterns in his graphics package to achieve interesting results. He has two children and lives in Monclair, California, where he works as a civil engineer. This view was drawn via neer. This view was drawn via CoCo Max II.



# Honorable Mention

# At the Movies Charles F. Hulen

This program was written in
BASIC, plotted on graph paper
and designed using the x, y
and designed using the x, y
number block method. From Lawrenceburg. Tennessee, Charles
renceburg and less
enjoys all types of music, and less
than a year ago started his own
than a year ago started his own
software company. Hemember to
save the alsie seats.





# 3rd Prize

### Thomas Rawlinson Setup

Thomas resides in Toronto, Ontario where he owns a landscape dewhere he owns a landscape design/construction company. A CoCo enthusiast for over four years, he used the Rat to illustrate a work station.



A space shuttle simulation that lets you be the pilot

# Lunar . Lander

By Jeff Donze

s remote pilot, it is your job to land the unmanned lunar landers at designated Manding sites. The company that has hired you is counting on you to land its expensive ships safely on the surface of the moon. The valuable payloads these ships carry are in your hands. If any cargo is lost or damaged, you will be fired by the shipping company. For each successful landing, however, you will be paid based on the landing site and the type of cargo on board. After landing at the five different sites, you will be promoted to a higher cargo class. You then return to the first site, but this time with a heavier load. Remember, heavier loads increase fuel consumption, but they also increase pay. Good luck! This is Lunar Lander.

The program runs on any 128K Color Computer 3. All you need to run it is a disk-or cassette-based system and a joystick. Any joystick will do, but Tandy's deluxe joystick works best because it is self-centering. The program can also be set to work whether you

Jeff Donze is an eighteen-year-old college student who, besides programming, enjoys playing the guitar and skiing.

# Telewriter-128 the Color Computer 3 Word Processor

#### TELEWRITER: UNDISPUTED #1

If you've read the other word processor ads, you've probably had your fill of cold lists of features, and claims of ultimate speed, power, and ease of use. So let's try to get past the overblown claims and empty buzz words—with 2 simple facts:

Fact 1: Telewriter is undisputedly the #1 most popular word processor on the Tandy Color Computers.

Fact 2: Telewriter's exemplary ease of use and power have been acclaimed in numerous magazine reviews and in thousands of letters and calls from end users.

#### THE OTHERS DDN'T UNDERSTAND

So why has Telewriter gained such a large and loyal following, while other Color Computer word processors have come and gone? Ironically, our competitors' ads tell you exactly why.

For them, word processing is nothing more than features and numbers. The longer the list of features, and the bigger the numbers, the better the word processor. Or so they think.

They just don't understand that power and ease of use are not gained by tacking on random features or throwing in freebie utilities or forcing you to use a cumbersome mouse.

Real Power, true Ease of Use, and genuine Speed can only be attained through thoughtful, logical, intelligent design, attention to detail, and a commitment to the act and the art of writing. That's the Telewriter tradition, and that's the reason for Telewriter's phenomenal success,

# TELEWRITER—128: INTELLIGENT DESIGN PERFECTED

And now, Telewriter-128, the latest Telewriter, uses the added hardware power of the Color Computer 3 to bring this intelligent design to its logical perfection.

Telewriter-128 adds unsurpassed speed and important new features to the already impressive arsenal of Telewriter-64. Not just speed for speed's sake, or features for the sake of advertising—but speed where it counts and features that make you a more efficient, more effective writer.

Rainbow magazine put it this way: "Telewriter-128 will set the word processing standard for the Color Computer 3 because it is so simple and user friendly.... The 81-page tutorial/user's manual is nicely done. It is written in easy to understand language but the program itself is so easy.... Most people will be able to use the software right out of the package."

#### TELEWRITER-128 OR DESKTOP PUBLISHING

Desktop publishing is nice for adding pictures and fancy fonts to newsletters or business presentations—but its graphics orientation sacrifices some important capabilities when it comes to working with words.

If your main concern is expressing ideas through words (notes, letters, reports, papers, novels, etc.), the dedicated word processing power of Telewriter 128 still provides the most efficient tool for the job. Each tool has its place—desktop publishing for striking visuals, Telewriter 128, for effective writing.

#### TELEWRITER-128 OR TELEWRITER-64

You can no longer afford to be without the ease, power, and efficiency, that Telewriter brings to everything you write.

Telewriter-128 for the Color Computer 3 costs \$79.95 on disk, \$69.95 on cassette.

For the Color Computer 1&2, Telewriter-64 costs \$59.95 on disk, \$49.95 on cassette.

To order by MasterCard or Visa, call (619) 755-1258 anytime, or send eheck to:

#### COGNITEC

704 Nob Avenue Del Mar, CA 92014

(Add \$2 S&H, Californians add 6% tax. To upgrade from TW-64 to TW-128 send original TW-64 disk and \$41,95.)

Telewriter is also available through your nearby Radio Shack Computer Center and participating Radio Shack stores and dealers—or order direct from Express Order by dialing 1-800-321-3133.

Ask for: Telewriter 128 (disk) . . . ea1 #90-0909
Telewriter 64 (disk) . . . . ca1 #90-0254
Telewriter 64 (cass) . . . . ea1 #90-0253

FEATURES THAT MATTER: Telewriter's ontstanding design and its complete set of features, pnl it in a class by itself, for smooth, efficient writing and letter perfect printed documents. Telewriter-128 includes:

Unbeatable SCREEN PERFORMANCE: lightning fast paging and serolling, on-screen text that never lags behind your typing, and a response that is always instantaneous, no matter how much text is in the buffer, or where you are in the document.

26 User definable MACRO KEYS type your often used phrases and titles with a single keypress—saving you time and freeing your concentration for writing. User settable DUAL SPEED CURSOR moves you anywhere on the line, on the page, or in the doetment, fast or slow—you decide, with the touch of a finger. Fast PRINT PREVIEW MODE shows you lext as it will print: headers, footers, margins, page breaks, page numbers, justification—saves time and paper and gnarantees perfect looking doenments everytime.

Instant, ON-LINE HELP summarizes all Telewriter-128 commands and special symbols. The Online OPTIONS MENU lets you instantly enstonize the writing environment at any time to snit your precise needs (Sercen/character color, Monochrome on/off, Key repeat/delay rate, 2 Chrsor repeat/delay rates, Case-sensitivity of search, Auto file backnp on/off, and more). A SINGLE FUNCTION REY takes you instantly to any menn, so you never have to stop and think.

The 24, 25 or 28 LINE SCREEN DISPLAY option lets you see 16% more on-screen text (28), or wider line spacing (25). The anto-loading OPTIONS FILE stores all your Macros, Print Formal settings, and Options Mean settings, to they are always there everytime you run Telewriter-128. 3 pop-np STATUS WINDOWS tell you cursor position, word count,

free space, etc.

The QUICK SAVE feature lets you instantly save your current document with just 2 keystrokes and without leaving the editor. CURSOR THROUGH DIRECTORY to Load, Append, Rename and Kill liles—so you'll never type a filename after the first time. HANGING INDENTS help you organize ideas on the page more effectively. Also: Footers, Multiple Print, Print to Disk, Key Click, Key Repeat, 40/80 Column Option, Overstrike, Word Delete, Nested Maeros, Definable Foreign and Math Symbols and more. . . .

And, of course, Televriter 128 incorporates all the Features of TELEWRITER-64, like: Works with absolutely any printer that works with your Color Computer (1, 2, or 3). Uses simple Embedded Control Codes so all intelligent features of your printer are easily accessed, including: Underlining, Boldface, variable Fonts, Snb-script, Snper-script, Italies etc.

Formal commands allow dynamically changing Margins, Headers, Spacing, Centering, etc., anywhere in the document. Formal menn sets Margins, Spacing, Page numbering, Baud rate, Lines per page, Justification, Chain Printing means the size of your printed document is unlimited. Also Single page and Partial Print.

Fast full-screen editor with wordwrap, text alignment, block copy/move/delete, global search and replace, wild card search, fast 4-way anto-repeal enrsor, fast scrolling, forward and backward paging, settable tabs, word and line counter, full error protection. Insert or delete anywhere on screen. Simple, easy to remember, "mnemonic" Editor Commands. Load, Save, Append, Partial Save files to disk in eassette. Kill, rename and list disk files. ASCII file compatibility.

are using a TV or an RGB monitor. Before starting, read the appropriate section below on loading.

Tape Owners

As I explain how to save, load and modify this program, I will assume you have read chapters 13 and 14 in your Color Computer 3 Extended BASIC manual. You need to know how to CLDAD, CSAVE, SKIPF and EDIT.

If you will be typing in these programs, you should have an extra tape handy to make backup saves. I'll refer to this second tape as the backup tape and the other as the main tape. If you don't subscribe to RAINBOW ON TAPE, you will have to type in listings I and 2 (LANDERGG and LANDER) and remove any errors. Do not run them, but save them in order on the backup tape. If you have an RGB monitor, change CM\$ to RG\$ in Line 230 of LANDER. This tells the program that you have an RGB monitor. You are now done with the backup tape. Put it in a safe place and keep it in case something happens to the main tape. Next, rewind the main tape and type CLDAD"LANDERGG". Type SKIPF to skip past Listing 2, LANDER — this is important. Press Play and Record, then,

LANDERGG then saves two binary files containing graphics on the tape. It will take about 15 minutes to run and two minutes to save, but you only have to run it once. Rewind the tape and type CLDAD "LANDER" and then type RUN.

#### Disk Owners

Start by formatting a new disk using the DSKINI command. That is, put a blank disk in Drive 0 and type DSKINIO. Type in Listing I, LANGERGG, and remove any errors. (Do not run it yet.) Edit lines 980 and 1000; change CSAVEM to SAVEM. Now save it on your new disk. If you have typed the program, you will want to save it on another disk as a backup. Next, type in Listing 2, LANDER, Change CLOADM in lines 70 and 80 to LOADM. If you have an RGB monitor, change CM\$ in Line 230 to RGS. This tells the program that you have an RGB monitor, Save it on the new disk. Again, if you have typed in this program be sure to save it on another disk with LANDERGG as a backup. Put the new disk back in the drive and load and run LANDERGG. This is the graphics generator; it saves two binary files containing graphics to the disk. It will take about 15 minutes to run, but it only has to be run once. All you have to do now is type RUN"LANDER".

After you run LANDER, the program loads the two binary files. Disk systems load in only a few seconds, but tapes take about two minutes to load. The screen clears to black before you see the title screen. Press the joystick button and there is a short paragraph much like one at the start of this article. Press the button again to start the game.

"As a remote pilot, it is your job to land the unmanned lunar landers at designated landing sites."

The screen clears to black for about 10 seconds while the computer draws the first landing site. If your joystick is not self-centering, push it slightly toward the middle. If it is down too far the ship's jet comes on, and it will go too high, ending the game. At the top of the game screen the computer shows the Landing Site number and the Cargo Class number. On the right side of the screen is a red bar, the Fuel Level indicator. At this point, you should see the craft floating across the top of the screen under the words "Landing Site." Now is a good time to practice controlling the ship's angle by moving the stick horizontally, that is, to the left and

Notice that the joystick does not work like an Atari. If you move it to the far left, the ship's jet points all the way to the left. It works the same to the right, but if you put the stick in the middle, the ship's jet points down. Move the stick slightly to one side, and the ship will turn to that side proportionally. Pulling the stick down controls the ship's engine.

When the game starts the ship is in orbit, and you must slow it down to make it fall. To do this, wait until the ship is on the left half of the screen and pull the joystick all the way to the bottom-right. Stop thrusting when you see that the ship is falling. Now the rest is maneuvering. Try to get the ship so it is slowly falling straight down directly over the landing pad. While guiding your ship use less thrust than you think

you need. Using too much thrust causes the ship to shoot off too fast.

You can only land the ship on the landing pad shown. The landing pad is the gray and maroon rectangle. To land successfully, the ship must be all the way on the pad, not hanging off one side. The ship must also be level. If the ship touches while it is tilted at all it will crash. Finally, the ship must go very slow. Almost any left to right motion will cause a crash. Accidents will also occur if the ship is descending too fast when it touches down.

If you have a centering joystick like Tandy's, you may want to set the centering controls on the bottom to X-Free and Y-Centering. This way the stick moves freely from left to right, but snaps back if you pull it down. If you are using a cassette you should know that pressing the Reset button will destroy some of the graphics, and the program will try to reload the two graphics files. If you do press the Reset button be sure and rewind the tape before running the program.


For those of you who have some experience programing on the CoCo 3, there are two parts of this program. The first part changes one of the HPUT options to allow you to XOR graphics to the screen. The second doubles the buffer space used for HPUT and HGET.

The first change is simple. It changes the NDT option for HPUT to XDR, XDR is used to save time by making the program run faster. When you put a picture on the screen using XDR, you can erase it by putting the same picture using XDR again. One disadvantage is that the background for the picture and the screen must be zero, or the picture's colors will not be correct.

This second change is more complicated. I would not reccomend it for heginners. However, if you have expcrience with CoCo 3 graphics you might like to expand the Hi-Res GET/PUT huffer. Doing so allows you to have a greater variety of graphics in your program. The book tells us that we have 7932 bytes to use for graphics storage. If you look at the memory map on Page 311 you will see Hi-Res GET/PUT buffer memory. A few lines down you will see an area marked "Unused" by BASIC. These two areas are the same size. If we tell it to, we can have the CoCo use the inused area as a secondary buffer. The number that tells the CoCo what memory to use for buffers is at \$E0D4. The dollar sign means hexadecimal; you can use hex in BASIC by replacing \$ with &H. The normal value at this location is \$34.

BEST PUBLIC DOMAIN PROGRAMS

FROM T&D SUBSCRIPTION SOFTWARE



WE ARE SELLING 630 OF THE BEST. JUST THE GOOD STUFF!

#### Music 1-7

8 Utilitias & 8 Songs M2 • 17 Musica Files M3 • 16 Musica Files M4 -16 Musica Files 25 Orchestra Files

Ms .

23 .Bin Files Ready To Run 23 .Bin Files Ready To Run

#### **ADVENTURES 1,2**

Each Disk/Tape Contains 9 Great Adventures Ready To Run

Order A1 Or A2

#### TELECOM MUNICATIONS 1-3

T1 - Haysae, Kermit, Mterm T2 - Cobster Terminal Package T3 - Mikeyter Terminal Package



#### **EDUCATION 1-4**

12 Programs For Young Kids 12 Programs For High School Kids 11 Programs Teaching The Coco'S Commands 5 Graphics Programs About Australia

# **GRAPHICS 1-4**

12 Basic Graphic Programs 12 Basic Graphic Programs 9 Coco 3 Graphic Programs 22 Coco Max Pictures 22 Coco Max Pictures G3 -

G5 -

22 Coco Max Pictures 15 Coco Max Pictures G6 -G7 -G8 -G9 -22 .Bin Pictures 22 .Bin Pictures

G9 - 22.8 in Pictures G10 - 14 Large, Bin Pictures G11 - 8 Mge Pictures G12 - Coco Max 3 Pictures G13 - Macpaint Graphic Editor G14 - 5 Macintosh Pictures



#### **HOME MANAGEMENT 1-4**

12 Programs Each Disk/Tape

- Checkbook, Database, Word Processor, +

H2 - Cash Journal, investments, Mail List, + H3 - Finance, Int. Rates, Stocks, +

H4 · Spelling Fix, Spelling Checker, +





#### **UTILITIES 1-8**

· 12 Programs Each, 1-4 Require Disk ·





DISKS/TAPES FOR

OSLY \$145.00

Each Disk/Tape Contains 12 Programs

GA1 - 3Dilctac, Missie, Poker, Tyccon, +
GA2 - Chess, Motojump, Rider, Slots, +
GA3 - Battship, Goll, Lander, Robots, +
GA4 - Abm, Cartei, Subchase, Trek, +
GA5 - Blackjack, Laser, Raceway, Utoplan, +
GA6 - Kings, Navyguns, Poolgame, Subship, +
GA7 - Connectd, F-16, Life, Mazetand, +
GA8 - Chute, Football, Othello, Slither, +
GA9 - Civilwar, Flight, Prix, Slock, +
GA10 - Cave, Fly, Pedro, Scramble, +
GA11 - Bunkers, Craps, Gunner, Nukeatlk, +



MAIL TO:

T&D Subscription Software 2490 Miles Standish Drive Holland, Michigan 49424 (616) 399-9648

Call or write for a FREE catalog!

U1 · Backup35, Diskzapr, Romcopy, Timer, + U2 · Customize, Diskfix, Disktest, Multback, + U3 · Diskald, Disklibry, Midata, Playmac, + U4 · Macpix, Stat-Log, Unarc, Unmaster, + U5 · Assembir, Mcbase, Squeezw, Writer, + U6 · Chr. Ed3, Hgrcolor, Minklos, Updnlist, + U7 · Head Print With 30 Mini Pictures

U8 - Fig Forth Language With Tutiorial

Expires\_

PRICES:

1 disk/tape.....\$5.00 each 6 or more......\$4.00 each All 53 disks/tapes \$145.00





· WE SEND 1ST CLASS · NO CHARGE ·

PERSONAL CHECKS WELCOME

Name. Address.

State.\_\_\_ City\_

Credit Card #\_

TOTAL AMOUNT \$\_

#### CIRCLE ISSUES DESIRED

M1 M2 M3 M4 M5 M6 M7 G1 G2 G3 G4 G5 G6 G7 G8 G10 G11 G12 E1 E2 E3 E4 U2 U3 U4 U5 U6 U7 U8 GA2 GA3 GA4 GA5 GA6 GA7 GA8 GA10 GA11

> PLEASE CIRCLE TAPE DISK

Please turn to pages 22 and 23 for our Subscription Software!

The number for the secondary buffer is \$37. To select the secondary buffer use this command:

POKE &HEØD4, &H37

To go back to the normal buffer use:

POKE &HEOD4, &H34

Whichever buffer you select will be used for HBUFF, HGET and HPUT. To trick the CoCo into using the secondary buffer you must mark it as free. To do this use:

LPOKE &H6E000,255:LPDKE &H6E001. 255

You can also mark the normal buffer free with:


LPOKE &H6B000,255:LPOKE &H6B001. 255

When designing your own program using this technique you should keep the following things in mind. At the start of your program mark both buffers as free. This will eliminate redefining errors. Select one of the buffers and do all the HBUFF's for that buffer. Then select the other buffer, and do the HBUFF's for that buffer. As long as you always use the same buffer sizes, the graphics in the buffer will not be affected. With all the buffers defined with HBUFF, you can now GET and PUT graphics to or from either buffer space depending on which one you select. Avoid pressing the Resei button. This destroys some of the graphics in the normal buffer space. If your program only puts graphics on the screen, you may want to divide the program into two parts. The first part draws graphics and HGET's them, the second part uses the graphics from the first part.

This is the way Lunar Lander works. Redefine buffers with HBUFF at the start of each part. This way you only need to run the first part once. CoCos with 512K can also use numbers from 0 to \$2F for even more buffer space. Remember, each area must be marked free and needs its own HBUFF's. To save the graphics buffers, examine lines 880 through 1020 of LANDERGG, and to load, look at lines 70 and 80 of LANDER. When saving and loading, the poke to \$FFA2 intrudes on BAStC's memory. To be safe, always load and save in the first few lines, and always type PDKE &HFFA2, &H3A before going on to the rest of the program. If you don't, some of your program will disappear.

(Questions or comments concerning this article may be directed to the author at 7341 Holly Park Drive, Concord, OH 44060. Please include an SASE when requesting a reply).

Editor's Note: For your convenience, the two binary files generated by Listing 1. LANDERGG, are included on both RAINBOW ON TAPE and DISK. To execute the program, simply load and run LANDER.



#### Listing 1: LANDERGG

```
Ø ' COPYRIGHT 1989 FALSOFT, INC
I I I I I I
20 ' Lunar Lander Graphics Gener
ator '
3Ø -
            By: Jeff Donze
400 1
            Copyright 1988
50 ------
11111
60 ON BRK GOTO 1020
7Ø POKE 65497,Ø
8Ø HSCREEN 2
9Ø R=RND(-98765)
100 POKE &HE0D4, &H34
11ø PI=3.14159
12\emptyset DEF FNR(X)=X/57.29577951
13Ø DEF FNS(X)=ATN(X/SQR(-X*X+1)
```

```
14\emptyset DEF FNE(X)=INT(X/2)*2
15Ø YO=15:XO=4Ø:AO=-9Ø
16Ø FOR AN=Ø TO 1Ø:AO=AO+15
17Ø YL=2ØØ:XL=2ØØ:RESTORE:HBUFF
AN+1,684
18Ø READ A$:IF A$="*" THEN 45Ø
19Ø IF A$="C" THEN READ C:HCOLOR
 C:GOTO 18Ø
200 IF A$="L" THEN READ X1, Y1:GO
SUB 1030: READ X2, Y2: GOSUB 1040: H
LINE(X1, Y1) - (X2, Y2), PSET ELSE 23
Ø
21Ø IF X2<XL THEN XL=X2
220 IF Y2<YL THEN YL=Y2
23Ø IF A$="P" THEN READ X1,Y1,PC
,BC:GOSUB 1030:HPAINT(X1,Y1),PC,
BC
24Ø IF A$="-" THEN READ X1,Y1:GO
SUB 1030:HLINE-(X1,Y1),PSET
25Ø IF X1<XL THEN XL=X1
26Ø IF Y1<YL THEN YL=Y1
27Ø GOTO 18Ø
28Ø DATA C,1,L,Ø,13,3,6,L,1,1Ø,9
,11,L,9,13,9,7,L,9,8,14,8
29Ø DATA L,13,4,15,13,L,13,4,11,
4,-,11,5,-,13,5
3ØØ DATA L,8,4,8,5,-,9,5,-,9,4,-
,8,4
31Ø DATA L,1Ø,3,1Ø,2,-,8,2,-,8,1
,-,9,1,-,9,2
32Ø DATA L,6,1,5,1,-,5,Ø,-,4,Ø
33Ø DATA C,2,L,11,13,1Ø,12,L,8,6
,9,6,-,1Ø,5,-,1Ø,4,-,9,3,-,8,3
34Ø DATA C,3,L,5,1Ø,8,1Ø,L,3,9,8
,9,L,3,8,8,8,L,4,7,8,7,L,4,6,7,6
35Ø DATA L,4,5,7,5,L,4,4,7,4,L,4
,3,7,3,L,4,2,7,2,L,4,1,4,1
36Ø DATA L,8,13,5,13,-,6,12,-,8,
```

# Frank Hogg Laboratory

Over 12 Years of Service, Support, and Friendly Help!



### **BOOKS**

START OS/9 An Enjoyable, Hands-On Guide To OS-9 Level II

\$32.95 Book and Disk

If you have OS-9 Level 2 or are thinking of

etting it, this book and disk will set ou started an arrendy agreement. The disk contains utilities and tutorials that are worth the price alone. Now there is a reason to get OS-9

#### Inside OS9 Level II SPECIAL ONLY 19.95!

Are your tired of playing games with Level II? Do you want to find out what's going on inside OS9? This is the book for you! Over 200 pages of hints, kinks, bugs, source listings and much more. Written by the well known Compuserve Puckett in Rainbowl

# DvnaStar

THE Most Popular OS-9 Word Processor!

"It is an excellent word processor for business

and home use, whether for clerical or programming work." RAINBOW Review April 1989, Page 34, Also see July 1984, Page 220.
FEATURES: Best OS9 editor/word processor/lext formatter, has everything you would expect and more, supports terminals and windows slmultaneously, auto-configurable, auto-indent for C and Pascal, mall merge for form letters. Pop-up help menus that can be disabled.

WordStar command style. Files larger than memory. Block manipulation, mark, move, copy, de-lete, read from disk, write to disk. Keyboard Mac-ros, (up to 29) to produce any key sequences,

including commands! Supports multiple printers, Formatting Commands; Justification, word wrap, centering, headers, footers, macros, odd and even support, multiple index generation, multiple table of contents generation and more!

DynaStar word processor/formalter 150,00

#### **SPECIAL ONLY 99.95**

### DvnaSpell

by Dale Puckett

20,000+ word dictionary included. Fast, slick, the best spelling checker available for OS9. Written by Rainbow Fech columnist Dale Puckett,

DynaSpell spelling checker

SPECIAL WHEN PURCHASED WITH DynaStar 25.00

### The Wiz

The WIZ 70.95 Super SPECIAL ONLY 59.95 Includes ShareWare WIZPro Disk FREE!

RS-232 Pak 2400 Baud Modem (5 Year Warranty) 49.95

# Hard Drive Systems

"Frank Hogg Laboratories has been selling hard-drive systems longer than any other RAINBOW advertiser"

#### Burke and Burke

Burke & Burke based kit includes: Burke & Burke (B&B) XT PC interlace. Hard drive with controller, 3 foot ST506 cable set, Hard Drive Case with 60 watt power supply and Ian. Includes OS9 LI and LI sollware, 1 megabyte transfer in only 45 seconds il Twice as last as other systems Type ahead under OS9, (No hait) Complete Instructions. Easy one evening assembly.

20 Meg Kit Complete	498,00
30 Meg Kit Complete	548.00
40 Meg Kit Complete	618.00
Assemble fmt & test any of the above	50.00
, B&B OPTIONS:	
B&B Real Time Clock (add to above)	30.00
B&B XT ROM Auto Boot from hard disk	19.95
B&B Hyper I/O DECB on hard drive	29.95
B&B Hyper III Ramdisk/spooler	19,95
B&B XT ROM Auto Boot from hard disk B&B Hyper I/O DECB on hard drive	19.95 29.95

#### The Eliminator™

The Eliminator™ based kit includes Bruce Isted's new interlace 'The Eliminator'™ the Western Digital WD 1002-05 high speed controller. Features; lastest system avaitable, t megabyte transfer in only 37 seconds!! More than twice as last as other systems! Supports 4 lloppy and 3 hard drives, type ahead (No halt) for both floppy and hard disk, autoboot OS9 L1 or L2 from hard or lloppy disk, 2 serial ports, 1 parallel port and Real Time Clock socket, Hard drive with WD 1002-05 controller, ST506 cable set, 3 foot 40 pin cable, Hard Drive Case with 60 water power and the OS9 collaboration. with 60 watt power supply and fan, OS9 soltware for LI and LII with source, Complete instructions. Easy one evening assembly.

20 MB Fright Opeau Kit Commete	733.00
40 Mag High Spead Kit Complete	899.00
70 Meg High Speed Kit Complete	1335.00
Assemble fmt & Tost any of the above	60.00
Eliminator ÓPTIONS:	
Roal Time Clock chip	30.00
Serial cable set (2 DB25)	30.00
Parallel cable (Contronics)	30.00
Floppy Cable Int & Ext	25.00

20 May High Speed Kit Complete

# Hard Drive Blts and Pieces

The Eliminator™ Special 179,95	100.86
See Eliminator OPTIONS also	
WD1002-05 Controller	199.95
B&B XT PC style interface	69.95
B&B XT RTC interface w/clock/calendar	99,95
See BAR OPTIONS also	

Hard Drive case with 60W P/S & Fan SPECIFICATIONS; size 16' deep, 5.5' high, 7' wide, 50 Wall power supply with 3 drive type power connectors, guiel 12 volt DC lan, LED power indicator, color matches CoCo, Holds 2 1/2 height haid at troppy drives and has card guided space for a PCB the Gzo of a drive (like the WD1002-05 contrator)

FBU Fast Hard disk Back Up R.S.B. RS Disk Basic under OS9

Floppy Drives (5,25" and 3,5 FLOPPY DISKS)
TEAC High Ouality Drives - 1 Year Warr.
FD55B 360K 40 Track DS 5,25" 118.00
FD55F 720K 80 Track DS 5,25: 151.00
FD35F 720K 80 Track DS 3,5" 147.00 (Bare drives, requires case and power supply)

### Sculptor

Version 1.16 SPECIAL ONLY 199.95

100% Object Code Compatible 100% Data File Compalible

Sculptor, a 4th Generation Language, Is an applications generator, a database, and a programming language. With Sculptor you can de velop an application in one tenth the time it would take in Basic.

Now with version 1.16 you can take applications created on your CoCo and run them on PC's, Unix machines etc. (with the proper runtime) Sculptor is the most powerful program available for the CoCo.

During this special introduction of version 1.16 we have reduced the price to ONLY \$199.95!

> Existing Sculptor users can update to version 1,16 for 60,00

Regulres OS9 Level II and 512K. Works with floppies or hard disks.

# News-a-Log!

Subscribe FREE to our NEW Newsletter/Catalog.

Sculptor Review, QT K-System Review, OS9/68K News, Special Prices on FHL Products

Special Low Prices on Fax Machines, copiers, calculators, and much more. It's FREE!

### ORDERING INFORMATION

VISA and M/C, check and C,O.D. Contential U.S. software shipping add \$3.50 Ground - \$6.00 Two Day Air. Hardware add \$11 ground - \$22 Two Day Air, Please call for Next Day Air costs and C.O.D. Foreign add 10% Shipping (Minimum \$5 USD), NY residents please add 7% sales tax.

# Frank Hogg Laboratory, Inc.

Since 1976. 770 James Street Syracuse, NY 13203

Fax 315/474-8225

Call 315/474-7856

12, L, 1Ø, 13, 1Ø. 13, C. 4 37Ø DATA L,13,3,11,3,-,11,2,-,12 ,2,-,12,3 38Ø DATA L,1Ø,11,1Ø,9,-,13,9,-,1 3,10,-,10,1039Ø DATA C,8,L,6,14,4,16,-,4,2Ø, -,8,32,-,12,2Ø,-,12,16,-,1Ø,14,-,6,14 4ØØ DATA P,8,18,8,8 41Ø DATA C,9,L,7,14,5,16,-,5,2Ø, -,8,28,-,11,2Ø,-,11,16,-,9,14,-, 7,14,P,8,18,9,9 42Ø DATA C,1Ø,L,8,14,6,16,-,6,19 ,-,8,25,-,1ø,19,-,1ø,16,-,8,14,P ,8,18,1Ø,1Ø 43Ø DATA C,11,L,8,15,7,16,-,7,19 ,-,8,2Ø,-,9,19,-,9,16,-,8,15,P,8 ,18,11,11 44Ø DATA L,8,15,8,2Ø,\*  $45\emptyset$  HGET (FNE(XL), YL) - (FNE(XL) +35 ,YL+35),AN+1 460 HCLS: NEXT AN 47ø ' Saturn 48Ø HCLS 49Ø POKE &HEØD4,&H37:LPOKE &H6EØ ØØ,&HFF:LPOKE&H6EØØ1,&HFF 500 HBUFF 1,1620  $51\emptyset C(1,1)=\emptyset:C(1,2)=7:C(2,1)=7:C$ (2,2)=652Ø FOR RA=PI/2 TO 3\*PI/2 STEP P 53 $\beta$  IF RND( $\beta$ )>.8 THEN HSET(1 $\beta\beta$ +C OS(RA) \*19,100 + SIN(RA) \*17,754Ø NEXT RA 55ø FOR R=6 TO 19 STEP 1.1:H=17 560 F = (R-5)/7:W=INT(F):F=F-W57ø FOR RA=PI/2 TO 3\*PI/2 STEP P 58 $\emptyset$  HSET (1 $\emptyset\emptyset$ -COS(RA)\*R,1 $\emptyset\emptyset$ +SIN(  $RA) *H, C(W+1, 1-(RND(\emptyset) < F)))$ 59Ø NEXT RA,R 6ØØ A=Ø:FOR R=34 TO 42 61Ø HCIRCLE (1ØØ,1ØØ),R,6,.14,.8 5-A,.68 62Ø A=A+.ØØ15:NEXT R 63 $\emptyset$  HCIRCLE (1 $\emptyset\emptyset$ , 1 $\emptyset\emptyset$ ), R, 7, .15, .8 5-A,.69 64Ø HDRAW "CØBM82,95NR5DNR5DR5" 65Ø HGET (56,82)-(144,117),1 660 | Mars 67Ø HCLS:HBUFF 2,18ØØ 68Ø FOR RA=PI/2 TO 3\*PI/2 STEP P I/9Ø 69Ø IF RND(Ø)>.7 THEN HSET(16Ø+C OS (RA) \*29, 100 + SIN(RA) \*29, 77ØØ NEXT RA:FOR R=2 TO 29  $71\emptyset$  F=R/15:W=INT(F):F=F-W 72Ø FOR RA=PI/2 TO 3\*PI/2 STEP P I/11Ø 73 $\emptyset$  HSET (16 $\emptyset$ -COS(RA)\*R,1 $\emptyset$  $\emptyset$ +SIN(  $RA) *29, C(W+1, 1-(RND(\emptyset) < F)))$ 74 $\beta$  NEXT RA,R:HGET (13 $\beta$ ,7 $\beta$ )-(188

,129),2 75Ø ' Earth 76Ø HCLS: HBUFF 3,32ØØ 77 $\emptyset$  FOR C=3 TO 1 STEP -1:READ D\$ ,E\$,R1,R2 78ø HCIRCLE (3øø, 1øø), 41, C: HDRAW "BM3ØØ,6ØXD\$;BM3ØØ,14ØXE\$;" 79Ø HCIRCLE (285,9Ø),Rl,C,l.1:HP AINT (285,9Ø),C,C 8ØØ HCIRCLE (27Ø,111),R2,C,.9:HP AINT (270,111), C, C 81Ø HPAINT (298,65),C,C:HPAINT ( 298,138),C,C:NEXT C 82Ø HCIRCLE (3ØØ, 1ØØ), 41, Ø 83Ø DATA "C3D18L15M-1Ø,-4H4","U2 ØL18M-1Ø,+6",14,16 84Ø DATA "C2D15L15M-8,-3H2","U18 L16M-11,+6",12,14 85Ø DATA "C1D13L14M-8,-5", "U15L1 5M-1Ø,+5",1Ø,12 86 $\emptyset$  C(1,1)= $\emptyset$ :C(1,2)=5:C(2,1)=5:C (2,2)=487Ø FOR RA=PI/2 TO 3\*PI/2 STEP P I/45 88Ø IF RND( $\emptyset$ )>.65 THEN HSET(16 $\emptyset$ +  $COS(RA)*4\emptyset, 1\emptyset\emptyset+SIN(RA)*4\emptyset, 6-RND($ 2)) 89Ø NEXT RA:H=4Ø:FOR R=Ø TO 4Ø  $9\emptyset\emptyset$  F=R/41\*2:W=INT(F):F=F-W:P=R/ 40 91Ø FOR RA=PI/2 TO 3\*PI/2 STEP P I/12792Ø XO=COS(RA) \*R:YO=SIN(RA) \*H 93 $\emptyset$  C=HPOINT(3 $\emptyset$  $\emptyset$ +XO,1 $\emptyset$  $\emptyset$ +YO) 94Ø IF C=Ø OR RND(Ø)>P OR RND(Ø) >(4-C)/3 THEN C=C(W+1,1-(RND( $\emptyset$ )< F)) ELSE C=1 95Ø HSET (16Ø-XO,1ØØ+YO,C) 96Ø NEXT RA,R:HGET(12Ø,6Ø)-(198, 139),3:POKE &HEØD4,&H34 97Ø POKE &HFFA2, &H34: POKE 65496, 98Ø CSAVEM "LANDER1",&H4ØØØ,&H5F FF, &HAØ27 99Ø POKE &HFFA2,&H37 1000 CSAVEM "LANDER2", &H4000, &H5 FFF, &HAØ27 1010 CLS:PRINT"DONE." 1020 POKE &HFFA2, &H3A: POKE 65496 ,Ø:END 1030 X2=X1:Y2=Y1:GOSUB1040:X1=X2 :Y1=Y2:RETURN 1040 X2=X2-8:Y2=Y2-7:R=SQR(X2\*X2)+ Y2 \* Y2) $1\emptyset5\emptyset$  IF Y2< $\emptyset$  THEN A=FNS(-X2/R)+P I:GOTO 1080 1060 IF Y2>0 THEN A=FNS(X2/R):GO TO 1080 1Ø7Ø IF X2>Ø THEN A=FNR(9Ø) ELSE IF X2<Ø THEN A=FNR(27Ø)  $1\emptyset 8\emptyset$  A=A+FNR(AO):X2=XO+SIN(A)\*R: Y2=Y0+COS(A) \*R: RETURN

```
170 . . . . . 222 1010 . . . . 154 1820 . . . . . 30
320 ......54 1170 ..... 161 1970 ......74
510 . . . . . 166 1320 . . . . 177 2150 . . . . . 161
670 .......1 1470 ......66 2300 ......31
850 . . . . . . 45 1650 . . . . 171 END . . . . . 14
```

#### Listing 2: LANDER

```
Ø ' COPYRIGHT 1989
                   FALSOFT, INC
2ø
            Lunar Lander
3ø
           By: Jeff Donze
40
           Copyright 1988
   60 CLS:ON BRK GOTO 130:ON ERR GO
TO 100
7Ø POKE &HFFA2, &H34: CLOADM"LANDE
Rl"
8Ø POKE &HFFA2,&H37:CLOADM"LANDE
R2 II
9Ø POKE &HFFA2,&H3A:GOTO 14Ø
100 POKE &HFFA2, &H3A: CLOSE
11Ø IF ERNO=26 THEN PRINT "FILE
NOT FOUND IN"; ERLIN: STOP
120 PRINT "ERROR #"; ERNO; " IN LI
NE"; ERLIN: STOP
13Ø STOP
14Ø CLEAR: ON BRK GOTO 15Ø
15Ø POKE 65497,Ø:POKE &HEØD4,&H3
4:LPOKE &H68ØØØ,255:LPOKE &H68ØØ
1,255
16Ø FOR N=1 TO 11:HBUFF N,684:NE
XT N
17Ø DIM XO(1Ø), YO(1Ø), HT(1Ø), VT(
1Ø),XT(1Ø,3),YT(1Ø,3),TC(4,3),C(
15),M(5)
18Ø PD$="C12U3RD2EURXPX$;XPX$;XP
X$;XPX$;XPX$;XPX$;BLD2LGR2BR"
190 PX$="C13G3RE3BRC12G3RE3BR"
200 POKE &HEFØB, &HA8
21Ø RG$="ØØ6356Ø7Ø9Ø836Ø43652546
336Ø7Ø7ØØ"
22Ø CM$="ØØ63163211Ø9Ø7Ø4Ø738366
352161600"
230 FOR N=Ø TO 15:C(N)=VAL(MID$(
CM$,N*2+1,2)):PALETTE N,Ø:NEXT N
240 HSCREEN 2
25\beta FOR N=1 TO 5:READ M(N):NEXT
N
26Ø DATA 1,6,1,1,6
27Ø FOR N=Ø TO 4:FOR M=Ø TO 3:RE
AD TC(N,M):NEXT M,N
28Ø DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,8,Ø,Ø,8,9
,\emptyset,8,9,1\emptyset,8,9,1\emptyset,11
29Ø FOR N=Ø TO 1Ø:READ XO(N),YO(
N), HT(N), VT(N)
```

```
3ØØ FOR M=Ø TO 3:READ XT(N,M),YT
(N,M): NEXT M,N
31Ø DATA 24,6,-.965,.298,- 9,-7,
6,-7, 7, 3,-5,1Ø
32Ø DATA 22,7,-.866,.5ØØ,-11,-4,
4,-8, 8, 1,-2,1Ø
33Ø DATA 18,8,-.7Ø7,.7Ø7,-11,-1,
 2,-9, 8,-1, 1,11
34ø DATA 13,8,-.5øø,.866,-11, 2,
 \emptyset,-9, 7,-3, 3,1\emptyset
35Ø DATA 9,8,-.298,.965,-11, 4,
-3,-9, 6,-5, 6, 9
36ø DATA 8,7,+.øøø,1.øø,- 9, 7,
-5,-8, 5,-6, 8,
37Ø DATA 6,6,+.298,.965,- 7, 9,
-7,-6, 3,-7,1\emptyset,
38Ø DATA 7,6,+.5ØØ,.866,- 4,11,
-8, -4, 1, -8, 10, 3
39Ø DATA 8,6,+.7Ø7,.7Ø7,- 1,11,
-9,-2,-1,-8,11,-1
4ØØ DATA 8,6,+.866,.5ØØ,
-9, \emptyset, -3, -7, 1\emptyset, -3
41Ø DATA 8,6,+.965,.298,
                              4,11,
-9, 3,-5,-6, 9,-6
420 ' Title Screen
43Ø ON BRK GOTO 44Ø
44Ø POKE &HEØD4,&H34
45Ø GOSUB 162Ø:HCLS:R=RND(-123):
GOSUB 235Ø
46Ø HCOLOR 1:GOSUB 145Ø:GOSUB 16
1Ø
47Ø FOR X=25 TO 28Ø STEP 8
48Ø TN=INT(ABS(SIN(X/3Ø)*4)+.5):
GOSUB 143Ø
49\emptyset HPUT (X,85) - (X+34,12\emptyset),3,0R
500 FOR T=1 TO 40
51\emptyset IF BUTTON(\emptyset)=1 THEN 54\emptyset
52Ø NEXT T:HPUT (X,85)-(X+34,12Ø
),3,OR
53Ø NEXT X:GOTO 47Ø
54ø HCOLOR Ø:GOSUB 145ø
55Ø HPUT (X,85)-(X+34,12Ø),3,OR
560 HCOLOR 1: HPRINT (14,2), "Luna
r Lander"
570 HPRINT (5,4), "As remote pilo
t, it is your job"
58Ø HPRINT (3,5), "to land the un
manned cargo ship at"
590 HPRINT (3,6), "the designated
 landing site.
                 For
600 HPRINT (3,7), "each successfu
l landing you will"
610 HPRINT (3,8), "be paid accord
ing to the landing"
62$ HPRINT (3,9), "site and the c
              You"
argo class.
63Ø HPRINT (3,1Ø), "will also be
given a bonus for"
64Ø HPRINT (3,11), "conserved fue
1.
    Every 5th landing"
65Ø HPRINT (3,12), "you will be p
romoted to a higher"
```

660 HPRINT (3,13), "cargo class w ith higher fuel" 67Ø HPRINT (3,14), "consumption. Slow the ship by" 68Ø HPRINT (3,15), "using a right ward thrust, and" 69Ø HPRINT (3,16),"it will drop from orbit. Use" 700 HPRINT (3,17), "right joystic" k. Pull down to" 71ø HPRINT (3,18),"thrust, and a djust angle with left" 72Ø HPRINT (3,19), "and right pos itioning. Good luck!" 73Ø HPRINT (9,22), "Press button to start." 74ø IF BUTTON( $\emptyset$ )= $\emptyset$  THEN 74 $\emptyset$ 75ø ' New Game 76Ø LV=Ø:CC=1:SC=Ø 770 ' New Screen 78Ø LV=LV+1:IF LV>5 THEN LV=1:IF CC<5 THEN CC=CC+1 79Ø GOSUB 149Ø:HCOLOR 1:HPRINT ( 2,Ø),"Landing Site:"+STR\$(LV) 800 HPRINT (22,0), "Cargo Class:" +STR\$(CC) 81Ø HV=8:VV=Ø:G=.1:X=3Ø:Y=3Ø:HC= .1:VC=.1:FL=1ØØ:FC=CC\*.1:O=1:IH= HV 82Ø PN=1Ø:TN=Ø:GOSUB 143Ø:GOSUB 139ø:GOTO 86ø 83ø ' Main Loop 84Ø GOSUB 139Ø:IF PN<PR THEN PN= PN+1 ELSE IF PN>PR THEN PN=PN-1 85Ø HPUT (XD, YD) - (XD+34, YD+35), L N+1,OR86 $\emptyset$  LN=PN:XD=INT((X-XO(PN))/2)\*2 :YD=Y-YO(PN)  $87\emptyset$  T= $\emptyset$ :FOR N= $\emptyset$  TO 3:T=T OR HPOI NT(X+XT(PN,N),Y+YT(PN,N)):NEXT N 88Ø HPUT (XD, YD) - (XD+34, YD+35), P N+1,OR:GOSUB 143Ø 89Ø GF=G:IF O THEN GF=G\*(IH-HV): IF HV<4 OR Y>34 THEN O=Ø 9ØØ X=X+HV:Y=Y+VV:HV=HV-HT(PN)\*T N\*HC: VV=VV+GF-VT(PN) \*TN\*VC 91Ø IF O THEN IF X>29Ø THEN X=28 92Ø F=FL-TN\*FC:IF F<Ø THEN F=Ø 93Ø IF F<FL THEN HLINE(312,112-F  $L_i$ ) - (317,112-F), PRESET, BF 94Ø FL=F:IF T<12 THEN 84Ø 950 ' Touch Down 96Ø HPUT (XD, YD) - (XD+34, YD+35), L N+1,OR:HCOLOR M(LV) 97Ø IF Y<25 THEN 115Ø ELSE IF T= 15 AND (X<2Ø OR X>29Ø) THEN 124Ø 98Ø TA=HPOINT(X-8,Y+7) AND 14:TB =HPOINT(X+7,Y+7) AND 14 99Ø IF VV<1 AND ABS(HV)<.2 AND P N=5 AND TA=12 AND TB=12 THEN 129 1000 TN=0:GOSUB 1430:FOR N=1 TO

1010 HCIRCLE (X,Y),N\*5,12-N:HCIR CLE (X,Y),N\*5-5,12-N1020 HPAINT (X,Y-N\*5+3),12-N,12-N:NEKT N 1030 PLAY "O1L255": FOR O=1 TO 2 1040 FOR M=1 TO 4:TN=M:GOSUB 143 Ø:TN=M-1:GOSUB 143Ø:PLAY "ABC":N EXT M 1050 FOR M=4 TO 1 STEP-1: TN=M-1: GOSUB 1430:TN=M:GOSUB 1430:PLAY "ABC": NEXT M, O 1060 TN=0:GOSUB 1430 1070 HPRINT (4,10), "You have cra shed the ship!" 1080 HPRINT (4,11), "Being very d ispleased to see" 1090 HPRINT (4,12),"their expens ive ship destroyed," 1100 HPRINT (4,13),"the company has fired you." 1110 HPRINT (4,16), "Career Earni ngs: \$"+RIGHT\$(STR\$(SC), LEN(STR\$ (SC))-1)112Ø PLAY "O2L1ØAGFGFEFL2C" 1130 HPRINT (4,18), "Press button to play again." 114Ø FOR T=1 TO 6ØØØ: IF BUTTON(Ø )=Ø THEN NEXT:GOTO 45Ø ELSE 76Ø 115Ø HPUT (XD,YD) - (XD+34,YD+35), LN+1, PSET 116Ø HPRINT (6,7), "The ship has left the gravita-" 117Ø HPRINT (4,8), "tional pull o f the moon, and you" 1180 HPRINT (4,9), "were not able to land it. The" 1190 HPRINT (4,10), "ship was los t in space forever." 1200 HPRINT (6,12), "Due to the 1 oss of a costly" 121Ø HPRINT (4,13), "craft and it s cargo, you were" 122Ø HPRINT (4,14), "dismissed fr om the company." 123Ø GOTO 111Ø 124Ø HPRINT (4,7), "Your ship has drifted out of" 125Ø HPRINT (4,8), "radio range, and you were unable" 126Ø HPRINT (4,9),"to prevent it s destruction on" 127Ø HPRINT (4,1Ø), "the lunar su rface." 128ø GOTO 12ØØ 129Ø HPUT (XD, YD) - (XD+34, YD+13), 13ØØ LP=1ØØØ+5ØØ\*LV+1ØØ\*CC:FB=IN  $T((FL)*l\emptyset):SC=SC+LP+FB$ 131Ø HPRINT (4,6), "Great Landing 100 132Ø HPRINT (4,8), "Landing Pay:

	* * * *	
s"+RIGHTS(S	TR\$(LP), LEN(STR\$(LP))	
-1)		
	(4 3 6) UT 2 Company	
	(4,10), "Fuel Consumt	
ion:"+STR\$(	INT(100-FL))+"% Bonu	
S. SUARTCHT	\$(STR\$(FB), LEN(STR\$(F	
	4 (0 1114 (1 10) / 1111 (11114 (1	
B))-1)		
1340 HPRINT	(4,12), "Total Earnin	
	T\$ (STR\$ (SC) , LEN (STR\$ (	
	TO (DIES (DC) \ TEN (DIES (	
SC))-1)		
1350 PT.AVUO	3L12FGAGABO+CP16O-BP1	
	JEIZI GRONDO, GI 100 DI Z	
60+L2C"		
1360 HPRINT	(4,14), "Press button	
for next la	anding II	
Tot Hext T	auditud	
137Ø IF BUT	$TON(\emptyset) = \emptyset$ THEN 1370 EL	
SE 78Ø	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1380 ' Get .	Postion and Thrust	
1390 PR=TNT	(JOYSTK(Ø) *1Ø/63)	
1400 TH TOW	CONTAINS TO THE OUT	
14bb Tr 90X	STK(1)>31 AND FL>Ø TH	
EN TN=INT((	JOYSTK(1) - 32) * 5/32) E	
LSE TN=Ø		
141Ø RETURN		
	Thrust Palette Colors	
1420 000		
1430 FOR N=	8 TO 11: PALETTE N, C(T	
C(TN.N-8)):	NEXTN: RETURN	
144ø ' Titl		
1450 HPRINT	(14,4),"Lunar Lander	
11	, , , ,	
1460 HPRINT	(13,6),"By Jeff Don	
ze"		
	(2.4. 20) UD butte	
147Ø HPRINT	(14,18), "Press butto	
n.":RETURN		
1490 1 Draw	Came Screen	
1480 ' Draw		
149Ø GOSUB	162Ø:HCLS	
149Ø GOSUB	162Ø:HCLS	
149Ø GOSUB 15ØØ PALETT	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN one Moment Please."	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN one Moment Please."	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND(	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN one Moment Please." -12349-LV):GOSUB 235Ø	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE &	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø EHEØD4,&H37	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE &	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN one Moment Please." -12349-LV):GOSUB 235Ø	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø EHEØD4,&H37	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN one Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø,	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø 154ø POKE &	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø,	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø 154ø POKE &	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø,	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,	
149Ø GOSUB 15ØØ PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15, FF (3ØØ,1Ø)-(319,191),PS	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø 154ø POKE & 155ø HCOLOR 191),PSET,B 156ø HLINE ET,BF 157ø HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15, FF (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø 154ø POKE & 155ø HCOLOR 191),PSET,B 156ø HLINE ET,BF 157ø HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15, FF (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31	
149ø GOSUB 15øø PALETT T (11,ø),"O 151ø R=RND( 152ø POKE & 153ø ON LV 2ø4ø,219ø 154ø POKE & 155ø HCOLOR 191),PSET,B 156ø HLINE ET,BF 157ø HCOLOR 8,113),PSET	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15, FF (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 (15:HLINE (Ø,1Ø)-(15, F (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31 E,B R 6:HLINE (312,12)-(31	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 (15:HLINE (Ø,1Ø)-(15, F (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31 E,B R 6:HLINE (312,12)-(31	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN One Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 (15:HLINE (Ø,1Ø)-(15, F (3ØØ,1Ø)-(319,191),PS R 1:HLINE (311,11)-(31 T,B R 6:HLINE (312,12)-(31 T,BF	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN Pne Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 2 15:HLINE (Ø,1Ø)-(15, F (3ØØ,1Ø)-(319,191),PS 2 1:HLINE (311,11)-(31 7,B 2 6:HLINE (312,12)-(31 7,BF E 8,Ø	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(31 E,B E 6:HLINE (312,12)-(31 E,BF E 8,Ø E 15:HLINE (Ø,Ø)-(319,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(31 E,B E 6:HLINE (312,12)-(31 E,BF E 8,Ø E 15:HLINE (Ø,Ø)-(319,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,67) (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(31 E,B E 6:HLINE (312,12)-(31 E,BF E 8,Ø E 15:HLINE (Ø,Ø)-(319,67)	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø HCOLOR 1Ø),PSET,BF 161Ø FOR N=	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN PNE MOMENT Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,8) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(31 E,B E 6:HLINE (312,12)-(31 E,B E 8,Ø E 15:HLINE (Ø,Ø)-(319,8) E 15:HLINE (Ø,Ø)-(319,8) E 15:HLINE (Ø,Ø)-(319,8)	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= ):NEXT N:RE	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E 1:HLINE (311,11)-(316,6) E 6:HLINE (312,12)-(316,6) E 8,Ø E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 8	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= ):NEXT N:RE	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E 1:HLINE (311,11)-(316,6) E 6:HLINE (312,12)-(316,6) E 8,Ø E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 8	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= ):NEXT N:RE 162Ø FOR N=	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 75:HLINE (Ø,Ø)-(319,B) E 8,Ø E 15:HLINE (Ø,Ø)-(319,B) E 8,Ø E 8	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= ):NEXT N:RE 162Ø FOR N= EXT N:RETUR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,8) E 1:HLINE (311,11)-(31,8) E 6:HLINE (312,12)-(31,8) E 6:HLINE (312,12)-(31,8) E 8,Ø E 15:HLINE (Ø,Ø)-(319,8) E 8,Ø E 8,Ø E 15:HLINE (Ø,Ø)-(319,8) E 8,Ø E 8,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= ):NEXT N:RE 162Ø FOR N= EXT N:RETUR	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,8) E 1:HLINE (311,11)-(31,8) E 6:HLINE (312,12)-(31,8) E 6:HLINE (312,12)-(31,8) E 8,Ø E 15:HLINE (Ø,Ø)-(319,8) E 8,Ø E 8,Ø E 15:HLINE (Ø,Ø)-(319,8) E 8,Ø E 8,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52:	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 8,Ø E 15:HLINE (Ø,Ø)-(319,B) E 8,Ø E 8	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 159Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RETUR 163Ø SX=52: 164Ø HDRAW	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 8,Ø E 15:HLINE (Ø,Ø)-(319,B) E 8,Ø E 8,Ø E 15:HLINE (Ø,Ø)-(319,B) E 8,Ø	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 8,Ø E 15:HLINE (Ø,Ø)-(319,C) E 8,Ø E 15:HLINE (Ø,Ø)-(15,C) E 8,Ø E 15:HLINE (Ø,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 8,Ø E 15:HLINE (Ø,Ø)-(319,C) E 8,Ø E 15:HLINE (Ø,Ø)-(15,C) E 8,Ø E 15:HLINE (Ø,	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF 165Ø HDRAW	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191),PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113),PSET 158Ø HCOLOR 7,112),PSET 169Ø PALETT 16ØØ HCOLOR 1Ø),PSET,BF 161Ø FOR N= 0:NEXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF 165Ø HDRAW ER2U2RDRE2R	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,8) E 6:HLINE (312,12)-(312,8) E 6:HLINE (312,12)-(312,8) E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191), PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113), PSET 158Ø HCOLOR 7,112), PSET 169Ø PALETT 169Ø HCOLOR 1Ø), PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF 165Ø HDRAW ER2U2RDRE2R 166Ø HDRAW	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (Ø,Ø)-(319,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6) E 8,Ø E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 15:HLINE (Ø	
149Ø GOSUB 150Ø PALETT T (11,Ø),"O 151Ø R=RND( 152Ø POKE & 153Ø ON LV 2Ø4Ø,219Ø 154Ø POKE & 155Ø HCOLOR 191), PSET,B 156Ø HLINE ET,BF 157Ø HCOLOR 8,113), PSET 158Ø HCOLOR 7,112), PSET 169Ø PALETT 169Ø HCOLOR 1Ø), PSET,BF 161Ø FOR N= 0:NEXT N:RE 162Ø FOR N= EXT N:RETUR 163Ø SX=52: 164Ø HDRAW L2U2F2DRFDF 165Ø HDRAW ER2U2RDRE2R 166Ø HDRAW	162Ø:HCLS E 8,63:HCOLOR 8:HPRIN The Moment Please." -12349-LV):GOSUB 235Ø HEØD4,&H37 GOSUB 163Ø,176Ø,191Ø, HEØD4,&H34 E 15:HLINE (Ø,1Ø)-(15,6) E (3ØØ,1Ø)-(319,191),PS E 1:HLINE (311,11)-(312,B) E 6:HLINE (312,12)-(312,B) E 6:HLINE (312,12)-(312,B) E 15:HLINE (Ø,Ø)-(319,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6) E 8,Ø E 15:HLINE (Ø,Ø)-(15,6	

167Ø HDRAW "FRFDFR2FD2R2FR3ER3ER 2ER3ER2E2RE2R2D2FRD2FDFDFR2ER2" 168Ø HDRAW "E2R2E2R2FR2F2D2R2DFD FD2FD3F2RFR2FR3FR4R3ØR4ER4ER3E" 169Ø HDRAW "R2ER2EREE2R2ER3E R4FR3FR2F2RF2R2R4Ø" 1700 HPAINT (0,191),14,14 171Ø HDRAW "C7BMØ, 174R15FR5FR4FR 5FR6FR5FR7FR6FR8FR9FR8FR7FRFR5" 172Ø HDRAW "ERER2ER4ER3ERE2UEU2E U3EU4E2RER3FRF2DFDFD3ERFDFRF2R" 173Ø HDRAW "FR3F2UFRFR4ER2E2RER2 ER3ER4ER6ER5FR8FR7FR8ER3ØFR5F2" 174Ø HDRAW "R2ER3ER5EREUER2FRFR3 FR5FR6FR5FR4ERER3ER5ER2Ø" 175Ø HPAINT (Ø,191),7,7:HDRAW "B M219,178XPD\$;":RETURN 176Ø SX=2Ø2:SY=1Ø5:GOSUB 241Ø 177Ø HDRAW "C14BMØ, 13ØR15E2RE2RE R2R3FRFDF2D2FD2R2FDFRFR2FR3ER2" 178Ø HDRAW "ER3ER2E2UEU2EU3EU2E2 RERER2ER3FR3F2D2R2DFD2FD3FD4F2" 179Ø HDRAW "D4FD3FD2FD2FD3FD4FD3 FD2FD3FD2FDFRFR2FR3FR25ERER2ER" 1800 HDRAW "EREUEU2EU3EU2EU3EU4E U5EU4EU3ERER2ER3ER2EU5EU6EU7EU" 181Ø HDRAW "EU3EUE2ERE2ER2D2R2F2 D2F3D2F3R2FR2F2RF2RFRFR2FR2FR3" 182Ø HDRAW "ER2ERE2RE2RE3REUEU2E U3EU4EU5EU6ED3FD5DF4DF3DF4DF3D"

COMPUTER ISLAND EDUCATIONAL SOFTWARE
French Baseball\$19.95
Spanish Baseball 19.95
Cocowheel of Fortune (for Coco3/RGB Monitor). 19.95
Number Sequences 19.95
Signed Numbers 19.95
Area and Perimeter 19.95
Context Clues Grade 2 19.95
Cocojot 16.95
COMPUTER ISLAND  227 Hampton Green Staten Island,NY 10312 (718) 948-2748  Add \$1.00 postage, NY res. add tax VISA, MC - Send for free catalog

183Ø HDRAW "F3D2FD2FDF2RFR3FR4FR 5FR6FR5FR3FR2FR3FR4FR5FR6R2Ø" 184Ø HPAINT (Ø,191),14,14 185ø HDRAW "C7BMØ,168R15E3RE2RE3 RE4REF2RF2DF3DF2DF3RFR2ERE2RE2" 1860 HDRAW "RER2ER3FRFR2F2DF2DFD FRF2DRFR2FR3FR4FR45ER4ER3ER4ER" 187Ø HDRAW "ER3ERE2RE3RE4RE2RE3R E4RE3RE2RER2RE2R4F2R2ERE3RE4RE" 188Ø HDRAW "RE3RE2R2ER2DFD4FD3FD 2F2R3FR2RFRF2RFR2FR4FR5FR3FR4F" 189Ø HDRAW "R4FR5FR8FR6FR5FR7R2Ø 1900 HPAINT (0,191),7,7:HDRAW "B M1Ø5,184XPD\$;":RETURN 191Ø SX=1ØØ:SY=1Ø5:GOSUB 243Ø 192Ø HDRAW "C14BMØ, 14ØR15ER5ER4E R3ER4ER2ER4ER3ER2ERE2ERER2ERE2" 193Ø HDRAW "RE2RER2ER2ER3ER4FR F2RF3RF2RFDF2DFDFD3FD2F2RFR2FR" 194Ø HDRAW "ERERE2RE3RE2RE3REUEU E2UE3UE2UEU2EU3EU2R2FRF2RF3RF2" 195Ø HDRAW "RF2RF3RFDFD2FD6FD7FD 8FD8R3ØEU2EU6EU6F2DFDF2DF3DFD2" 1960 HDRAW "FDF2DF3DF4DF2DFRFR2F R3FR4FR2FR3ER3ER2ERER2ERER2E2R" 1970 HDRAW "E3RE3RE2RER2ER3FR2FR F2RF3RF4RFR2FR3Ø" 198Ø HPAINT (Ø,191),14,14 199Ø HDRAW "C7BMØ, 164R15E3RE3RE3 RE2RE3RE4RF2DF3DF2DFRFR2ERE2R2" 2000 HDRAW "ERE2RE3F2E2RE2F3DF2D F4DF2DF5DF4D2FDFRFR2FR3FR4FR5F" 2010 HDRAW "R6ER4ER3ER5ER2ER4ER3 ER2ER3ER5ER6FR5FR4FR2FR4FR5FR6" 2Ø2Ø HDRAW "FR7FR5FR6FR4FR6ER5ER 4ER7ER4ER6ER4ER8ERER6F2R4Ø" 2Ø3Ø HPAINT (Ø,191),7,7:HDRAW "B M17Ø,161XPD\$;":RETURN 2Ø4Ø SX=25Ø:SY=1Ø5:GOSUB 239Ø 2050 HDRAW "C14BMØ, 165R15ER4F2R3 FR2ER2ER4ER3ER2ER2ERERE2RE3RE2" 2060 HDRAW "RE3RE2RE3RERE2RER2ER 3ERE2RERE2RE2FRF2FRF2RF3RF2RFR" 2070 HDRAW "F2RFDFD3FD4FD3FD6FD4 FD7FR3ØEU5EU4EU6EUEU2EUEU3EU2E" 2080 HDRAW "U2EUEU2E2UEU2EU2E2F3 DFDF2DF3E2R2EREUEU2EUE2UE3UE2U" 2Ø9Ø HDRAW "E3UE2UE3UE2UER2ERE3U E4RE3UE2F2DF2DF3DFD2FD3FD2FD3F" 21ØØ HDRAW "DFD3FD2FRF2E3UE3UE2U E3UE2FD2F2DF3DFDF2DFDF3DF2RF3R" 211Ø HDRAW "F3RFR2ERE2RE4RE3RE2R E5R2Ø" 212Ø HPAINT (Ø,191),14,14 213Ø HDRAW "C7BMØ,173R25ER5ER4ER 5ER3ER2ER4ER5FR2FR3FR3FR2FR2F2" 214Ø HDRAW "RFRFR2FRFR8FRFR6FR 3FR2R45ER4ER3ER2ERER3ER2ERERE2" 215Ø HDRAW "RE2RERE2RE2UE2UE3U E2UEU2EU3EDFD2FDF2DF3DF4DF3DF2"

216Ø HDRAW "DF3E2RE3RE2RE4RE3RE2 RERE2RERE2UE2F2DF2DF3DF2DF4DF3" 217Ø HDRAW "DF3DF2E4RE3RE2RE4RE3 RE5RER2Ø" 218ø HPAINT (ø,191),7,7:HDRAW"BM 126,185XPD\$;":RETURN 219ø SX=85:SY=1ø5:GOSUB 241ø 2200 HDRAW "C14BM0,140R15E2RE2RE 2RE2F2R2F2RF2RF2RFRFR2FR2FR2FR2" 221Ø HDRAW "FR3FR4ER3ER2ERER2ERE 2RE2UE2UE2UE2UE2F3DF3DF2DF2DF2" 222Ø HDRAW "E2RE2RE3RE2F2RF2RF2E 2RE2RE3UE2UE2F2RF2RFRF2RFR2FR2" 223Ø HDRAW "ER2ERE2UE2UE2F2DF2DF 2D2FD2FD2FD4F2DFD3G2D3FD6GD3F2" 224Ø HDRAW "DG2D4R3ØU2EU6HU2EU2H 2UE2U4EU5EU3EU2E2UE2UE2U2EU2EU" 225Ø HDRAW "E2F2R2FDF2DF2DF3DFRF R2ERE2RE2RE3RE2RE3RE2F2DF2DF3D" 226Ø HDRAW "F2E2UE2UE3F2RF2DF2E3 RE3RE3RE3RE3RE3R2Ø" 227Ø HPAINT (Ø,191),14,14 228Ø HDRAW "C7BMØ, 165R15F2RF2RF2 F2RE2RE2RE2RE2RE2RE2E2R4F3R2FR" 229Ø HDRAW "ER2ER3ER2ERERE2RE3RE 2F2R3F2RF2RF2RF2DF3DF2R4F2E2RE" 2300 HDRAW "RE2RE3RE2RE2F2RF2DF2 DF3DF2DFR2ER2ERE2RE3RE2F2RF2RF" 231Ø HDRAW "RF2RF2RF2RF2RR3ØE2RE 2RE2R3ER4ER3FR3FR2ER3ERER2ERE2" 232Ø HDRAW "RE2RE3RE2RE3RE2RE3RE 2F2RF2DF2DF3DF2E3RE2UE3UE2UE2R" 233Ø HDRAW "E3F4R2Ø": HPAINT (Ø,1 91),7,7:HDRAW "BM173,181XPD\$;" 234Ø RETURN 235 $\emptyset$  FOR N=1 TO 15 $\emptyset$ :HSET (RND(28 5)+1Ø,RND(181)+1Ø,RND(5)):NEXT N 236Ø FOR N=1 TO 3:X=RND(285)+15:  $Y=RND(171)+1\emptyset$ 237Ø HDRAW "BM=X;,=Y;C5NR4NL4ND4 NU4C4NDNUNLNR": HSET (X,Y,1): NEXT N 238Ø RETURN 239Ø HCIRCLE (SX,SY),17,15:HPAIN T (SX,SY),1,15:HPAINT (SX,SY), $\emptyset$ , 2400 HCIRCLE (SX,SY),17,0:HPUT ( SX-44,SY-17)-(SX+44,SY+16),1,OR: RETURN 241Ø HCIRCLE (SX,SY),4Ø,15:HPAIN T (SX,SY),1,15:HPAINT (SX,SY), $\emptyset$ , 242Ø HCIRCLE (SX,SY),4Ø,Ø:HPUT ( SX-4Ø,SY-4Ø)-(SX+38,SY+39),3,OR: RETURN 2430 HCIRCLE (SX,SY),29,15:HPAIN T (SX,SY),1,15:HPAINT (SX,SY), $\emptyset$ , 244Ø HCIRCLE (SX,SY),29,Ø:HPUT (  $SX-3\emptyset$ ,  $SY-3\emptyset$ ) - (SX+28, SY+29), 2, OR: RETURN

(

### Color Computer I, II, III

### Free Software for Drive 0 Systems

CoCo Checker...Test roms, rams, disk drives and & controller printer, keyboard cassette & more. Tape/Disk Utility...Transfers disk to tape and tape to disk.

159'95 Drive 0

- Full Ht Drive
- Single Case
- · Heavy Duly Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & manuals

179 95 Drive 0

- Double Sided Slim Line Drive
- · Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- · Gold plated contacts
- Controller & Manuals

269<sup>95</sup>

Drive 0 & 1

- 2 Double Sided Slim Line Drive
- · Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- · Gold plated contacts
- · Controller & Manuals



### Other Drive Specials

119<sup>95</sup>

2nd Drive for new Radio Shack includes:

- Slim Line DS/DD Drive
- · Cabling & Instructions
- Mounting Hardware

Full Ht Drive	89 <sup>95</sup>
Full Ht Drive Ps/Case	12995
Slim Line Drive	
Slim Line Drive Ps/Case	

2 Slim Drives Ps/Case	239 95
-----------------------	--------

Disk Controller		.5	9	•
-----------------	--	----	---	---

Single Ps & Case	4495
Dual 1/2ht Ps & Case	
Dual Full Ht. Ps & Case	
Disk Controller	
10 Diskettes with free library case	995

Quality Add-On's for Tandy 1000, SX, TX, SL, TL, 3000, 4000

### HARD CARDS



10 meg		40 meg 399.95	
20 meg	299.95	49 meg 499.95	
30 meg	349.95	64 meg 599.95	
HARD DRIVE KITS			

### 

40 meg kit . . . . . . . . . 399.95 60 meg kit . . . . . . . . 539.95

1000, 1000A,
Memory Cards
Zucker Memory

DMA & 512K

CAL

Zucker Multifunction

- Serial
- Real Time Clock
- 512K DMA
- Software

CALL

### **TANDY 1000**

1000, SX, TX, 3000, 4000

### 2nd Floppy

360K TEAC \$119.95

720K №

Milsubishi

#00.05

720K

....

**\$**99.95

31/2"

Mitsubishi ,

\$119.95

TOLL FREE ORDER LINE

### 1-800-635-0300 TRUE DATA PRODUCTS

115 MAIN ST., P.O. BOX 347 UXBRIDGE, MA 01569 508-278-6555

HOURS: MON-FRI. 9-6, SAT. 10-4 (EST)

1000, 1000A, SX, TX, SL, TL

# Hard Drive Controller

Will run 1 or 2 Hard Drives Supports drives up to 120 megabytes

\$99.95

CORPORATE P.O.'S WELCOMED

ALL PACKAGES SHIPPED UPS EXCEPT CANADA AND A.P.O.'S C.O.D.'S ADD \$2.30 MASTER CHARGE/VISA ADD 3% 1 YEAR WARRANTY UNLESS OTHERWISE NOTED PRICES TERMS CONDITIONS SUBJECT TO CHANGE WITHOUT NOTICE



QUALITY

CUSTOMER SERVICE

508-278-6556

TECHNICAL ASSISTANCE

### Delphi Bureau

Several users have recently asked what networks are. We use Telenet and Tymnet to get onto Delphi, but what is a network? Good question!

Think of networks as really cheap long-distance phone calls. Yet networks are highly sophisticated, stretching from coast to coast, linking your home phone with the Delphi mainframes in Boston. Networks gather the transmissions from many computer users across the U.S. and funnel them into Delphi at 10 million bits per second through fiberoptic transmission facilities and even satellites in some cases. Delphi sorts out these transmissions, then prepares responses for all of the users. It then sends the responses into the network and back to the users.

Networks such as Telenet and Tymnet will never be as fast as communications between two computers. These must divide their time between thousands of users, while PC-to-PC connections involve only two computers. Delphi is also a multiuser system and, like any system, will slow down if dealing with thousands of users.

Why, then, does Delphi use networks like Telenet and Tymnet? Simple. It's less expensive for the users. Networks are an economical alternative to long-distance calls. You have the option of calling Delphi direct through your local phone company, but most users don't do that. While Delphi reduces your connect charges by about \$1.20 per hour, if you call direct, you'll have to pay long-distance charges of about \$15 per hour. It's a trade-off: The user gets a somewhat reduced speed of performance, but also a lower phone bill.

To avoid slowdowns when many users are online, try calling Delphi during the nonpeak hours. Generally, Delphi is busiest from around 9:00 p.m. through midnight, Eastern time. If you access the system at another time, you'll find things run somewhat faster. Avoid signing on when the Trivia Quiz game is running unless you intend to play. TQ is very popular and has dozens of players online during its hours.

Don't confuse Delphi and Telenet/ Tymnet, Delphi is a service based near

Don Hutchison works in Birmingham, Alabama, as a senior project engineer involved in the design of industrial control systems. His Delphi username is DONHUTCHISON.

Get the facts about FAX

# At Your Service

### By Don Hutchison Database Manager Emeritus

Boston. Telenet and Tymnet are telecommunications networks that operate throughout the United States. They are two completely separate operations.

### FAX Service Available on Delphi

At times, it is advantageous for me to send a letter to noncomputer people

from my computer. The advantage is speed — you can send overnight or "next day" mail from your computer.

I looked around and was amazed to find that Delphi has a FAX interface in its mail system. Just blast a text file into the system, and it will be FAXed to the FAX phone number you specify.

For those who aren't familiar with FAX, it stands for facsimile transmission. It sends a copy (facsimile) of a sheet of paper to another machine through the phone system. It's a copy machine connected to your phone. To use it, just feed the original into your FAX machine, call the remote FAX machine, and a copy of your document is teleported to the other machine.

How do you use the FAX interface on Delphi? It's easy, really. First, remember you must be at the main DMAIL menu. (DMAIL stands for Delphi Mail.) If you're at the CoCo SIG prompt, you can get to DMAIL by typing, go dmail. If you want to enter the FAX system directly, you can type go dmail fax and you'll be there.

Sending text messages to Group III facsimile machines requires you to know the area code and phone number of the FAX machine you are calling for messages destined to the United States,

### **Database Report**

OS-9 Online

In the General topic of the database, Stephen Macri (DRACMAN) sent us the Level II bootlists for use with MultiVne, the Wiz and Deskmare 3 to run these programs from a RAM disk or DS disks. The Applications topic brings us Jeff Blower (SEBJMB), who uploaded a Murphy's Law program. Robert Parker (SYSTEMX) sent us a fortune cookic program.

In the Utilities Topic, Steve Clark (STEVECLARK) posted a utility to determine execution times of programs. John Beveridge (JOHNTORONTO) sent its version 1.6 of YAZ, Yet Another Zapper and Man, a program which replaces OS-9's Hetp command. Jim Woodward (JIMWOOD) uploaded a file comparison program. Roger Krupski (HARDWARE-HACK) uploaded CMPFix, a filter for generating a ModPatch compatible file from the output of CMP. Rich Ries (RRIES) sent its the C source code for an INKEY3-like program.

The Patches topic includes Greg Law (GREGL), who uploaded a patch to the popular RS-OS9 program. Roger

Krupski sent us a small patch for fixing the Boot module in OS-9 Level II to shut off the floppy drive motors after loading a file. Denny Skala (DENNYSKALA) uploaded a patch for the Level II clock module to allow it to access the Burke & Burke real-time clock directly.

The Telcom topic brings us Newton White (PERFUMER), who uploaded version 1.4.2 of OSTerm by Vaughn Cato. Bill Brady (OS9UGED) posted a small patch file that corrects some Xmodem downloading bugs in The Wiz. In Graphics & Music Bob Montowski (GRAPHICSPUB) sent us some Gemini printer fonts. Jim Buck (COCOROGUE) posted an Ut timuse file from the song 25 or Six to Four.

### CoCo SIG

In the General topic of the dalabase, Brian White (BRIANWHITE) posted additional documentation files for MAX-10, which were obtained directly from the program's author, Dave Stampe. Kevin Leger (REVINLEGER) posted a file describing how to use a monochrome monitor on a CoCo 3.

Canada and the Caribbean. For international FAX, you need to know the eountry code, city code and phone number of the destination terminal.

A FAX message can be created in your workspace and sent at the filename prompt, or it can be typed live. The same message can be sent to multiple FAX machines by simply entering each destination number when prompted. FAX messages may be up to 50,000 characters in length. That's a lot of information.

If you want to include page breaks in your copy, enter PAGE as a separate line of text at each appropriate place in the message.

The rates for sending FAX messages are as follows:

Destination	First Page	Additional Half
		Pages
United States	\$1.25	\$0.50
Canada	\$2.00	\$1.00
International	\$7.00	\$2.00

A page is defined as 2500 characters, a half-page as 1250. Each FAX sent to multiple numbers will be billed at the above rates. You can send them throughout the day, generally within minutes. You will receive notification if your FAX is not sent.

The CoCo 3 Graphics topic brings Richard Trasborg (TRAS), who posted some dithered DS69B pictures from Mike Trammell. Mike's pictures are always popular. Jason Forbes (COCO3KID) posted some fractal images. Dan Shargel (TRIUMPH) uploaded his original drawing of the Rush logo and a loader program for View Master. Howard Rouse (HOWARDC) posted his favorite original CM3 pictures. John Beveridge posted a picture file which describes the internal structure of the MAX-10 "clicker."

In the Utilities & Applications topic Philip Woodring (PHILWOOD) uploaded an HSCREEN4 printer dump program for the CGP-220. Roger Carlson (PERCH) posted a program to generate the statistical process control charts used in many industries. Eric Parish (ERICPAR) sent us an improved version of his popular planetarium program, Jim Pogue (JIM-POGUE) uploaded the parallel port drivers for use with the hardware project in the November and December '87 issues of THE RAINBOW. John Beveridge posted a program to calculate intermodulation products. Edwin Albert (EEA) sent us a quickie program for booting TW-128. Ken Wuelzer (WUELZERKEN) uploaded version 2.7 of his very popular KDSK

There are all kinds of uses for this service — Valentine's Day messages, or if you forget someone's birthday and want to send a "quick card" via FAX. Business uses are almost endless, the best benefit being the speed of information flow.

### Changing of the Guard

For those who have not read Forum Message 48439, I have elected to retire from my duties as the Database Manager on the RAINBOW CoCo SIG. With a new job, I don't feel I ean do justiee to normal database duties any longer.

Replacing me will be Tim Koonce, whose username on Delphi is TIM-KOONCE. Tim is a graduale student at Berkeley studying mathematics. Since he is a frisbee freak, he should have all the qualifications to handle the "quirkiness" of our databases and to field user questions.

Assisting Tim will be Eddie Kuns (EDDIEKUNS) and Dave Archer (DAVE-ARCHER), so please address your questions to them concerning the database. Jim Reed (JIMREED), Marty Goodman (MARTYGOODMAN), Greg Law (GREGL) and Rick Adams (RICKADAMS) will also be online to help out as needed.

Please join me in welcoming Tim to the staff of the CoCo SIG. I'm sure he'll do a fine job!

program. Jerome Kalkhof (GRUM-CLUB) sent us a program that prints any ASCII file to the printer or the screen.

Hardware Hacking brings Marty Goodman (MARTYGOODMAN), who posted text files describing how to fix an Epson MX-80 printer and how to construct a "cable connector masher." (Mashers everywhere will be interested.)

In the Games topic of the database, Alan DeKok (ALANDEKOK) posted a set of patch files for the *Thexder* game. Fred McDonald (FRED MCD uploaded a nice line game. Robert Combs (ROBCOMBS) sent us a missile game.

In the Music & Sound Topic Ken Furlow (SAPPHIRE2) favored us with eight more of his favorite Musica songs. George Hoffman (HOFFBERGER) sent us another of his favorite Lyra songs.

The Telecommunications topic brings Greg Miller (GREGMILLER), who uploaded Version 2.5 of his popular terminal program GETerm. The latest version features direct-to-disk downloading and Ymodem support, among other goodies. Mike Andrews (MANDREWS) posted an alternate IBM-style character set for the popular CoCo 3 terminal program, V-Term. Edwin Albert uploaded a text file describing the use of an Avatex 1200E modem with the CoCo 3.



### **TANDY COMPUTERS**

Tandy 1000-HX 256K 5 1/4"D, Tandy 1000-SL 384K 5 1/4"D. Tandy 1000-TL 640K 3 1/2"D, Tandy 3000-NL 512K 3 1/2"D. Tandy 4000-LX 2 Meg 3 1/2"D. Tandy 4000 1 Meg 3 1/2" D. Tandy 5000MC 2 Meg 1 Drive Tandy 5000MC 2 Meg 40 Meg Tandy 5000MC 2 Meg 84 Meg	535.00 675.00 955.00 1275.00 2999.00 1890.00 3825.00 4955.00 5395.00
Tandy 5000MC 2 Meg 40 Meg	
Tandy 1400LT 768K 2 Drives	1335.00
Tandý 102 24K	430.00
Tandy Color 3 128K	155.00

### **MONITORS & CARDS**

VM-5 Monochrome Green	115.00
CM-5 Color RGB	220.00 315.00
CM-11 Color RGB EGM-1 Color RGB (EGA)	510.00
Magnavox 9CM053 Color EGA	365.00
Packard Bell Monochrome TTL	89.00
NEC Multisync II Color	625.00
landy EGA Card	205.00
Paradise Basic EGA Card	195.00
Video 7 Vega/Deluxe	239.00i

#### DRIVES

Color Computer Drive 0	225.00
5 1/4" External Drive 1000HX	180.00
Tandy 20 Meg Hardcard	450.00
30 Még Hardčard	395.00
20 Meg Hard Drive 1400LT	775.00
5 1/4" External for Tandy 1400	215.00
Seagate 20 Meg Hard Drive	219.00
Tandy 1000/SX/TX Controller	69.00

#### MODEMS

Prac. Peripherals 1200B Internal	75.00
Prac. Peripherals 2400B Internal	175.00
Packard Bell 2400B Internal	140.00

#### **PRINTERS**

DMP-106 Dot-Matrix	165.00
DMP-132 Dot Matrix	285.00
DWP-230 Daisy Wheel	345.00
Epson LX-800 Dot-Matrix	189.00
Epson FX-850 Dot-Matrix	375.00
Epson LQ-500 Dot Matrix	315.00
Epson FX-1050 Dot-Matrix	489.00
Panaonic KX-P1180 Dot Matrix	195.00
Panasonic KX-P1191 Dot Matrix	260.00
Panasonic KX-P1124 Dot-Matrix	369.00

Please write for complete price list. We carry more items than listed here.

All prices and office may be charged or willbdrawn without notice. Advist fixed prices are cash prices. C.C.D. accepted and 2% (maninum charge \$10.00). N.C., Visa and 2% [4]. All non-indicative flems require reun-marchandse authorization. Call for RMA Number bodge returning Delivery is subject to product availability. Add. 1% % for respong and handling, \$5.00 minimum charge.


TM - Registered Trademark of Tandy, Epson, and IBM Monday thru Friday 9am - 5pm EST.



124 South Main Street, Perry, MI 48872 CALL 1-517-625-4161 or TOLL-FREE 1-800-248-3823 And they're off!

# CoCo Derby By Joe Wilensky

or those of you who can't always go to the races as often as you'd like, here's an entertaining alternative: a day at the races at the TRS-80 Raceway! Place your bets — the CoCo Derby is about to begin!



This game runs with a 16K Color Computer with Extended Color BASIC. The game starts with the title screen, a few musical tones and the message "Setting up". You are then asked if you want to use the speed-up poke during the running of the race. Each race is

about a minute and twenty seconds without the speed-up poke, about a minute with it.

After deciding whether or not to use it, choose the number of races to run in the game (as many as you want), and the number (1 to 4) and name of each player. If you have less than four players, the computer will play the others.

After selecting the players, a scoreboard appears with columns for the name, wallet, horse bet on and amounts bet for each player. The players now choose from four horses. You can bet on any one you want, even if someone else has picked it. The players taken by the computer bet and pick horses automatically. Then each player places the amount of his or her bet. You can't bet more than you have in your wallet, and any player who loses all of their money has to drop out of the game, which. means no more betting or picking horses. With bets made, you are told to press ENTER to start the race.

The PMODE 4 screen appears and the racetrack is drawn, with four separated lanes. The top lane is for Horse 1, the second for Horse 2, and so on. A shortened version of the call to the post is played, twice for the first race, once for all other races. The horses appear one

at a time, drawn with detail and a rider. After a short delay, a low tone sounds—and they're off!

The running horses actually move their feet and bob their heads. This is achieved with GET-PUT, using two separate figures of a running horse. During the race the pictures alternate quickly, giving speed and animation to the horses.

There is a clearly marked finish line and as each horse hits it, a musical tone plays and the number of the horse is ranked as it finishes. After the fourth-place horse crosses, there is more music. Push any key to return to the scoreboard. Each player's wallet is adjusted accordingly; those who don't win lose the amount they bet from their wallets, and those who win gain their wager.

Betting for the next race begins, and that is how the game goes. At the end of the last race, the scoreboard appears and the computer states who has won and the player's number, and more music is played.

(Questions or comments concerning this program may be directed to the author at I Oak Ridge Place, 4C, East-chester, NY 10709. Please include an SASE when requesting a reply.)

Joe Wilensky is a political science major at the State University of New York at Binghamton. His other interests include theater and cartooning.



	1	
V		1 2140183 2 2350204 9 END60

### The Listing: DERBY

ø ' COPYRIGHT 1989 FALSOFT, INC
løøø 'The CoCo Derby!
lølø '
lø2ø 'By Joe Wilensky
lø3ø '1 Oak Ridge Place
lø4ø 'Eastchester, N.Y. lø7ø9
lø5ø 'title screen
lø6ø CLS3
lø7ø PLAY"V25"
lø8ø PRINT@224, "WELCOME TO THE T
RS-8ø RACEWAY!!!";
lø9ø SCREENø, l


11øø PLAY"T5CEGP15CEGP15CEG" lllø 'put horses in arrays 112Ø CLSØ 113Ø PRINT"SETTING UP..."; 114ø FORX=1TORND(RND(RND(985))): T=RND(TIMER): NEXTX 1150 'H=HORSE ARRAY, R=# OF RACE 116ø 'P=# OF PLAYERS, P\$(X)=NAME OF PLAYER(X) 117Ø RN=1 118ø DIMH(3,2),I(3,2) 119ø PMODE4,1:PCLS 12ØØ DRAW"BM129,98" 121ø DRAW"R3BR1BD1D2NG2R1U2D2R1U 2D1R1D1U1ND1R4L1D1NF3R3NF2L3U2R1 ElulR3LlulLlD1LlD1L2BL2ulR1E1G1L 1D2L5" 122ø PRESET(132,99) 123ø GET(127,96)-(145,1ø4),H,G

124Ø DRAW"BM16Ø,98;R3BR1BD1D2D1R 165Ø NEXTX 1D1F1H1U1R2E1F1R1NU1D1G1E1U2E3R1 166Ø FORX=lTOP 167 $\emptyset$  IF W(X)= $\emptyset$ THEN173 $\emptyset$ LlU1L1D1L2H1NE1L1D1BL3D1R2BR2BNU 1R2NG2G1L5D1R2" 168Ø PRINT@256, P\$(X)", WHAT'S YO 125Ø PRESET(165,98):PRESET(166,9 UR BET";: INPUTB(X) 169Ø PLAY"T25501ACEFF+" 17ØØ IF B(X)>W(X)THEN168Ø 126ø GET(158,96)-(176,1ø4),I,G 171Ø IF B(X)<.5 THEN168Ø 127Ø PCLS 128ø 'questions to player(s) 172Ø PRINT@((X\*32)+21)+32,B(X); 129Ø CLS Ø 173Ø NEXTX 1300 PRINT"USE HIGH-SPEED POKE"; 174Ø FORT=1TO46Ø:NEXTT 175Ø IFP=>4THEN182Ø :INPUTQ\$:CLSØ 176Ø FORX=P+1TO4 131Ø INPUT"HOW MANY RACES";R  $177\emptyset$  IF  $W(X) = \emptyset$  THEN  $181\emptyset$ 132Ø IF R<1 THEN 131Ø 133Ø INPUT"HOW MANY PLAYERS (1-4 178Ø B(X) = RND(151) + 49 $179\emptyset$  PRINT@((X\*32)+21)+32,B(X); 134Ø IF P<1 OR P>4 THEN133Ø 1800 PLAY"T4EC" 181Ø NEXTX 135Ø PRINT 136Ø FOR X=1 TO P:PRINT"NAME OF 182Ø PRINT@416, "PRESS <ENTER> TO PLAYER"X;: INPUTP\$(X): NEXTX START RACE NUMBER"RN"."; 137Ø IFP<4THEN FOR X=(P+1) TO 4: 183Ø IF INKEY\$<>CHR\$(13)THEN183Ø P\$(X) = "TRS - 80" : NEXTX184Ø CLSØ 138Ø  $W(1) = 1\emptyset\emptyset\emptyset: W(2) = 1\emptyset\emptyset\emptyset: W(3) = 1\emptyset$ 1850 'the race the race the race 186Ø PL=Ø  $\emptyset\emptyset:W(4)=1\emptyset\emptyset\emptyset$ 187Ø PMODE4, 1: PCLS: SCREEN1, 1 1390 'main scoreboard and bettin 188Ø LINE(Ø,24)-(255,24), PSET 14ØØ CLS 189Ø LINE(Ø,6Ø)-(255,6Ø), PSET 141Ø PRINT"NAME WALLET HORSE 19ØØ LINE(Ø,96)-(255,96),PSET BET 191Ø LINE(Ø,132)-(255,132), PSET 192Ø LINE(Ø,168)-(255,168),PSET 142Ø PRINT"-----193Ø LINE(248,24)-(248,168),PSET 143Ø PRINT@64,P\$(1);:PRINT@71,W( 194Ø LINE(249,24)-(249,168),PSET 195 $\emptyset$  FORX=1TO4:X(X)=2:NEXTX  $196\emptyset Y(1)=38:Y(2)=74:Y(3)=11\emptyset:Y($ 144Ø PRINT@96,P\$(2);:PRINT@1Ø3,W 4)=146 (2);197Ø IF RN=1 THEN V=2 ELSE V=1 145Ø PRINT@128,P\$(3);:PRINT@135, 198Ø GOSUB253Ø W(3); 199Ø FORX=1TO4 146Ø PRINT@16Ø,P\$(4);:PRINT@167,  $2\emptyset\emptyset\emptyset$  PUT(X(X),Y(X))-(X(X)+18,Y(X W(4); 147Ø PRINT@192,"-----)+8),H,PSET 2010 PLAY"T401B" 148Ø IF RN>R THEN 24ØØ 2Ø2Ø NEXTX 149Ø PRINT 2Ø3Ø FOR T=1 TO 92Ø:NEXT T 1500 PRINT@416, "BETTING FOR RACE 2040 'start running NO."RN; 2Ø5Ø IF Q\$="Y" OR Q\$="YES" THEN 151Ø FOR X=1 TO P POKE65495,Ø 152Ø IFW(X)=ØTHEN157Ø 2060 PLAY"T25501CFA02CFA03CFA04C 153Ø PRINT@256,P\$(X)", WHAT HORS FAO5CFA" 2Ø7Ø X=RND(4) E (1-4)";:INPUTHR(X) 154Ø PLAY"T25505AEC"  $2\emptyset 8\emptyset$  IF  $X(X) = \emptyset THEN 2\emptyset 7\emptyset$ 155 $\emptyset$  IF HR(X)<1 OR HR(X)>4 THEN  $2\emptyset9\emptyset X(X)=X(X)+1$  $21\emptyset\emptyset$  IF(X(X))/2=INT(X(X)/2)THEN2 156Ø PRINT@((X\*32)+15)+32,HR(X); 13Ø 157Ø NEXTX 211Ø PUT(X(X),Y(X))~(X(X)+18,Y(X 158Ø FORT=1TO46Ø:NEXTT )+8),I,PSET 159Ø IFP=>4THEN166Ø 212Ø GOTO214Ø 16ØØ FORT=1TO46Ø:NEXTT 213Ø PUT(X(X),Y(X))-(X(X)+18,Y(X 161Ø FORX=P+1TO4 )+8),H,PSET  $214\emptyset$  IF(X(X)+18)>=248THENGOSUB21  $162\emptyset$  HR(X)=RND(4) 163Ø PRINT@((X\*32)+15)+32,HR(X); 6ø 164Ø PLAY"T4CE" 215Ø GOTO2Ø7Ø

216Ø PLAY"T2O2CGF": winnings  $217\emptyset X(X) = \emptyset$ 218ø FORT=1TO5øø: NEXTT 219Ø PL=PL+1 2200 IFPL>1THEN2260 221Ø ' 222Ø WN=X 223Ø F=X 224Ø GOSUB234Ø 225Ø GOTO227Ø 226Ø F=X 227Ø S\$=STR\$(Y(F)):T\$="BM2ØØ,"+S 228Ø IFPL=1THENDRAW"XT\$;D8" 229Ø IFPL=2THENDRAW"XT\$;R5D4L5D4 R5" 23ØØ IFPL=3THENDRAW"XT\$;R5D4NL5D 4 L5 " 231Ø IFPL=4THENDRAW"XT\$; D4R5U4D8 232Ø IF PL=4THENRN=RN+1:GOSUB249 Ø: POKE65494,Ø:GOTO14ØØ 233Ø SCREEN1,1:RETURN 234Ø 'wallet reducing 235Ø FOR X=1TO4 236Ø IFHR(X)=WN THEN W(X)=W(X)+B(X): ELSEW(X) = W(X) - B(X)237Ø IFW(X)  $\leq \text{ØTHENB}(X) = \text{Ø:HR}(X) = \text{Ø}$ 238Ø NEXTX

239Ø RETURN 2400 'end of game 241Ø IFW(1)>W(2)ANDW(1)>W(3)ANDW (1)>W(4) THENWN=1 242Ø IFW(2)>W(1)ANDW(2)>W(3)ANDW (2)>W(4)THENWN=2 243Ø IFW(3)>W(1)ANDW(3)>W(2)ANDW (3)>W(4) THENWN=3 244Ø IFW(4)>W(1)ANDW(4)>W(2)ANDW (4)>W(3) THENWN=4 245Ø IF WN=ØTHENPRINT@256,"THERE IS NO WINNER! "ELSEPRINT@256, "TH E WINNER IS "P\$(WN)",":PRINT@288 "PLAYER NUMBER"WN"!" 246Ø PRINT@352,"THANK YOU FOR PL DERBY 2 ! AYING NEW 247Ø PLAY"T203CCF" 248Ø END 249Ø FORT=1T06ØØ:NEXTT:PLAY"03T4 FP4T8CCP6T6DCP4T4EF" 25ØØ IFINKEY\$=""THEN25ØØ 251Ø RETURN 252Ø 'call to the post 253Ø PLAY"T4P1":FORT=1TOV:PLAY"V 31T4O3L8CFAO4CL8CCCCL8CO3AL8AAAA L8AFAFL1CL8CFAO4CL8CCCCL8CO3CL8C CCCL8CL1FP8":NEXTT 254Ø PLAY"L4V25" 255Ø RETURN

### MUTANT MINERS



### BURIED BUXX

Fly your helicopter into enemy territory, dig up the loot and return to base. Watch out for the ever-present patrol aircraft and ground based missiles. 100% Machine Language (CoCo 1, 2 or 3 and Joystick) \$19,95

See Review 'Rainbow' 2/89

# REVENGE of the

CoCo 3 owners rejoice! Muntant Miners is back with game configuration mode and much more! Jo stick required, \$19.95

Many more programs available including: Milestones, Fontgen, Diskease, Picture Puzzles, Quantum Leap and more.

### JR & JR SOFTSTUFF

P.O. BOX 118 \* Lompoc, CA \* 93438 \* (805) 735-3889

Orders Accepted 24 Hours a Day. VISA All Programs on Diskette Only. Altorders add \$3,00 shipping, C.O.D. orders \$4,00 additional

You can usually get us in person from 5-9 PM PST. If you get the machine, leave a message and we will call back at your convenience.

CALL OR WRITE FOR A COMPLETE LIST OF AVAILABLE PROGRAMS.

### "I cannot imagine the CoCo 3 without ADOS-3; it would not be a complete machine." The RAINBOW, July 1987

You've moved up to a CoCa 3. A powerful new machine. Naw, II's Ilme to give BASIC a shall in the arm, with ADOS-3. Wouldn't II be nice to turn on your machine and be greeted by an 80-calumn display, in the colors of your chalce, with your own custom startup message? To run routinely at 2 MHz (dauble speed) without having ta slaw down far disk and printer operations? This and much, much more is possible with ADOS-3, our CaCo 3 adoptation of the acctained ariginal ADOS, which shares the ariginal's virtual 100% campalibility with commercial software. After customizing ADOS-3 using the provided contiguting ultity, you can have it burned into an EPROM that plugs into the Disk BASIC ROM socket, or just use II in RAM as a disk utility. (EPROM + burning will cast \$15-20; we provide information concerning how you can have this done.) Supports double-sided drives (35, 40, or 80 tracks). FAST and SLOW cammands, auto line number prompts, RUNM command, keystroke macros, arrow-key scroll through BASIC programs, auta-edit at errar line, and many more voluoble leatures

"ON A SCALE OF 1 TO 10, 1 RATE ADOS-3 A SOLID 15." RAINBOW, 7/87 \$34.95 Original ADOS for CoCo 1 or 2 \$27.95 (See 6/87 RAINBOW review) Disk 

#### THE PEEPER

ML program fracer that multilasks with the larget program. An excellent learning loot for the ML navice, an involuable debugging and for the expert. CoCa I, 2, or 3 campolible. Add \$3.00

\$23.95 Assembler source listing


MONITOR CABLES to Coco 3

Magnavox 8CM515/8CM505/8CM643 . . . \$19.95

Sony KV 13: LCR

520 05

(A)



11111 N. Kendall Drive, Suite A198 Miami, Florida 33176 (305) 274-3899Day or Eve

No delay on personal chacks • Piease add \$2.00 shipping • Sorry, no gredit cards or COD's



Print invitations, flyers, classified ads, etc. in any style you want

# Having a Party?

By R.J. McCorkle

HERE'S YOUR INVITE TO THE ANNUAL 民口事學与 Derby Elle Marie and the second To begin may 6 1989 at 2 of clock at the residence of John & Mary Horsefeathers 1234 Thoroughbred Lane Louisville Bring yourselves and bring a friend. We'll furnish the Mint Juleps and other festive items. ROUP STREET

rivite is a program that lets you create a series of 33 lines of text, choose the print style for each line, print four copies per page (with or without names), and save the "invitation" to tape or disk.

Either type in and CSAVE the program (SAVE for disk) or CLOAD it from tape (LOAD for disk), then type RUN and press ENTER. The screen asks what type of printer you are using; answer by pressing the letter A, B or C of your choice. If you don't have a DMP-105, DMP-130 or Epson RX-80, there are tips later in the article for modifying the program

The main menu should now be on the screen. To create the invitation, press C. When it is printed, the invitation starts at the top line of the page and ends at the last line of the page, so you may want to leave the first and last few lines blank by pressing ENTER when asked for a line.

to match your printer.


There are 33 lines available. Type in the words you want on the line, then press ENTER. The font (size and style) menu appears with the line at the top of the page, Press the number of the font you want and a graphics block appears

R.J. McCorkle went into "semiretirement" three years ago to concentrate on programming. He is also a "high-tech" fix-it man, who tries to replace blown fuses in cash registers, video games, cable TV equipment, etc. by the number. To turn off a font when the graphics block is on, press the number again and the graphics block is erased. You can use as many of the fonts as you want, but only one of piea, elite or compressed will appear. If none of these three is chosen, pica is selected.

Press N or E when you are finished with that line (the E choice is used during editing so that you don't have to go through all 33 lines). If you want to re-enter the line, press R. When you get 33 lines in memory, the program goes back to the main menu. The invitation can now be saved to tape or disk, edited, viewed on the screen or printed. Press the letter of your choice, II you choose

Lines	Descriptions
9-90	Initialize variables; define
	printer; main menu
100-187	Create invitation
200-250	Retrieve from tape or disk
300-335	Edit invitation
400-480	Print invitation
500-550	Save to tape or disk
600-615	View invitation on screen
620-635	View ASCII codes of a line:
	used as a desk check if prob-
	lems occur; used in imme-
	diate command mode
700-710	Quit program
800-815	Subroutine used for mark-
	ing font menu while retriev-
	ing from tape or disk
900-997	Various subroutines for in-
	puts
8000-9020	Printer codes

Table 1: Program Description



to print, the screen asks if you want it printed with names or without. Press N for names or W for without. If you want it without names, you are prompted to enter the number of pages you want.

Four copies are printed per page. Get the paper perforation just above where the first line will be printed. The program uses all 66 lines usually available per page. Each line of print should come out centered in its section of the page.

If you choose to have names printed in the invitation, you are prompted to enter the line number (1 to 33) where you want the names printed. The names will replace anything already on that line, so be careful of your choice. Enter each name, then enter xx and the printing begins, putting a different name in each invitation.

The major working part of the pro-

gram is in lines 100 to 187. (See Table 1.) This portion is used during creating, editing and loading to determine what fonts are to be used and to add the printer codes and spacing to the words on each line. The font menu works by peeking the video-screen memory location to the right of the number pressed and poking a graphics block (169) if the space is blank, or poking a blank video code (96) if it is not blank. When E or N is pressed, or if loading, the memory location by each number is peeked. If it has (169) (the graphics block) in it the printer codes and spacing for that choice are added to the words. Then the choice's flag, F(1-9,1-33), is set to 1.

The first part of the variable corresponds to the font number choice and

### Table 2: Variable Descriptions

- A Number of pages of invitations without names to be printed
- B 96; Character code for blank
- Line counter for number of lines in invitation
- D FOR/NEXT counter when printing 33 lines of invitation
- Es CHR\$(27); Printer escape code
- F FOR NEXT counting variable
- F\$ (1-9, 0 or 1) Printer control codes for font choice 1-9; F\$(1-9,0) turns off: F\$(1-9;1) turns on the choice F(1-9;1-33) 1 or 0; indicates whether line 1-33 uses font choice 1-9; I indicates yes FT\$(1-9) labels for type font choices 1-9
- H Number of names to be printed
- J FOR/NEXT counter

- K VAL(K\$); Number value of key
  pressed
- K\$ INKEY\$ result; what key was just pressed
- L Length of invitation line without printer codes
- LD Line length checker
- LN Number of the line chosen to hold the names
- N\$ (1-33) 33 Lines of invitation without printer codes
- NIS Filename of invitation used when saving or retrieving
- NJ\$ (1-33) 33 lines of invitation with printer codes
- NNS () Individual names
- P8 H421; Video screen memory address one line above choice menu
- P\$ First part of printer code for each

- line as it is put into memory
- P1\$ Second part of printer codes; contains the spaces to the right margin
- P2\$ Third part of printer codes; turns off the special fonts Q video memory location of menu choice when creating or editing invitation
- tart of a line on the screen and the start of the next line
- Ts Tabbing variabte; adds spaces
- T15 Tabbing variable; adds spaces
- W Flag showing 1 for editing and 2 for retrieving in 'CREATE INVITA-
- Z 169; Graphics character indicating choice

the second part to the line number. (See Table 2.) The text is saved in one variable matrix, N\$(1-33), and the line with printer codes and spacing are stored in another, NJ\$(1-33). The words, variables and font flag variables are used for saving the invitation to tape or disk.

The printer codes are kept in lines 8000 to 9020. F\$(1,1) is the code to turn pica on and F\$(1,0) turns it off. F\$(2,1) turns elite on and F\$(2,0) turns clite off and so on. The labels for the fonts are stored in FT\$(1-9). Line 22 establishes the labels common to the three printers used. The other labels are in the lines with the printer codes (8000 onward). As an example, to change NLQ-PICA to NLQ-ELITE for the DMP-130, edit Line 9015 to read:

9015 F\$(5,1)=E\$+CHR\$(29):F\$(5,0) =E\$+CHR\$(19):FT\$(5)="5 NLQ-ELITE.

To change one of the printer types, change one of the names in Line 25, then change the appropriate subroutine to the proper codes: Sub 8050 for DMP-105, Sub 9000 for DMP-130, and Sub 8000 for RX-80. If you want to speed up the program a little and you have Extended Color BAStC, change the following lines:

151 IF PEEK(P+T)=Z THEN IFL>38 THENLC=L:GOTO183ELSE P\$=STRING\$ (19-L/2,32):P15=STRING\$(40-L,32): F(1,C)=1

154 IFPEEK(P+T\*2)=Z THENLC=L/1.2: IFLC>38THEN183ELSE P\$=STRING\$ (23-L/2):P\$=F\$(2,1)+P\$:P1\$=STRING\$ (48-L,32):P2\$=F\$(2,0):F(2,C)=1 157 IFPEEK(P+T\*3)=Z THENLC=L/1.68:IFLC>38THEN183ELSEP\$=STRING\$ (32-L/2,32):P\$=F\$(3,1)+P\$:P1\$=STRING\$(69-L,32):P2\$=F\$(3,0):F(3,C)=1

THIS IS M TEST OF THICA ELITE

COMPRESSED

PICA EMPHASIZED

FILTE EMPHASIZED

COMPRESSED EMPHASIZED

PICA DOUBLE

ELITE DOUBLE
COMPRESSED DOUBLE

TILLIA EL MINANDED

ELITE EXPANDED

COMPRESSED EXPANDED

THE ALL TO ALL TO BE LETTE TO BE LETTE OF BUILDS ALL TO BE LETTE OF BUILDING ALL TO BUILDING ALL TO BE LETTE OF BUILDING ALL TO BE LETTE OF BUILDING ALL TO BUILDING A

ELITE UNDERLINED
COMPRESSED UNMERLINED

ELTIE SUPERSCHIPT

COMPRESSED BUPERSCRIPT

# PICA EMPHASIZED DOUBLE PICA EMP DBL EXP ELITE DBL EXP ITAL UND

ELITE UMBLELINED SUPERSCRIFT

29 Art U. G.

<u>ਤਤ</u>

Table 3: Styles available using the Epson option

These changes exchange the slow FUR/NEXT loops for the Extended function STRINGS. Listing 2 is a short program for printing a worksheet for developing the text and choices. (See Figure 1.)

(Questions or comments concerning this article may be directed to the author at Box 790, Big Pine Key, FL 33043. Please include an SASE when requesting a reply.)

445132
770
540 139
900 166
8025 47
END 248
1

Listing 1: INVITE

Ø ' COPYRIGHT 1989 FALSOFT,INC
9 CLS:PRINT" 'invite' BY
R.J.MCCORKLE 1-25-87
1Ø CLEAR35ØØ;DIMN\$(33),F(9,33),N

J\$(33),F\$(9,2),NN\$(6Ø)

15 Z=169:B=96:T=32:P=&H421

2Ø E\$=CHR\$(27)'PRNTR.ESCAPE CODE

22 FT\$(1)="1 PICA":FT\$(2)="2 ELI

TE":FT\$(8)="8 UNDERLINE"

25 PRINT@196," A) DMP 1Ø5 PRINTE

R ";:PRINT@26Ø," B) DMP 13Ø PRIN

TER ";:PRINT@324," C) EPSON RX-8

Ø PRINTER ";

3Ø K\$=INKEY\$:IFK\$<"A"ORK\$>"C"THE

N3Ø

35 ON INSTR(1,"ABC",K\$)GOSUB8Ø5Ø
,9ØØØ ,8ØØØ

4Ø CLS:PRINT" BAUD":PRINT:PRINT"

 96ØØ":PRINT" 2) 48ØØ":PRINT" 3) 24ØØ":PRINT" 4) 12ØØ":PRINT" 5) 6ØØ" 45 K\$=INKEY\$:IFK\$=""THEN45ELSEK= VAL(K\$):IFK<lork>5THEN45ELSEIFK= 1THENF=1ELSEIFK=2THENF=7ELSEIFK= 3THENF=18ELSEIFK=4THENF=4ØELSEF= 5ø POKE149, Ø: POKE15ø, F 75 CLS: PRINT" 'INVITE' MENU": PRINT 8Ø PRINT" C) CREATE INVITATION": PRINT: PRINT" R) RETRIEVE FROM TA PE/DISK": PRINT: PRINT" E) EDIT IN VITATION": PRINT: PRINT" P) PRINT INVITATION": PRINT: PRINT" S) SAVE ON TAPE/DISK": PRINT: PRINT" V) V IEW INVITATION 82 PRINT: PRINT" Q) QUIT PROGRAM" 85 K\$=INKEY\$:IF K\$="" THEN85 9Ø ON INSTR(1, "CREPSVQ", K\$) GOTO 1ØØ,2ØØ,3ØØ,4ØØ,5ØØ,6ØØ,7ØØ:SOUN D4,4:GOTO85 100 CLS3:PRINT" CREATE INVITAT ION":GOSUB9ØØ:IFK\$="N"THEN75 1Ø2 CLS3 103 C=C+1:IF C=34 THEN PRINT"END OF INVITATION SPACE": C=33:GOSUB 96Ø:GOTO75 106 LC=0:PRINT"LINE"C;:INPUT NS( 109 IF N\$(C) = "" THEN NJ\$(C) = "":GOTO1Ø3 112 CLS3:PRINTC;:PRINTN\$(C):L=LE N(N\$(C)) 115 PRINT@64,"";:FORF=1 TO 9:PRI NTFT\$(F):NEXTF 118 PRINT"n NEXT LINE": PRINT"e E ND": PRINT"R RE-ENTER LINE 121 ONW GOTO 315,8Ø5 124 K\$=INKEY\$: K=VAL(K\$): IF K\$="" THEN124 127 IF K\$="R" THEN1Ø6  $13\emptyset$  Q=P+K\*32:IF PEEK(Q)=B THEN P OKEQ, Z ELSE POKEQ, B 'MARK MENU 133 IF K=1 THENPOKEQ+T, B: POKEQ+6 136 IF K=2 THENPOKEQ-T, B: POKEQ+T 139 IF K=3 THENPOKEQ-64, B: POKEQ-142 IF PEEK(P+T) <> Z AND PEEK(P+6 4) <>Z AND PEEK (P+B) <>Z THEN POKE 145 IF K\$<>"E" AND K\$<>"N" THEN1 148 IF PEEK(P+192)=Z THEN L=L\*2 15 $\emptyset$  FORF=1T09:F(F,C)= $\emptyset$ :NEXTF 151 IF PEEK(P+T)=Z THEN IFL>38TH ENLC=L:GOTO183 ELSE FORF=1T019-L /2:PRINT@458,F;:P\$=P\$+" ":NEXTF:



# Back Issue **Availability**

### BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users a great way to expand your library!

### A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS will not deliver to a post office box or to another country.

### MOST ISSUES STILL AVAILABLE

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To check availability and order, review and fill out the form on the next page and mail it with your payment to:

### THE RAINBOW

The Falsoft Building P.O. Box 385 Prospect, KY 40059

RAINBOW Back lasues

Rainbow Magazine

### **BACK ISSUE ORDER FORM**

(See overleaf for instructions.)

Please send me the following back issues:

MONTH/YE	AR			MONTH/YE	AR	PRICE	
	VOLUME 1				VOLUME 5		
JUL 'BI	Premier Issue	,		AUG '85	Games	\$3.95	
AUG '81 SEP '81	Education	\$2.00 \$2.00		SEP '85 OCT '85	Education Graphics	\$3.95 \$3.95	
OCT '81	Printer	\$2.00	ä	NOV '85	Data Comm.		ä
NOV '81		\$2.00		JAN '86	Beginners	\$3.95	
DEC '81	Holiday	\$2.00		FEB '88	Utilitias	\$3.95 \$3.95	
JAN '82 FEB '82		\$2.00 \$2.00		MAR '86 APR 86	Business Home Help	\$3.96	5
APR '82		\$2.50		MAY '86	Printer	\$3.95	
JUN '82		\$2.50		JUN '86	Music	\$3.95	
				JUL 86	Anniversary	\$3 95	
	VOLUME 2				VOLUME 6		
JUN '83	Printers	\$295		AUG '86	Games	\$3.95	
JUC '83	Anniversary VOLUME 3	\$2.95		SEP '86 OCT '86	Education Craphics	\$395 \$3.95	
AUG '83	Games	\$2.95		NOV '86	Dala Comm	\$3.95	
SEP '83	Education	\$2.95		DEC '86	Holiday	\$395	
OCT '83	Graphics	\$3.95 \$3.95		JAN '87	Beginners Utilities	\$3.96 \$3.95	
DEC '83 MAR '84	Holiday Business	\$3.95		FEB '87 MAR '87	Business	\$3.95	
APR '84	Caming	\$3.95		APR '87	Home Help	\$3 95	
MAY '84	Printer	\$3.95		MAY '87	Printer	\$3.95	
JUN '84 JUL '84	Music Anniversary	\$3.95 \$3.95		JUN '87 JUL '87	Music Anniversary	\$395 \$395	
742 07		, c 0d		222 01	•		
AUG '84	VOLUME 4 Games	\$395		ALIG 107	VOLUME 7	FORC	F
SEP '84	Education	\$3.95	ä	AUG '87 SEP '87	Games Education	\$3.96 \$3.95	
OCT '84	Graphics	\$395		OCT '87	Graphics	\$3.95	Ö
NOV '84	Dala Comm.	\$3.95		NOV '87	Dala Comm.	*	
DEC '84 JAN '85	Holiday Beginners	\$3.95 \$3.95		DEC '87 JAN '88	Holiday Begmners	\$395 \$3.95	
FEB '85	Utilities	\$3.95	ā	FEB '88	Unlines	\$3,95	
MAR '85	Busrness	\$3.95		MAR '88	Business	\$3 95	
APR '85 MAY '85	Simulations Printer	\$3.95 \$3.95		APR '88	Home Help	\$3.95	
JUN '85	Music	\$3.95	-	JUN '88	Printar Music	\$3.95 \$3.95	
JUL '85	Annivarsary	53 95		JUL '88	Anniversary	\$3.95	
					VOLUME 8		
				AUC '88	Games	\$3,95	
				SEP '88	Education	\$3,95	
				OCT '88	Craphics	\$3.95	
				DEC '88 NOV '88	Data Comm Holiday	\$3.95 \$3.95	
				JAN '89	Baginners	\$3,95	
				FEB '89	Home Help	\$3.95	
				MAR '89 APR '89	Hardware Business	\$3.95 \$3.95	-
				MAY '89	Printer	\$3.95	
1984, is printe The Fourth in the July 1	ed in tha July 19 , Fifth and Sixth	84 iss Year I 987 is	ue. Se Indexe	eparale copies es including R respectively.	ars, July 1981 Th are available fo AINBOW ON TAPE The Seventh Yo TOTAL	r \$2.50 are pr ar Ind	inled lex is
			KY	RESIDENTS A	DD 5%		
					ARGE		
			SH	IPPING & HAN	DLINC HARGE		
				TOTAL AN	IOUNT		
Article Densis	ate				OSED		
we do provid	s where a given i le photocopies s S/H per article	ol spa	cilic a	articles. The c	d not available fo cost for this serv I only in the cas	rice is	\$1.50
City		_ Sia	le	ZIP			
Charge to n	Enclosed, or ny: DVISA [	⊐ мс	ΠA	E			
CARD#							
			PHO	VE ( )			
SIGNATURI		-0.0			(000) 017 000		
OM EST AL	BY PHONE (cre	dil ca call (5	rd ord	ers only) call	(800) 847-0309	, 8 a.m	, 10 5

```
FORF=1TO4Ø-L:PRINT@458,F;:P1$=P1
$+" ":NEXTF:F(1,C)=1
154 IFPEEK(P+T*2)=Z THENLC=L/1.2
:IFLC>38THEN183ELSEFORF=1TO23-L/
2:PRINT@458,F;:P$=P$+" ":NEXTF:P
$=F$(2,1)+P$:FORF=1TO48-L:PRINT@
458, F;: P1$=P1$+" ": NEXTF: P2$=F$(
(2,\emptyset):F(2,C)=1
157 IFPEEK(P+T*3)=Z THENLC=L/1.6
8:IFLC>38THEN183ELSEFORF=1TO32-L
/2:PRINT@458,F;:P$=P$+" ":NEXTF:
P$=F$(3,1)+P$:FORF=1T069-L:PRINT
@458,F;:Pl$=Pl$+" ":NEXTF:P2$=F$
(3,\emptyset):F(3,C)=1
160 IF PEEK(P+T*4)=Z THEN P$=F$(
4,1)+P$:P2$=P2$+F$(4,0):F(4,C)=1
163 IF PEEK(P+T*5)=Z THEN P$=P$+
F$(5,1):P2$=P2$+F$(5,\emptyset):F(5,C)=1
166 IF PEEK(P+T*6)=Z THEN P$=P$+
F$(6,1):P1$=F$(6,Ø)+P1$+F$(6,1):
P2\$=P2\$+F\$(6,\emptyset):F(6,C)=1
169 IF PEEK(P+T*7)=Z THEN P$=P$+
F$(7,1):P2$=P2$+F$(7,\emptyset):F(7,C)=1
172 IF PEEK(P+T*8)=Z THEN P$=P$+
F$(8,1):P1$=F$(8,0)+P1$+F$(8,1):
P2$=P2$+F$(8,Ø):F(8,C)=1
175 IF PEEK(P+T*9)=Z THEN P$=P$+
F$(9,1):P2$=P2$+F$(9,\emptyset):F(9,C)=1
178 NJ\$(C) = P\$+N\$(C) + P1\$+N\$(C) + P2
181 P$="":P1$="":P2$="":IF N$(C)
="" THEN NJ$(C)=""
183 IFLC>38THENPRINT: PRINT"THIS
LINE IS TOO LONG": PRINT"ENTER IT
AGAIN (TRY USING COMP.) ": GOSUB9
6Ø:CLS3:PRINTN$(C):PRINT:GOTO1Ø6
184 ONW GOTO 33Ø,815
187 IF C=33 THEN75 ELSE1Ø2
200 CLS3:PRINT"
                  RETRIEVE FROM
TAPE/DISK":GOSUB9ØØ:IFK$="N"THEN
75
2Ø3 GOSUB94Ø:IFK$="D"THEN23Ø
205 PRINT: PRINT" POSITION TAPE": P
RINT: PRINT" PRESS play": PRINT: GOS
UB990: IFNI$="S"THEN200ELSEGOSUB9
95
21Ø OPEN"I",-1,NI$
215 IF EOF(-1) THEN225
22Ø C=C+1:INPUT#-1,N$(C),F(1,C),
F(2,C),F(3,C),F(4,C),F(5,C),F(6,
C),F(7,C),F(8,C),F(9,C):GOSUB8ØØ
:GOTO215
225 CLOSE:CLS7:PRINT"PRESS STOP"
:PRINT:GOSUB96Ø:GOTO75
23Ø CLS3:PRINT" INSERT DISK IN D
RIVE Ø":PRINT:GOSUB98Ø:IFNI$="S"
THEN2ØØ
235 OPEN"I",1,NI$+"/INV":GOSUB99
24Ø IF EOF(1) THEN25Ø
245 C=C+1:INPUT#1,N$(C),F(1,C),F
```

(2,C),F(3,C),F(4,C),F(5,C),F(6,C ),F(7,C),F(8,C),F(9,C):GOSUB8ØØ: GOTO24Ø 25Ø CLOSE1: PRINT: GOSUB96Ø: GOTO75 3ØØ CLS3:PRINT" EDIT INVITAT ION": GOSUB9ØØ: IFK\$="N"THEN75 3Ø5 W=1:FOR C=1 TO 33 31Ø NJ\$(C)="":GOTO112 315 FOR J=1 TO 9:IF F(J,C)=1 THE N POKEP+32\*J,Z 32Ø NEXTJ 325 GOTO124 33Ø IFK\$="E"THENC=33 335 NEXTC:W=Ø:GOTO75 400 CLS3:PRINT" PRINT INVITAT ION":GOSUB9ØØ:IFK\$="N"THEN75 402 IFC=0THENPRINT:PRINT" THERE IS NO INVITATION IN YET": PRINT: G OSUB96Ø:GOTO75 4Ø5 PRINT"ALLIGN PAPER PERFORATI ON": PRINT"WITH TOP OF PRINT LINE 41Ø PRINT: PRINT" N) NAMES OR ) WITHOUT NAMES" 415 KS=INKEY\$:IFK\$=""THEN415 ELS EONINSTR(1,"NW",K\$)GOTO425,465:S OUND4,2:GOTO415 425 CLS3:INPUT"ON WHAT LINE NUMB ER DO YOU WANT THE NAME TO APPEA R (1-33)"; LN: IFLN<10RLN>33THEN42 43Ø H=H+1:INPUT"NAME OR XX TO EN D"; NN\$(H): IF NN\$(H) <> "XX" THEN43 435 NN\$(H) = "": H = H - 1: IF H/2 <> INT(H/2) THEN H=H+144Ø CLS3: PRINT@233, "PRINTING"; 445 FORJ=1 TO H/2:T\$="":T1\$="":F ORF=1TO19-LEN(NN\$(J))/2:T\$=T\$+CHR\$(32):NEXTF 447 FORF= $1T04\emptyset$ -LEN(NN\$(J))/2-LEN (NN\$(J+H/2))/2:T1\$=T1\$+CHR\$(32):NEXTF 448 NJ\$(LN)=T\$+NN\$(J)+T1\$+NN\$(J+ H/2)45Ø FOR D=1 TO 33:PRINT#-2,NJ\$(D ):NEXT D 455 NEXTJ 46Ø GOTO75 465 CLS3 1 PRINT NO NAMES 47Ø INPUT"HOW MANY PAGES"; A:PRIN T: PRINT"PRINTING" 475 FORG=1 TO A\*2:FORJ=1 TO 33:P RINT#-2,NJ\$(J):NEXTJ:NEXTG 48Ø GOTO75 500 CLS3:PRINT" SAVE TO TAPE/D ISK":GOSUB9ØØ:IFK\$="N"THEN75 5Ø3 GOSUB94Ø:IFK\$="D"THEN54Ø 5Ø5 PRINT"POSITION TAPE":PRINT:P RINT"PRESS PLAY & RECORD":PRINT

51Ø GOSUB99Ø:IFNI\$="\$"THEN5ØØ 515 OPEN"O", -1, NI\$ 52Ø GOSUB997 525 FORJ=1 TO 33:PRINT#-1,N\$(J), F(1,J),F(2,J),F(3,J),F(4,J),F(5,J),F(6,J),F(7,J),F(8,J),F(9,J):N EXTJ 53Ø CLOSE: CLSØ: PRINT" PRESS STOP" : PRINT: GOSUB96Ø: GOTO75 54Ø PRINT"DISK":GOSUB98Ø:IFNI\$=" S"THEN5ØØ 545 OPEN"O", 1, NI\$+"/INV": FORJ=1 TO 33:PRINT#1,N\$(J)CHR\$(13);:FOR G=1T09:PRINT#1,F(G,J)CHR\$(13);:N EXTG: NEXTJ 55Ø CLOSE: GOTO 75 600 CLS3:PRINT" VIEW INVITATIO N":GOSUB9ØØ:IFK\$="N"THEN75 6Ø5 FORJ=1TO33:IF LEN(N\$(J))<31 THENPRINTTAB ((32-LEN(N\$(J)))/2); 61Ø PRINTN\$(J):FORG=1TO2ØØ:NEXTG :NEXT 615 GOSUB96Ø:GOTO75 62Ø CLS3 L DESK CHECK STRING 625 INPUT"LINE #";U 63Ø FORFJ=1 TO LEN(NJ\$(U)):PRINT ASC(MID\$(NJ\$(U),FJ,1));:NEXTFJ 635 GOTO625

### KEN-TON ELECTRONICS PRESENTS

"Real" SCSI INTERFACE

- AND 
THE DUAL RS-232 PAK

# HARD DRIVE INTERFACE \$89 or \$119 (with RTC)

Real-Time Clock Battery-backed L.R. Tech Compatible

Owl DOS Compatible RGB DOS Compatible H-DOS Compatible OS-9 Compatible 28 Pin Rom Socket

### DUAL COMM BOARD

\$74 (single) \$89 (Dual) Replaces RS-232 PAK

2-6551 A.C.I.A.'s
2 Independent RS-232 Channels
Jumper Selectable for up to 4
(Four) Channels (with 2nd board)
Ultra low power draw
28-Pin ROM Socket

Build your Hard Drive the RIGHT way with a REAL SCSI Interface. All our products are MIL-Specification Quality P.C. Boards and carry a full 90 day warranty. Both the Dual Comm and the SCSI Interface work directly with a Y-CABLE or the Multi-Pak Interface and are made in the U.S.A.

CALL US FOR PRICES ON CUSTOM SYSTEMS, HARD DRIVES AND CABLES

Terms: Check or M.O. accepted (US Funds only) Please add \$4.00 for \$ & H Phone Orders are welcomed! Cull 1-716-837-9168 (24 hr. order line)



700 CLS:PRINT:PRINT" DO YOU WANT TO SAVE THE": PRINT: PRINT" INVI TATION ? ";:GOSUB91Ø:IFK\$="N"THE NSTOP 71Ø GOTO5ØØ 8ØØ W=2:NJ\$(C)="":GOTO112 8Ø5 FORJ=1TO9:IFF(J,C)=1THEN POK EP+32\*J,Z 81Ø NEXTJ:GOTO148 815 W=Ø:RETURN 9ØØ PRINT: PRINT" CONTINUE ?"; 91Ø PRINT" Y / N" 915 K\$=INKEY\$:IFK\$<>"Y"ANDK\$<>"N "THEN915ELSERETURN  $94\emptyset$  PRINT: PRINT" T = TAPE D = DISK" 95Ø K\$=INKEY\$:IFK\$<>"T"ANDK\$<>"D "THEN95ØELSERETURN 96Ø PRINT" HIT ANY KEY TO CONTI NUE": EXEC44539: RETURN 98Ø PRINT 990 PRINT: PRINT" ENTER NAME OF I NVITATION OR": PRINT" ENTER 'S' TO STOP": PRINT: INPUTNIS: RETURN 995 C=Ø:CLS3:PRINT@198," RETRIEV ING "; 996 PRINT@265,NI\$;:PRINT@32Ø,""; : RETURN 997 CLS3: PRINT@198," RECORDING " ;:GOT0996 8ØØØ ' EPSON RX-8Ø  $8\emptyset\emptyset5 \text{ F$}(1,1)="":\text{F$}(1,\emptyset)="" 'PIC$ 8Ø1Ø F\$(2,1)=E\$+"M":F\$(2,Ø)=E\$+" P" 'ELITE  $8 \emptyset 15 F$(3,1)=E$+"F"+CHR$(15):F$($  $(3,\emptyset) = CHR\$(18) : FT\$(3) = "3 COMPRESS$ ED" 8Ø2Ø F\$(4,1)=E\$+"E":F\$(4,Ø)=E\$+" F":FT\$(4)="4 EMPHASIZED"

 $8\emptyset25 \text{ F$(5,1)}=\text{E$+"G":F$(5,\emptyset)}=\text{E$+"}$ H":FT\$(5)="5 DOUBLESTRIKE"  $8\beta 3\beta F(6,1) = CHR(14):F(6,\beta) = CH$ R\$(2Ø):FT\$(6)="6 EXPANDED"  $8\emptyset35 F$(7,1)=E$+"4":F$(7,\emptyset)=E$+"$ 5":FT\$(7)="7 ITALICS"  $8\emptyset 4\emptyset F$(8,1)=E$+"-1":F$(8,\emptyset)=E$+$ "-Ø" UNDERLINE  $8\emptyset45 F$(9,1)=E$+"S\emptyset":F$(9,\emptyset)=E$+$ "T":FT\$(9)="9 SUPERSCRIPT" 8Ø47 RETURN 8ø5ø ' DMP 1ø5 8Ø55 F\$(1,1)=E\$+CHR\$(19):F\$(1,Ø) = 11.01 - 1PICA  $8\emptyset6\emptyset$  F\$(2,1)=E\$+CHR\$(23):F\$(2,\(\varphi) =E\$+CHR\$(19)' ELITE  $8\emptyset65 F$(3,1)=E$+CHR$(2\emptyset):F$(3,\emptyset)$ =E\$+CHR\$(19):FT\$(3)="3 CONDENSED $8 \not 0 7 \not 0 F$(4,1) = E$ + CHR$(31) : F$(4, \not 0)$ =E\$+CHR\$(32):FT\$(4)="4 BOLD"  $8\emptyset75 \text{ F}(5,1)="":F$(5,\emptyset)="":FT$(5)$  $\rangle = 0.0$  $8\beta 8\beta F$(6,1)=E$+CHR$(32)+E$+CHR$$  $(14):F$(6,\emptyset)=E$+CHR$(15):FT$(6)=$ "6 ELONGATED"  $8\emptyset 9\emptyset$  F\$  $(8,1) = CHR$(15) : F$(8,\emptyset) = CH$ R\$(14) UNDERLINE 8Ø95 F\$(9,1)="":F\$(9,Ø)="":FT\$(9 ) = 0.018Ø97 RETURN 9ØØØ GOSUB8Ø5Ø' DMP 13Ø 9005 F\$(9,1)=E\$+CHR\$(83)+CHR\$(0):F\$(9, $\emptyset$ )=E\$+CHR\$(88):FT\$(9)="9 S UPERSCRIPT"  $:F$(7,\emptyset)=E$+CHR$(66)+CHR$(\emptyset):FT$$ (7)="7 ITALICS"  $9 \emptyset 15 F$(5,1)=E$+CHR$(18):F$(5,\emptyset)$ =E\$+CHR\$(19):FT\$(5)="5 NLQ-PICA" 9ø2Ø RETURN

### Listing 2: INVIFORM

Ø ' COPYRIGHT 1989 FALSOFT,INC
1Ø ' 'INVIFORM' R.J.MCCORKLE 12
-15-86
2Ø CLS:PRINT:PRINT" INVITE FORM
PRINTING PROGRAM FOR RX8Ø"
3Ø PRINT:PRINT:PRINT" GET THE
PRINTER READY"
4Ø PRINT:PRINT:PRINT" HIT ANY

# SUNDOG SYSTEMS

# Warrior King





Become RASTANN, Warrior King, on the quest to regain his rightful crown, hidden deep within a sinister land. Battle monsters, gain magic and weapons, and travel through harsh wilderness and dark castle dungeons in this medieval realm. From the creator of *Kung-Fu Dude* comes this awesome arcade game for the CoCo IIII *Warrior King* uses the most detailed 320x200 16 color graphics and high speed machine code to vault you into a world of fantasy. Dare ye challenge the many perils ahead in order to become WAR-RIOR KING? Req. 128K CoCo III, disk drive, and joystick. Only \$29.95.

# In Quest of the Star \* Lord



This is THE graphic adventure for the CoCo IIII Unparalleled 320x200 animated graphics will leave you gasping for morel You quest for the Phoenix Crossbow in this post-holocaust world of science and fantasy. In Quest of the Star Lord is a full 4 disk sides of mind-numbing adventurel Req. 128K CoCo III and disk drive. Only \$34.95. Hint Sheet: \$3.95.

"A dynamite program! The best graphics I've seen to date on the CoCo III. You have to see it to believe it."

8/88 Rainbow review

# Kung-Fu Dude

An exciting arcade game. The BEST karaje game ever created for the CoCol Destroy opponents and evade obstacles as you grow ever closer to your ultimate objective. Spectacular graphics, sound effects, and animation! Req. 64K CoCo, disk drive, and joystick. Only \$24.95.

"The CoCo karate gap has been filled and Kung-Fu Dude does it excellently. I highly recommend it!"

- 2/88 Rainbow review



All programs CoCo 1, 2, 3 compatible, unless otherwise stated



Sundog Systems 21 Edinburg Drive Pittsburgh, PA 15235 (412) 372-5674



The epic adventure is back! The largest adventure campaign ever seen for the CoCo is again available! A total of six disks of intense graphic adventure will have you playing for weeks! Each section is a two-disk stand alone adventure, but all three together form an epic saga. Quest for the legendary Earthstone in the ancient dwelling of the dwarves while you enjoy the classic graphics that made this trilogy lamous! Each adventure can be purchased separately for \$29.95, the lowest price ever, or you can purchase the entire set for only \$74,951 Req. 64K CoCo and disk drive.

"One of the best adventures I have experienced to date!" — 6/86 Rainbow review

"The animated graphics are dramatic, detailed, and excellent!"—11/87 Rainbow review
"The adventure of a lifetime, Don't miss out!"
— 7/88 Gamer's Connection review

### CHAMPION



Become a superhero in this unique 64K action adventure. Great graphics and sound ettects! See 5/87 Rainbow review. Disk \$19.95.

### DRAGONBLADE

Another great 64K animated adventure! Can you obtain the enchanted sword to slay the evil dragon? See 11/86 Rainbow review Disk \$19.95.







Enter the era of monsters and magic in this spiendid 64K animated adventure! See 12/86 Rainbow review. Disk \$19.95.

Personal checks, money orders, and Amerlcan C.O.D. orders accepted. Include \$2.50 for S/H. \$3.00 extra for C.O.D. orders. PA residents add 6% sales tax. Authorship and dealer inquires welcome.

# Build this adapter to use two CoCos with one disk drive



### By Jeff Baier

or many CoCo 3 buyers, their purchase means stashing away the CoCo 2, leaving it untouched in the dark corner of a closet to gather dust. After all, most folks usually have only one disk drive, and it is now plugged into the CoCo 3. Well, the time has come to fish out the old CoCo or even buy one.



You can now use one disk controller with two computers by transferring files via the cassette jacks of the two computers. It's not as simple as its sounds, though. The input is 1 to 5 volts and the output of the cassette port is only 800 mv. I first made an amplifier that would raise the 800-mv signal to the required 5 volts, but the corresponding circuit did not work. This problem was eventually solved by removing the amplifier from the circuit.

Figure 1 shows how simple the circuit is. It has two distinct, identical sides. Resistors 1 and 2 are the most important

Jeff Baier is an electronics technician who lives in Ballston Lake, New York. In his spare time, he likes building small circuits and writing programs for himself and his family.

components in the circuit, providing matching input impedance for the cassette output. They actually boost the ouput so much that the signal must be reduced a little prior to being sent to the other computer. The other resisters, R3 and R4, reduce the signal to the operating level of the other cassette input. Cl and C2 are used for coupling to prevent DC connection of the two computers. Finally, J1 and J2 are 5-pin DIN plugs referenced to a view of the port on the back of the CoCo. (If you have problems figuring this out, see Introducing Your Color Computer, the manual enclosed with your CoCo 3.)

Construction of the adapter is easy, requiring very few parts. All the items in Table 1 can be found at your local Radio Shack and purchased at low cost. I used electrolytic capacitors and can't guarantee that film capacitors will work. Any circuit board will work. I recommend buying the smallest and cheapest you can find. When constructing the circuit, give yourself enough wire to make the distance between your computers. Also, be sure the wire you use gets wrapped together from the plug to the circuit board. This will save you a lot of problems by preventing a spaghetti of wires from collecting behind your computers. Four-conducter phone cable will eliminate this problem, too.


After constructing the adapter, there is not much more to know before transferring programs from one to the other. Loading and saving files can be broken into three categories: 1) BASIC programs, 2) machine code and 3)

interfacing the computers with DPEN and CLOSE statements.

Have the adapter plugged into both CoCos and your disk drive plugged in to the CoCo 3 and we will transfer to CoCo2. (BASIC programs are some of the easiest to load as long as they don't interface with disk files or load other programs.) To transfer a program, load it from disk to your CoCo 3. Once the program is loaded, go to your CoCo 2 and type CLOAD and then press ENTER. Now go to your CoCo 3 and type CSAVE. It's that simple. After a short time the program will be in your CoCo 2's memory, and you can run it. Then you can go back to work on your CoCo 3.

Part capacitor 470uf resistor 680ohm resistor 1000ohm ckt board 5-pin wire	Quantity 2 2 2 1 2 as required						
Table 1: Parts List							

Machine-language programs are a bit more complicated. In order to save a machine-language program, you must know its start, end and execution addresses. This is not a big problem if you wrote the program yourself. If not, read the disk one byte at a time to figure out those three addresses. [For more information see "Follow The Bread Crumbs" (February 1988, Page 108), by Dennis Weide.] Then type CLDADM on your CoCo 2 and use the CSAVEM" filename", Start, End, Execute command on your



CoCo 3 to send a machine-language program to it. Autoexecuting programs, however, do not provide for any BASIC statements except the LOADM and then the program takes over. I have not come up with a solution for this problem yet but am working on it.

The last category is interfacing two computers. This is simple as long as you try to open a file on the reading computer prior to trying to open it on the sending computer. The reading computer will wait for a file to be present, while the sending computer assumes that its writing media is ready. Once the file is open, the same rule applies. Use timing loops between reads that ensure it.

Once you start transferring files, you'll be amazed at the uses. One exam-

ple is an interactive game, written in BASIC, between two computers that pits two people against each other. You can transfer any variable used by either computer. This tends to program a lot easier than a null modem. Keep in mind, too, that this project will work for transferring files between any two CoCos.

I plan to come up with some software to utilize this option more fully as well as speed it up. It's a little work for a real bargain.

(Questions or comments regarding this project may be directed to the author at 6A Premont Way, Balstar Lake, NY 12019, Please enclose an SASE when requesting a reply.)

















### THE BEST COCO ASSEMBLY LANGUAGE PROGRAMMING BOOKS IN PRINT

"Assembly Language Programming for the CoCo" (The Book) and the CoCo 3 (The Addendum). Professionally produced (not just skimpy technical specifications). THE CoCo reference books.

THE BOOK - 289 pages of teaching assembly language for the CoCo 1 & 2. It's used as a school text and is an intro to Computer Science. It describes the 6809E instructions, subroutines, interrupts, stacks, programming philosophy, and many examples. Also covered are PIAs, VDG, SAM, kybd, jystk, sound, serial port, and using cassette and disk. \$18.00 + \$1.50 s/h.

THE ADDENDUM - Picks up where the BOOK left off. Describes ALL the CoCo 3 enhancements & how to use them with assembly language. The most complete GIME spec. WOW - Super-Res Graphics, Virtual Memory, New Interrupts, and more information not available elsewhere. Find out what the CoCo 3 can really do. \$12.00 + \$1.00 s/h.

COCO 3 SPECIAL
Start your CoCo
library right.
See what the CoCo
can really do and
save money - buy
the BOOK and
ADDENDUM
Po

for only \$27.00 +

\$2.00 s/h.

order. RI orders add 6% sales tax

US check or money

TEPCO 68 James Court Portsmouth, RI 02871

See Us On DELPHI

### **Education Notes**

Manager Charles

This month's article addresses students above the fourth grade level, though it's not necessarily a kid's program. It concerns fractions, those mathematical obstacles we were introduced to in the early grades, and tripped over throughout high school.

There are students naturally inclined toward math, like ducks to water; and those who have phobias about it — sweaty palms, shortness of breath, migrains. Advanced math students may easily after this program to provide more challenge, while more timid students, on the other hand, may discover that practicing and reviewing examples on the computer is a refreshing and non-threatening experience.

A short review of fractions is included and is helpful before beginning the lessons.

There are two main rules for solving these problems.

Principle 1: If fractions have the same numerator, the fraction with the smallest denominator has the greater value. For example:

3/5 is greater than 3/7 4/9 is less than 4/5

Principle 2: If fractions have the same

Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York,

# A refreshing way to confront fractional fears

# Fraction Action

### By Steve Blyn Rainbow Contributing Editor

denominator, the fraction with the larger numerator is the greator. For example:

7/10 is greater than 3/10 3/8 is less than 5/8

Most of the time, the fractions will not immediately full into either of the above eategories. To compare the value of such fractions, both must have common denominators. This new denominator should be a number which both of the original denominators will divide into evenly. One possible denominator can always be found by finding the product of the two original denominations.

nators. For example:

Compare 2/3 and 4/5. A common denominator is the product of 3 and 5, which is 15. Therefore:

2/3 = 10/15 and 4/5 = 12/15

Since 12 is greater than 10, 4/5 is greater than 2/3.

Also included is a third rule, which is really a shortcut that I teach to more advanced students. By examination, one of the fractions may clearly be less than 1/2 and the other clearly greater. For example, 3/7 is less than 1/2 since half of seven is three and one half. Seven-tenths is more than 1/2 since half of ten is five. Thus, 3/7 is determined to be less than 7/10 by this inspection alone.

The program contains 10 examples of how to compare fractions. The student determines if the two fractions are equal or whether one is greater than the other. To indicate an answer, press the =, <or>
 sign on the keyboard. After the 10th example is completed, a scorecard is displayed, helping the student keep track of progress. Lines 280 and 290 may be deleted if you prefer to omit scoring.

The student can work out problems mentally or on paper. Because the denominators are no larger than tenths, after practice, it should be easy to work them out mentally. To increase or decrease the range, simply change the random limits of the lour variables A, B, C and O accordingly.

### The Listing: FRACTION

```
1Ø REM"COMPARING FRACTIONS"
20 REMUSTEVE BLYN, COMPUTER ISLAN
D, STATEN ISLAND, NY, 1989"
3Ø CLSØ: CT=CT+1
4Ø IF CT=11 THEN 28Ø
50 PRINT@6, "COMPARING
                         FRACTIONS
60 PRINT@64, "PLACE THE RIGHT SIG
N IN THE BOX.";
7Ø PRINT@133, "USE EITHER < OR >
OR =" ;
8Ø A=RND(6):B=RND(6)
9Ø C=A+RND(4):D=B+RND(4)
100 PRINT0264,A;:PRINT0276,B;
110 PRINT0296,"---";:PRINT0308,"
12Ø PRINT@328,C;:PRINT@34Ø,D;
130 FOR T= 1260 TO 1266: POKE T, 2
Ø4:NEXT T
14Ø FOR T=1388 TO 1394: POKE T, 19
5: NEXT T
15Ø FOR T=126Ø TO 1388 STEP 32:P
OKE T, 197: NEXT T
16Ø FOR T=1266 TO 1394 STEP 32:P
```

```
OKE T, 202: NEXT T
17Ø PRINT@3Ø3, "?";
18Ø ENS=INKEYS
190 IF EN$=">" OR EN$="<" OR EN$
="=" THEN 200 ELSE 180
200 PRINT@303, EN$;
21Ø E=A/C:F=B/D
220 IF E=F THEN AS="=" ELSE IF E
>F THEN A$=">" ELSE A$="<"
23Ø IF EN$=A$ THEN PRINT@428,"CO
RRECT";:RT=RT+1
24Ø IF EN$<>A$ THEN PRINT@421,"S
ORRY, "; A$; " IS THE ANSWER";
25Ø PRINT@484, "PRESS ENTER TO CO
NTINUE";
26Ø ES=INKEYS
27Ø IF E$=CHR$(13) THEN 3Ø ELSE
260
280 CLS: PRINT@10, "SCORECARD";
290 PRINT@96, "YOUR SCORE THIS RO
UND WAS";RT*10;"%"
300 PRINT@192, PRESS e TO END OR
 g TO GO AGAIN"
31Ø G$=INKEY$
320 IF G$="E" THEN 330 ELSE IF G
$="G" THEN RUN ELSE 31Ø
33Ø CLS: END
```



**THIS MONTHS** 

# Feature



# Rupert Rythym by Nickolas Marentes

Help Rupert infiltrate "Music Box Records" and collect all of his stolen notes which are scattered throughout the complex. Ride the crazy elevators and beware of the security robots on patrol.

Rupert Rythym is a strategy arcade game featuring 17 different, 16 color graphic screens and some of the hottest digitized percussion music and vocals you've ever heard on your Tandy Color Computer 3.

Available on Disk or Tape. . . \$24.95

### ALL PROGRAMS REQUIRE A COLOR COMPUTER 3 DISK OR TAPE SYSTEM.

Personal checks, money orders, and American C.O.D. orders accepted. Include \$3.00 for S/H. \$2.50 extra for C.O.D. orders. (Cal. res. add 6.5 % tax.)

ATTENTION PROGRAMMERS: Game Point Software is looking for talented writers. Top royalties guaranteed.

### Mary Figures

by S



by Steve Bjork

Blast In to Hyper-Drive with this fun-lilled starship shootem-up! You'll have a caplains' eye view out of your 3-D cockpit as you try to rid the gataxy of the evil enemy forces. Game includes 3-D glasses and works on any Color T. V., Composite or RGB monitor.

\$24.95 (Extra Glasses \$2.95)

# bash

by Steve Bjork

Based on a popular arcade game which we can't mention (But sounds like ''Art Gannoyed''). BASH challenges you to clear the screen by ''BASHING''

the screen by "BASHING" your ball through multiple brick layers. Of course you'll have help getting through this 20 level game by activating options like, Slow Ball, Expanded Paddle, Multi-Ball, and more!

\$24.95



# INTRUDERS

by Nickolas Marentes

Enemy allen creatures have been identified enlering our solar system, their destination: our home planel! Their goal: the total annihilation of our race. They must not be allowed to land!

An action arcade game featuring high quality 16 color graphics and sound effects.
\$24.95



# R E S C U E by Steve Bjork

A terrible mine disaster has just occured and it will be up



to you and your talents to enter the mine, Jump the pits, avoid the spikes, light off the bals and other creepy crawlers and get air to the needy victims. Mine rescue leatures over 2 megabytes of arcadestyle graphics, real time music and multiple mine tevels.

\$24.95



Post Office Box 6907 Burbank, California 91510-6907 (818) 566-3571 • BBS: (818) 772-8890

# Desktop Publishing Comes to the CoCo

By Jeffrey S. Parker

In 1984, with the introduction of the Macintosh, desktop publishing became an affordable reality for both businesses and

Jeffrey S. Parker has been involved with computers since 1976 and CoCos since 1981. He is the Director of Computer Education at The Parker Academy in Sudbury, Massachusetts. He is also a lecturer at Northeastern University in technical communications. A noted freelance writer and editor, Mr. Parker is a Certified Camputer Professional and holds degrees from The University of Massachusetts at Antherst and Trinity College of Oxford University in England.

the individual user. The CoCo, busy becoming smaller outside and bigger inside, was being used for graphics, adventures, areades and simulations, full-featured word processors, Rainbowfests and more.

Now desktop publishing has arrived in earnest for the CoCo. Not only can we print fabulous graphics designs, we can mix them with text in different styles, types and sizes.

#### What is Desktop Publishing?

The first thing most people think of when you say "desktop publishing" is a newsletter. However, desktop publishing is not a "thing" at all. It is a process, or series of processes by which we arrive at a

printed, or "published" document, produced on a personal computer. The format is most likely arranged in a columnar format, containing a series of graphic images (pictures, charts or designs) that have been integrated into the body of the document along with the text. (See this and the following page for samples.)



The colorful, menu driven display of Newspaper Plus.

These are only typical examples of the concept of desktop publishing. Let's assume for this article that this is our description of desktop publishing. Cut down to its very basics, it is publishing using a personal computer. Publishing involves many different elements, the overall goal being a printed document. Typesetting is one of those key elements. Both the type of print (font) and its height and width (point size) are important too. Layout, or positioning on a page, is also important and must work in conjunction with the fonts being used. There is also the question of graphics, Graphics are anything other than text. They can be drawings, photos, digitized images, sketches, cartoons, diagrams, anything that is not pure text. Most desktop publishing



### The Works

These samples were produced with the combined efforts of *CoCo Max III* and *Max-10*. The photos below (left) show the WYSIWYG display of *Max-10* and the l'ull-page preview (right) of the sample document.





requires some form of artwork or graphics to make a completed document.

One of the great advantages of desktop publishing over word processing packages has been its ability to combine text with graphics and to create multiple columns on one page, like a newspaper.

Only a few years ago, there was no easy way to do that with the popular word processing packages available on the CoCo market. One had to obtain expensive software that was usually short on all the features that you needed, except that particular one of making columns. Now, many good word processing programs will do that relatively quickly and easily.

Columns alone are not enough though. The software must be flexible enough to wrap text around graphics within and outside columns, and even have blocks of text, such as headings, that are not within those columns. It's a tall order!

For serious desktop publishing, options supplied with many packages are rarely enough. There are a few more clip art images needed to get that special point across; one more font to make it perfect. So, if you want to use artwork or fonts from other packages, the import/export feature is needed, which allows you to import or export fonts, clip art and text to or from other programs.

But what if you want to incorporate text, fonts or graphics from a different computer, like a Macintosh or PC? Then you need the ASCII save/load feature as well. ASCII is the American Standard Code for Information Interchange and it allows any


computer to save a file of a given font, text or graphics in ASCII format, so other computers with the ability to save ASCII files can read it.

Just as important is the feature that allows you to see the finished document on screen before printing. WYSIWYG (pronounced wi-see-wig), an acronym for What You See Is What You Get, describes the process of viewing on screen — either continuously, or in the display mode — what your finished document will look like. How can this be done? The computer actually thinks of the screen as a device (printers, disk drives and modems are devices, too), so when you ask to view your document, the computer prints it to the screen instead of to the printer or to a file. No desktop publishing software is worth

### Newspaper Plus

The Hi-Res preview option of *Newspaper Plus* (below, left) gives a full-page view of your work, but with some loss of text legibility. It is great, though, for getting a feel for what the document will look like. The Lo-Res option (below, right) increases legibility and allows scrolling through the document.







### Home Publisher

Tandy's *Home Publisher* is a popular desktop publishing package, especially among OS-9 addicts. At right is a sample printout from *Home Publisher*. The photo below shows the screen display of the same document. As with other recent software, *Home Publisher* makes extensive use of pull-down menus during document preparation.





May 1989

its salt without some form of this feature.

Lastly, and certainly quite important, is the actual printont of the document. The question here is not so much what kind of printer you have, but does the software communicate with or drive your printer? Of course, the type of printer you have will make a difference in the quality of the document and how fast you can print it.

If you intend to pursue desktop publishing, you cannot use a letter quality printer (LQP) such as one of the Tandy DWP scries printers, also called daisy-wheel printers. A printer with a wheel or thimble-like print head can only print letter quality documents like a typewriter — no graphics, no fancy fonts. So be sure that you have a laser, color or dot-matrix printer.

Does the software need all of these features to be desktop publishing? No, not by some standards, but yes by mine.

### The Power of the Printed Word

For the Color Computer there are only three packages that meet the criterion for complete desktop publishing packages — The Works from Colorware, Newspaper Plus from Second City Software and Home Publisher from Tandy.

### The Works

The Works package includes Max-10, a full-featured word processor and CoCo Max III, a graphics creation program. Packaged together, it forms the most powerful desktop publishing package available for the Color Computer.

Max-10 has pull-down menus, dialog boxes, I'ull mouse control and instant response. It has full-display capacity, a spell checker, text wrap, multiple columns, lock protection, global search and replace and the capability to import all types of files.

You can find out how much memory you have left by looking at the "gas gauge" type display. It is a good idea to check this before bringing in a graphics file, as memory goes quickly with all those pixels.

CoCo Max III, on the other hand, is a graphics design package that incorporates sophisticated text formatting capabilities, but is primarily designed for graphics design. It includes 28 tools, 16 colors, 14 initial fonts, plus template tools, from vertical arcs to the regular and irregular quadrilaterals, ellipses on and off, and your runof-the-mill rays, boxes, circles, lines drawn in any width, animation and color cycling. CoCo Max III has graphics capabilities to paste files or pictures of nearly any type into the body of a document, resize the image and wrap text around it. You can import/export graphics files in almost any format you can name. It has 40 brush shapes

### The Works from Colorware



What It Does: The Works is a dosklop publishing teamup of the Max-10 word processor and the CoCo Max III graphics editor, along with a large variety of supporting font sets.

Analysis: This package is leature-rich, extremely fast, easy to use and has a true WYSIWYG display. It's a power package that can outperform the Macintosh in speed and features.

Requirements: 128K CoCo 3, one disk drive, and mouse or joystick. A second disk drive and an RGB monitor are recommended.

CoCoConclusions: An excellent package overall for Color Computer desktop publishing, but it is also three times as expensive as its nearest competitor. It is well-suited for ad layous and graphic design.

Pricing: The Works, including CoCo Max III, Max-10, Mux-10 Font Set and CoCo Max Fout3, \$149.95. For more information, see the review of Max-10 in the January 89 RAIN-

of Max-10 in the January 89 RAIN-BOW, Page 118 and the review of CoCo Max III in the April '88 issue, Page 129.

### The Newspaper Plus from Second City Software



What It Does: The Newspaper Plus is a desktop publishing program that uses a structured layout to let users produce newsletter-type documents.

Analysis: The program is easy to use and versatile. It is supported by extensive clip art and fonts. It includes a graphics conversion program, but the size of an image to be converted is limited.

Requirements: 128K CoCo 3 and one disk drive. An RGB monitor and two disk drives are recommended.

CoCoConclusions: The Newspaper Plus is a full-featured desktop publishing package that, on the whole, is very reliable.

Pricing: The Newspaper Plus, \$48.95; Gruplaics Disk 1, \$19.95; News Att disks A through Z, \$9.95 each or \$100 for 26-disk set. Registered owners of CoCo Newsroom may upgrade 10 Newspaper Plus for \$19.95.

For more information, see the upcoming review of The Newspaper Plus in the July '89 issue of THE RAINBOW.

### Home Publisher from Tandy



What It Does: Home Publisher is the only OS-9 desktop publishing software for the CoCo. No OS-9 experience is needed. It will run under Multi-Vue.

Analysis: It has flexible configuration, 14 fonts, 37 graphics images and 64 colors. The user interface for controlling screen viewing and text entry is a bit clumsy, and the program is somewhat limited. However, it is capable of impressive results.

Requirements: 128K CoCo 3 and one disk drive. Performance is enhanced with 512K RAM and a mouse or joystick, An RGB monitor is recommended.

CoCoConclusions: Home Publisher works in the Multi-Vue environment, which means you can edit several documents at the same time.

Pricing: Home Publisher, \$39,95; additional printer drivers, \$19.95. For more information, see the review of Home Publisher in the July '88 RAINBOW, Page 122.

and dozens of fill patterns that you can change or create.

CoCo Max III allows you to use hundreds of fonts, four disks full of them, plus what comes with the program, and any others you care to buy and translate to CoCo Max III, As part of The Works package, Colorware is offering the 100-font set for CoCo Max III at no extra cost, and the 36 Max-10 fonts, as well.

As an option, color printer drivers are available for CoCoMax III for the Star NX-1000 Rainbow, the CGP-220 and Okimate 20 at \$19.95 each. These will drive 125 colors in the above printers. Otherwise, the drivers included support IBM/Epson compatible; Radio Shack, including black and white CGP-220; Gemini; and Okidata 182/ 192 printers.

CoCo Max III includes and requires the use of a modified Hi-Res Interface for its operation. This allows fine control over the screen with a mouse or joystick. Max-10 uses the modified interface, too, but also requires a hardware key ("clicker") to be plugged into the cassette port. This later item is a form of copy protection. Both the interface and the "clicker" are included with The Works.

The Works package gives more graphics, text, import and export capability, layout and text/graphics integration than any other software product for the CoCo.

It sounds as though The Works is like an MS-DOS desktop publishing system because it is modeled after one. It mises a serious question about why to buy a \$2000 Macintosh with Macwrite, MacPaint and MacPublish just to match it. I like challenges, so I brought in a respected friend, who is a Muc user, and he nearly fell off his chair when I showed him The Works. He kept shaking his head and mouning quietly, "My Mue can't do that...no, it can't do that either."

But does this mean you should buy it?

### The Men Behind the Max

Born in Paris, John Monin moved to the United States some 13 years ago. You could say he has a European perspective on marketing software: "I wouldn't buy junk, and I will not sell it," he says, "We spend the money until the product is to my satisfaction."

John has put his money where his month is in this case. With the introduction of CoCo Max III and Max-10, bundled together with extra font sets, Colorware has introduced what appears to be perfectionist's software — The

Both CoCo Max III and Max-10 were written by Dave Stampe, who tackled the projects in his early twenties but has since returned to school to pursue engineering degrees. According to Monin, Stampe would revise and revise the software until he was happy with it. Even after pronouncing a project finished, Stampe would spend a weekend writing and rewriting 100 pages of code, just to add one more feature. "I was really afraid that he'd burn out," said Monin, "But he really wanted to do his personal best, and he produced a program that is nearly perfect."

John Monin's pride in Dave Stampe is copy protection schemes at all, evident, "It is not how big a company you have, or how many people you have working for you - it is how thorough you are. We are really pleased at Colorware that CoCo Max III and Max-10 are as good as they are."

emergence of the Color Computer in 1982, Originally, his Alpha Products newsletters.

company supplied hardware interfaces like clocks and speech synthesizers for the TRS-80 Model I and III computers. When Monin saw the CoCo gaining in strength and popularity, his company went all out to produce quality products for it.

"Colorware was founded because I wanted to bring the products we had developed for the Model I and III to the Color Computer," John said, reflecting on the light pen interface and the Atari joystick adapter that were the company's first CoCo products.

CoCo Max and CoCo Max II were written by Tim Jenison, Tim left Colorware to strike out on his own after the development of CoCo Max II and is now developing products for Amiga compiliers.

Monin has pledged support to the CoCo Community, saying that "as long as there is a RAINBOW, there will be a Colorware." He would not release information on new products being developed, but he did hint at new pricing structures for CoCo Max III and Max-10 soon to be released, as well as a rumored release of his products with no

"I use CoCo Max and Max-10 myself, In fact, the next advertisements in RAIN-BOW will be done completely using Max," said Monin.

He went on to say that he had received calls from a number of clients who are Monin founded Colorware after the using The Works to run their businesses doing ad and layout work, fliers and

Not if all you want to do is make greeting cards and signs. If you don't need all that muscle, and you don't want to be an artist, there are other alternatives. Hike to use this formula: The need must justify the cost.

The Works is the best, but at \$149,95, it is also the most expensive. Keep in mind what you want and need as you make your choices. If you want a more structured layout to work with than Max-10 can give

Desktop Publisher Comparison	Mouse- or Jostick-driven	Special hardware required	Copy-protection	No of lonts ractuded with base package	No of citip art rigures: included with base package	No of hit patients with base package	Np. pf borders will's base package	No of attributes that can be changed	por lor	Runs on 128%	512K support	Support for Fandy, IBM/ Epson/Star/Geraini printers	Support for cofor printer in color	Calored display	WYSWYG display	Support for laser printers	Support for both HSCREEN and PMODE fittes	Import/export life capability	Support for multiple columns	Text wrap around graphics	Graphics restaing	Ability to change fext attributes	Spelling chacker	0S-9 Supported
The Works	у	У	у	13	0	641	NA	5	у	у	у	у	n²	у	у	n	у	У	у	у	у	у	у	n
Newspaper Plus	n	n	η	22	50	10	NA	0	у	у	n	у	n	n³	y4	у	55	у	у	у	n	n	n	п
Home Publisher	У	n	n	14	37	0	В	4	у	у	у	у	n	у	n4	n	n	λ <sub>Q</sub>	у	у	y <sup>7</sup>	у	n	У

- 64 fill patterns at one time, including colors; has fill pattern editor
- optional \$19.95 driver for Okimate 20, Star Rainbow NX1000, CGP-220 some menus are in color; working screens are in monochrome
- limited or partial WYSIWYG; only one document section is displayed at a time
- some liles are too big and must be truncated or cut into sections
- set to read in text lites only; graphics importing is possible but not available three sizes to choose from; no dynamic figure sizing

61

you, The Works will not work for you. Let's take a look at why.

Newspaper Plus!


If you want to produce a newsletter for your Boy or Girl Scouts, packed with information and including a subtle graphics punch, then the structured environment of Newspaper Plus lits the bill.

The program comes with 22 fonts and 50 clip art pictures. There is a graphics disk you can purchasefor \$19,95 with 10 new lill patterns, three new font sets and 50 new

graphics picture files.

Newspaper Plus is operated solely from the keyboard, no mouse or joystick interface is required. A conversion utility allows changing graphics and font formats into the Newspaper Plus format, but there are size limitations on the imported graphics image. Larger images must be cut into sections or only a part of them may be captured and used. One nice feature is a utility called Grabber, which serves to grab graphics images off a screen to be stored for later use in a document.

Newspaper Plus is written mostly in BASIC and gets it speed from machine language subroutines. Newspaper Plus also utilizes a structured environment, differing from The Works, but similar to Tandy's Home Publisher and with more options. To use it, you must choose a layout from a menn, which gcts loaded into memory. A typical layout might be two columns hroken into four sections each, with a full-page banner across the top, such as the newsletter shown on Page 59. There is no free-form environment; the document is built one section at a time and then compiled for saving, viewing and printing. Of course this has some interesting mix and match ca-



OS-9 and CoCo Calligrapher.

pabilities since you always select which panels the newsletter or document will be

I had one major problem with Newspaper Plus. When it hits a disk error on a save, it crashes. So if you just spent an hour designing the perfect section of your newsletter, and there is a disk error, you are unable to exit to the Type Up 11 program to save the memory buffer to restart the program. (I lost my work. I was so upset by this, I tried the program on three different CoCos, three different drive systems, and 1 had the same problem time after time.) Ed Hathaway of Second City Software is aware of this and has indicated that a patch to fix this problem will be available very soon, and will be sent to all registered Newspaper Plus owners.

Newspaper Plus supports a wide assortment of printers, including the Radio Shack printers along with the CGP-220, and unlike any of the other packages we are looking at, the Tandy LP-1000 laser printer. Support for Gemini, Star NX1000 and IBM/ Epson compatibles is also included. There is also a utility that allows you to design printer drivers.

It has the best documentation for desktop publishing on the CoCo I have seen. It includes a thorough manual and a beginner's tutorial.

### Home Publisher

Tandy's Home Publisher is a modest introduction to desktop publishing for the 128K Color Computer, but works much

### The Chief Editor of Newspaper Plus

The CoCo Community at large can bear witness to yet another "Local Boy Makes It Big" story - that of 16-yearold Eric Wolf. Eric is sole owner and operator of EAW Software, a company formed to market his innovative software creations.

Eric has been writing software for the Color Computer for several years. His first published program, Out In Font, was published in the "Hot CoCo" section of 80 Micro (now defunct) in 1986. This was a program to generate new type styles and fonts for creative printer output. Could it have been a precursor to Newspaper Plus? It may very well have

A 10th grade sophomore at Lasalle High School in South Bend, Indiana, Eric stands over 6 feet tall and enjoys baskerball and a quiet family life with his parents and three brothers and sisters. Not yet certain where he plans to attend college, Eric wants to pursue a degree in computer software engineering or programming. He has expressed a strong interest in artificial intelligence, which he studies in his spare time, and has taught himself BASIC, machine language and Apple Pascal.

Eric started programming on an old gray CoCo 1 that his Dad brought home when he was 10 years old. From there he became interested in reading THE RAIN-BOW and keying in programs, eventually trying some programming on his own. When he discovered that he had a talent for it, he set out to write exciting software,

Eric wrote one of the first commercial products for the CoCo 3 when it came out, CoCo Newsroom (now the updated Newpaper Plus) — he was only 14 years old at the time, incredible as it seems. Originally marketed through Spectrum Projects and Microcom Software, exclusive rights are now owned by Second City Software of Roselle, Illinois. Along with

Newspaper Phis and the accompanying graphics disk, also written by Eric, Second City sells other popular CoCo software. Just released is another Newspaper Plus companion, NewsArt A-Z. which is scheduled for release at RAIN-BOWfest Chicago.

Ed Hathaway, co-owner of Second City Software with David Barnes, an OS-9 analyst and programmer, is very proud of Eric and his accomplishments. and very pleased with the Newspaper Plus product. He is generously publishing a quarterly newsletter free of charge to registered Newspaper Plus owners, which includes sample newsletter layouts, patches, fixes, upgrades and new product announcements.

David is SysOp of the Second City Software BBS, (312) 307-1519, which lends additional support to the company's clients and serves as a local CoCo club BBS.

better on a 512K Color Computer using a mouse or joystick. Of the three programs, this one runs the best on a monochrome monitor. (Newspaper Plus is difficult to read on some screens and Max-10, while sufficient, loses something in the translation without color.) Remember, software must be configured before it can be used properly. If you just loaded up a program and it looks strange, check the settings for the monitor, printer, input device, drives,

Tandy Home Publisher operates in the OS-9 level 11 environment, though you don't need to own it or be familiar with it to operate the program. It has flexible configuration, 14 fonts, 37 graphics images and 64 foreground and background colors to set your RGB or Composite screen to and has all the common word processing features. The fonts are varied in size and style, not as well done as some other packages, The 37 images are well done.

This is the only Color Computer desktop publishing package under OS-9, but is also the only one with no file translation utility. The biggest problem is the speed at which it operates, It is unbearably slow to update, draw screens, draw pages, and so forth, yet it is a good example of desktop publishing. Its interesting user interface enables the user to work with one portion of the document at a time, Like Newspaper Plus it has a structured but far more limited range of layout patterns. There is some compatibility and a program like OS-9 Calligrapher might come in handy here.

Printer support for Home Publisher is limited to several of the Tandy DMP series printers and an Epson RX-compatible printer. In addition, there is a printer driver disk available from Tandy for \$19.95, which has the following popular printer drivers: Tandy CGP-220, C. Itoh 8510 AP, Epson MX-80, Okidata 20, Panasonic KX-P1090, and the Star SG-10.

Tandy Home Publisher also works in the Multi-Vice environment, which in theory means you can edit several desktop publishing documents at the same time. However, there is a problem of keeping track of where you are on the screen. You may input some text, but it does not show up because you are looking at a different area of the document than where you are putting the text. This program is also set up to import text from any OS-9 word processing program, though it's a good idea to write it on something else and then import it into the Home Publisher. Simple lines, however, can be done within the program.

### Extra, Extra!

1, 2 and 3 that will do great drawings or wrap text, justify left, right or center, print

### Nancy Ewart on Desktop Publishing

computer topics and CoCo user extraordinaire. Nancy insists that she is a user, not a programmer, and takes time out from her busy schedule to talk to a reporter from RAINBOW. When asked experience gained and applied it to her about CoCo's desktop publishing programs, she confides, "I have used them all, and I have started working on MS-DOS machines, too," She adds, "I'm a novice Ventura Publisher user really, and all I use at home is the CoCo."

A relative newcomer to computers at age 58, Nancy started on computers about five years ago when she bought one for her nephew. She found that she became interested in them herself, and now she owns four CoCos, "I'm an OS-9 advocate," she says, "and the main thing I've been seeing is what I would have liked to have seen all along with the CoCo. There ought to be an easier way to run OS-9,"

there is not a better desktop publisher for OS-9, \*Home Publisher is very slow, "she said. "There are none of the more usual typelaces. The smallest type isn't small enough, and you have no control of the

Meet Nancy Ewart, freelance writer on leading, which is the spaces between the lines." Nevertheless, she insists that she has learned a lot from using Home Publisher and that the program has been very important to her. She has taken the MS-DOS work, "A lot of what I've learned in Home Publisher, Newspoper Plus, and The Works crosses over to Ventura, and vice-versa."

When asked what she thought about Newspaper Plus, she said she thought it was good, but she missed the mouse, "It's a very good middle-of-the-road package," she commented, then added "CoCo Max III and Max-10 are much easier to use. I wouldn't fool around with anything else," She also added that the combination sets of fonts you use with Max- 10 are like the style sheets in Ventura Publisher for the PC,

When asked if she used her CoCos for any business or professional work, she Nancy says she is disappointed that explained that she had done prayer books, yearbooks, and page layouts for national Girl Scout handbooks, adding that she had recently taken art courses to learn more about graphics design.

make fantastic fonts but, as mentioned already, unless they meet your needs they are not practical,

I talked to several desktop publishing users, and found a wide range of needs newsletters for clubs or organizations; business or professional documents; and for just pure fun, greeting cards, invitations and banners. And for many of these projects, full-fledged desktop publishing programs are not needed. In such cases, supplementary programs provide enough fea-

Calligrapher from Sugar Software, for example, is designed to work only with text. The Calligrapher programs include: OS-9 Calligrapher, CoCo Calligrapher and OS-9 Font Massager.

CoCo Calligrapher is a powerful font filter, but is limited under our definition of desktop publishing. Running under Disk BASIC, you can type up to 17 lines of text in one-half inch letters in one of three fonts: Gay Nineties, Old English and Cartoon. The editing capabilities are limited, designed primarily to make flyers, invitations, announcements, etc. It is compatible with IBM, Epson, Gemini and Radio Shack dot-matrix printers. OS-9 Calligrapher can load multiple files and fonts (See Figure set margins, change directories, print There are many programs for the CoCo files to disk or to the printer, view files,

in columns, etc. — a fairly full-featured word processor.

OS-9 Font Massager is a package that allows you to create new fonts, invert fonts, double the width or height of a font, halve the height or width, and convert fonts between OS-9 and Disk BASIC, to ASCII or binary. And it works on a CoCo.

Of the three packages, the OS-9 programs clearly have more power and flexibility. They include well-written manuals and require only a very basic knowledge of OS-9. Any individual package is short of being a complete desktop publishing program, but provides good typesetting and font generation. There is always the option to use the additional fonts available from Sugar Software or fonts from other programs. The Calligrapher programs are outstanding values if you have text-only needs.

### Get The Picture?

The Digisector DS69B and C-See 3,3 software from Micro Works is also more of a sideline to desktop publishing. It has the ability to create computer-readable images using a video camera and special conversion device. To understand how the Digisector works, think of it as taking a picture, then converting it to a series of numbers that the CoCo understands, reading it into the CoCo memory and having the CoCo display what

each of those coded numbers stands for, much as a modern works.

Best results come from using a CoCo 3, though the system works with other Co-Cos. There are 64 levels of gray, and the software changes the amount of gray in different light intensity sections to give an enhanced image,

The Digisector comes in a ROM pack, but requires special software to run. Be sure your Multi-Pak has the required CoCo 3 upgrade, or you may get some strange results. Once you are finished editing your image, you can save the image on disk, Programs like Magigraph, CoCo Max III or Graphicom can then edit the images and bring them into various programs for further editing.

It supports Radio Shack and IBM/Epson-compatible printers. The reviewer recommends a four-head HQ VCR or a high-quality Camcorder for capturing the video images to get crisp, clear resolution. However, any video source, even a TV can be used and still produce good results. (See Figure 2.)



### MAGAZINE PRINTS PHOTO TO SELL MORE COPIES

Figure 2: A digitized image captured with Micro Work's Digisector DS69B and Max-10.

What makes this program so valuable to desktop publishing is that it can be used to make clip art or graphics images. An image can be imported into a desktop publishing program and integrated into a document. There are enough conversion utility programs available so that once you have the image translated into one of the *C-See* software formats, it can be grabbed and translated into many of the other formats. If what you want is an inexpensive way to handle digitized pictures, the Digisector can't be beat.

Graphics du Jour

The Art Deli Library from Specialty Projects is a compendium of PMODE4 graph-

ics images that you can import into graphies design or desktop publishing packages. It comes in a package with a spiral-bound book containing printonts of each of the 440 graphics images enclosed in the 10disk package. The images include everything from animals, sports and holidays to seasons, travel and more. A program on the disks called SHOW loads each of the images on a disk one after the other. There is no documentation, however. It also has no printer drivers. You can load a screen dump program configured already for your printer to accomplish this task. The more outstanding feature of Art Deli is its ability to transfer the images into desktop publishers with file translation utilities or graphics designs packages as clip art. The images are categorized, high quality and professional. (See Figure 3.)

There will be documentation included in the next release of Art Deli, along with the availability of a utility disk enabling people to convert the Art Deli Library images into other formats for incorporation in desktop publishing documents. The utility disk will sell for \$14.95, and will be available soon from Specialty Projects. Specialty Projects has also released Art Deli H, which has 220 images on five disks.

You be the Judge

CoCo Graphics Designer Plus is a program that makes banners, cards and signs for 8 1/2-by-11-inch paper. It comes with 16 borders, five fonts and 32 pictures. There are no word processing features and no word wrap, but you can delete your mistakes readily enough. There is a preview screen that gives an overview and allows you to scroll around to specific areas.

It muss on any 64K CoCo or the CoCo 3 and requires a mouse or joystick. It is fast, complete and has additional graphics, font and special border disks available for \$14.95, You can convert the fonts and graphics into



Figure 3: Max-10 screen with Art Deli image of a dog,

# Logan Ward's Specialty Projects

Everybody seems to know Logan Ward for something. Whether it is for his work at the Computer Center of Memphis, Tennessee, his CoCo Cai and Maxwell Mouse cartoons from RAINBOW, or the "world's only CoCo PC" at RAINBOWfest, everyhody gets a chance to bump into Logan Ward sooner or later.

Logan's latest venture is clip art for the CoCo, in the form of a package marketed by Specialty Projects, a company he helped form with a local Color Computer users group. The package is called *Art Deli Library* and is an assortment of 440 clip art images, sorted by theme, on 10 disks for \$99.

Logan refuses to take full credit for this release. "This was a real team offort," he says. "It was mostly put together by myself and my wife, Stacy Ward, and B.J. Setton and his wife, Theresa, and also by Bill and Terry Peck. We got together from a local users group, just decided that someone should do some real serious clip art for the CoCo and make it available to the general public."

While Art Deli has no documentation, it does include a printont of each of the digitized PMODE4 images. These are arranged by theme on both sides of 10 disks. The themes include holidays, pets, travel, love, sports and silly sports. "All you do is convert them to whatever graphics program you have," says Ward. The images are all professionally rendered high-quality drawings, and do in fact convert readily to the different desktop publishing packages included in this article.

Specialty Projects will soon release a utility disk for transferring the images among different program formats, such as Newspaper Plus, Home Publisher, CoCo Max III and Max-10. The disk will sell for \$14.95. Users will also be interested in Art Deli II from Specialty Projects, which is 220 images on five disks for \$49.95.

a variety of formats for other desktop publishing programs. It is limited to two different images per page and only as much text for a card or sign. There are limited styles and capabilities for moving, changing, rearranging and so forth.

It has a good number of printer drivers, and produces excellent documents. One nice extra about *CGDP* is its built-in card formatter to make cards in two different layouts. The program can make a card cover and an inside page, and will print them in such a way that you can fold the



# Give your kids a head start with the affordable, expandable Tandy Color Computer 3 Tandy



Why buy a TV game when you can have a powerful computer instead? Just connect the Tandy Color Computer 3 to your TV for an extraordinarily low-priced home computer system.

With the educational software available for the Color Computer 3, your children can study math, reading, typing—a variety of subjects—all while learning how to use a real computer.

The Color Computer 3 provides impressive computing power for grownups, too. There's a library of useful software available. Choose from word processing, spreadsheet and database programs, in addition to games the whole family can enjoy.

Expand anytime with a printer, disk drives, a telephone modem and more. Add a CM-8 high-resolution monitor to create colorful, razor-sharp graphics.

The Color Computer 3 offers uncompromising performance at a terrific price—see it today.

Radio Shaek

The Technology Store



"A program for generating fonts, a graphics design program, a set of disks full of clip art, a word processor — all have something in common. . . . if you take these elements and combine them to create integrated text and graphics, you've got desktop publishing."



Figure 4: CoCo Graphics Designer Plus has a built-in greeting eard layout and makes designing eards, signs and banners a snap.

### Art Deli from Specialty Projects



What It Does: Art Deli consists of 440 pictures on 10 disks. It is a graphics library with no internal programmed capabilities.

Analysis: The images can be converted to the appropriate format and incorporated in a graphics program or desktop publishing document.

Requirements: CoCo 1, 2 or 3 and a disk drive (is compatible with any program that can translate binary, PMDDE 4 or HSCREEN 2 or 3 files).

CoCoConclusions: Art Deli would be a good investment for people who make heavy use of high-quality graphics designs in their desktop publishing programs.

Pricing: \$12.95 per disk or \$99.95 for a complete 10-disk set.

For more information, see the review of Art-Deli in the October 87 RAIN-BOW, Page 134.

paper several different ways to create a greeting card. (See Figure 4.) While limited to two images per page, the images can be stamped in three different sizes and locations on the page, giving more flexibility. The documentation includes a brief tutorial and is well written.

It supports almost all Rudio Shack printers, Panasonic, Star and NX 1000 printers, Epson and IBM.

### Finding the Right Software

This has been a general overview of what is available in CoCo desktop publishing. It might be pointed out that one thing missing from all but one (Newspaper Plus) of the CoCo desktop publishing packages is a driver for a laser printer. Laser printers yield the highest speed, highest resolution and highest quality print overall with the least amount of noise. They are also quite expensive, If, however, your business has a

### DS69B Digisector With C-See 3.3 from The Micro Works



What It Does: The DS69B Digisector is a tool on a ROM pack for converting television pictures into a savable, printable format,

Analysis: Pictures captured by the DS69B can be converted into formats that graphics and desktop publishing programs can manipulate. In itself, it is inexpensive, but it requires additional hardware that can be costly.

Requirements: 64K CoCo 1, 2 or 3, one disk drive, a Multi-Pak, video camera or video source.

CoCoConclusions: This is a valuable, full-featured enhancement to a desktop publishing or graphics design software package. If you have the necessary equipment, its low price makes it a very good value,

Pricing: DS69B Digisector including C-See 3.3, \$149.95.

For more information, see the review of DS69B in this issue of THE RAINBOW, Page 121.

laser printer, there is a good possibility that it emulates one of the CoCo desktop publishing supported printers. In the description boxes you will find references to review articles that have appeared in RAINBOW for most of these products, a good source for an in-depth look at these products.

What is most important in making your selection is that you make it based on what is right for your needs. Know what it is you want, need and what you are getting before you spend those hard-earned dollars. There are many programs out there for the CoCo 1,2 and 3 that will do great drawings or will make fantastic fonts. But unless they meet your needs, they are not what you should be getting. Don't be wooed by what it does do, ask what is missing. What is wrong with this product? What doesn't it do that I need it to do?

A program for generating fonts, a graph-

# CoCo Graphics Designer Plus from Zebra Systems



What It Does: Co Co Graphirs Designer Phus is an elegant program designed solely for the creation of signs, cards and banners.

Analysis: Although, it is good at what it does, this program is not truly a desktop publishing program. It is supported by accessory font, picture and border disks, which provide for variety and flexibility.

Requirements: 64K CoCo 1, 2 or 3, one disk drive, and mouse or joystick. CoCoConclusions: CoCo Graphics Designer Plus is a nice, fun, easy-to-use program that does a good job on signs, banners and cards. It has a card formatter built in.

Pricing: CoCo Graphics Designer Phus, \$29.95; additional font, border and picture disks, \$14.95 each.

For more information, see the review of Coco Grapmes Designer thas in this issue of THE RAINBOW, Page 110.

ics design program, a set of disks full of clip art, a word processor —all have something in common. Can you guess what it is? Right, none of them are desktop publishers. However, if you can take these elements and combine them to create integrated text and graphics, you've got desktop publishing. Armed with some questions and some knowledge as to what you need, you can find a CoCo desktop publishing package that is right for you.

As we evaluate and judge, we must evaluate and judge ourselves. We are all different and unique us people, and we all have different needs. What desktop publishing package works for one, might not work for another. What one can afford to spend, another might not. At THE RAINBOW, we can help with expertise and experience, tell you of problems and possible solutions, and present the products fairly for all to see and judge.

# CoCo Calligrapher and OS-9 Calligrapher from Sugar Software

The international problem of the control prob

What It Does: These products work as filters to create text files in many different fonts, sizes and styles, with hundreds of type styles to choose from.

Analysis: Although excellent at what they do, these programs have no inherent way to create graphics or integrate them; they are text-only. It is possible after creating a graphics text file with OS-9 Calligrapher to merge a graphics file into a text file, but this would require outside software.

Requirements: CoCo Calligrapher requires a 64K RAM CoCo 1, 2 or 3 (cassette or disk). OS-9 Calligrapher requires at least one disk drive, 64K and Level 1 or 11 OS-9.

CoCoConclusions: These are very powerful tools for producing a wide variety of fonts and typeser documents and is an excellent value.

Pricing: CoCo Calligrapher or OS-9 Calligrapher, \$24.95; Font Sets, \$14.95 each; Economy Font Packages with 25 to 30 fonts, \$29.95 each; all three Economy Font Packages purchased as a set, \$59.95; OS-9 Font Massager, \$19.95 or \$14.95 with Calligrapher purchase.

For more information, see the veview of CoCo Calligrapher in the October '85 RAINBOW, Page 215, and OS-9 Calligrapher in the February '86 RAINBOW, Page 206.

Have you used any of these (or other) desktop publishing programs or pickagrs to create documents (newsletters, invitatious, greeting cards, routdons, banners, signs, etc.) on your CoCo 1, 2 or 3? If so, send us a printout and a disk copy of your work! Be sure to tell us what programs (routplete packages, word progressors, graphics drighers, clip art, fout creators, etc.) and printer you used to design it. When sparr primits, we'll sharr your creations with the CoCo Community.



# Font Selections Made Fasn

### By Edward Jones

ow many times have you wanted to set your printer for a particular font or style, but didn't because you hated to enter all those CHRS codes? My program, Font Setter, was written to make printer font selection considerably easier. Although it was designed for use with a CoCo 3 and the Tandy DMP-130 printer, it can be modified for the CoCo 2 and other printers.

Edward W. Jones is a retired F.A.A. air traffic control and radar operator who lives in Mobile, Alabama.

On running Font Setter, it first reminds you to have your printer turned on, followed by a menu that allows you to select the font or style you want to usc. After you have chosen the eombination of fonts or styles you want, press R, and you will be asked if you would like to print a test message. If your response is yes, you may enter a message of up to 255 characters.

Next you are asked if you want to change any of the printer settings. If you respond with 'Y', you will be returned to the main menu, where you can change whatever needs changing. If you respond with 'N', the program ends and your printer remains set for the style you selected until it is turned off. I use this program to alter my printer fonts for LLISTs and other printing chores. I find the test message section handy for writing short notes in selected fonts.

If you want to use this program with a CoCo 2, change Line 20 so that it contains only the CLS statement. Remove Line 220 completely. You can also change all occurrences of CHR\$(216) to "\*" in lines 270 through 440, which will then indicate menu selections with a star rather than an ASCII color block. This last change is not necessary for operation on the CoCo 2, but it makes the screen look a little better.

In Line 20, POKE 150,18 sets the computer to operate with the printer at 2400 baud. If you run your DMP-130 printer at 600 baud, remove this statement.

Font Setter's menu does not allow for all possible printer settings, but includes those I find are used most often. If you have a Tandy printer other than a DMP-130, eheck your operator's manual and ehange the CHR\$\mathbb{E}\$ eodes in lines 520 through 690 accordingly.

(Questions or comments about this program may be directed to the author at 281 Lakeview Drive, Mobile, AL 36609. Please enclose an SASE when writing for a reply.)

# The New OWL-Ware Floppy Drive System

No Better System is Available at Any Price (But the Price is Great, too!)
WINDOW WRITER NOW AVALIABLE! (Described in February Rainbow)

### DISK CONTROLLER

We at OWL-WARE are pleased to announce that we have purchased the rights to all of the Color Computer Products of J&M Systems. J&M has had more experience with CoCo controllers than any other supplier (except for Radio Shack® itself) and we are proud to add them to our nest! OWL-WARE will now be producing J&M controllers under the OWL brand. These controllers all use J&M's proven designs, with some minor improvements, and they will serve you for years to come.

- All gold contacts
- Works with all CoCo models (1,2,3)
- Holds 2 switchable ROMS
- Positive switching by simple jumper or optional external switch (No erratic software or pokes required)
- Buffered I/O lines to help prevent burn-out if unit accidentally pulled out with the system on
- Latching chips are socketed to speed repairs
- Does not use the WD1773 chip which caused problems with many CoCo 3 systems and is now discontinued
- Attractive all metal case
- Dealer inquiries now invited

CONTROLLER only \$69. (without ROMs)

(Add \$14.95 for RSDOS \$19,95 RSDOS and OWLDOS)

See the next 2 pages for more drive and software specials from OWL-WARE



Disk drives are not our only business, but they sure are our main business! We have been selling hard and floppy drives for the CoCo longer than any other Rainbow advertiser. Our double sided drives are brand new, hall-heights with a full one year warranty! The full-height drives offered cheap by our competition are used or surplus!

QUICK FLASH!! Announcing the Most Advanced Color Computer 3 Word Processor Ever!

### WINDOW WRITER

Window Writer is the first word processor which takes full advantage of OS/9. The result is a word processor which is as modern and professional in action as those previously available only for the IBM and Mac. Allows multi-taking with other programs or itself, Pull down menus and detailed help screens make learning easy and are only a key stroke (or mouse click) away. Can be user configured for everything including menu colors and contents. See the February Rainbow for preview of the early version. Requires 80 column monitor.

Available now at a special introductory price of:

\$49. until May 15. Normal price \$59.
(Ask about combo with spelling checker available for \$20)

### CASE AND POWER SUPPLY

In recent months it has become very difficult to obtain dependable, safe power supply
and eases for floppy drive systems. They just couldn't pass
our quality control. OWLWARE has now produced a
case and power supply that you
can be proud to own and use.
We believe that this is the best
and most attractive drive case
available for any computer.

- Built in surge protector! (we believe that this leature is unique in CoCodrive cases)
- Sleek, modern design
- Heavy-duty power supply
- Fully shielded data cable
- Modular power supply construction for case of repairs
- Stackable ease design
- Dealer inquiries now invited

SPECIAL WINTER SALE
Double Sided Drives
Drive 0 System
Complete \$199.
Drive 1



P.O. Box 116-A

Mertztown, PA 19539

ORDER LINES (only)

(800) 245-6228

(215) 682-6855 (PA)



# Proven

### On the Razor's Edge of

## Basic and OS-9 Hard Drive Systems

### Proven Performance for Demanding Home or Business Users


Every hard drive which has been produced by OWL-WARE during the last 3 years is complete. A system consists of software, hard drive, controller, heavy-duty power supply, and LR Tech Interface. There are no hidden costs for assembly or testing. When a drive system is ordered, we fully assemble, test, and burn-in the system for 3 full days. This ensures dependability and optimum performance.

We have now been supplying CoCo hard drive systems and parts for more than 3 years. This is the longest history in the CoCo market of any system. Some other advertisers are stating that they have one of the most reliable systems for the CoCo with all of 4 months history in the CoCo hard drive market! We have reached our position in the hard drive market by providing our customers with a quality product that they (and we) can be proud to own and use.

Because of many requests for a lower price system in kit form, we are now selling a kit of all parts at a significant discount compared to our regular prices. We recommend this kit (or any kits offered by any other supplier) only to those who have experience in electronic assembly and OS-9.

We have LR Tech and Burke & Burke

### For OS-9 Levels 1 and 2



10 Meg.

20 Meg.

40 Meg.

80 Meg.

(2 X 40 Meg.)

System Prices: (Includes Hard Drive, Controller, LR Tech Interface,

Software. Fully assembled and tested.)

\$469.

\$599.

\$725.

\$1,069.

Kit Prices: (LR Tech System as above but not assembled or tested.)

\$419.

\$549.

\$659.

\$ 999.

Kit Prices: (As above but using Burke & Burke bus adapter)

(na)

\$489.

\$609. (lower prices)

30 Meg Kit:

\$539. (Lowest prices anywhere)

### **OWL Hard Drive BASIC 3**

There have been several ads in this magazine about BASIC for Color Computer hard drive systems. These ads sometimes only tell a part of the story. Our BASIC system price includes assembly, testing, and 3-day burn-in period. We do not require a Multi-pak to operate.

Our hard drive systems are fast, reliable, and reasonable in price. This has been proven by hundreds of users over the past 3 years. We do not have to turn off error checking for speed. We achieve high speed BASIC from a unique indexing method.

The table below will summarize some of the key points about our BASIC hard drive system and the B&B system. We believe that we have the best BASIC interface for CoCo hard drives available.

#### **BASIC Hard Drive Systems** B&B OWL Feature Partial (4) Entire Drive Portion Available at sections) One Time Yes User Sets YES BASIC/OS-9 Partitions **YES** No(?) Add to Existina OS-9 Drive Without Reformat Drives 0-3 YES Mo Hard/Floppy Built in Park YES No Fast Speed\* FAST

\*All feature details are believed to be true at time of writing and are subject to change. We believe that our BASIC hard drives are the fastest due to our indexing method, but both systems are fast and we sell both. On ours all BASIC commands work including DSKINI, DSKI\$, and DSKO\$.

Prices: With/Without Hard Drive \$35./\$79.

# Technology the Color Computer Frontier

# DISK DIRVES



### Floppy Drive Systems

The Highest Quality for Years of Service

(We have located a number of unused, surplus single sided drives for those who wish a quality, inexpensive system.)

Drive 0 Systems (Half Height, Double Sided, Direct Drives) \$199. (Same but Single sided) \$185

Drive 0 systems complete with drive, controller, legal DOS, cable, case, power supply, and manual

Drive 1 Systems (Half Height, Double Sided, Direct Drives) \$129. (Same but Single sided) \$115.

New 3.5", 720K Drives for OS-9 with case & Power Supply \$179.

Drive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

Special for 0/1 Combos (Drives 0,1,2,3) \$295.

### HALF-HEIGHT DRIVE UPGRADES FOR RS HORIZONTAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double-sided to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Easy! Takes only 5 minutes!

Model \$119. Model \$129. 500 501 or 502 All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED at these low prices. We use Fuji, YE Data, and other fine brands. No drives are used or surplus unless otherwise stated to you when you order. We appear to be the one of the few advertisers in Rainbow who can truly make this claim. We have 5 years experience in the CoCo disk drive market! We are able to provide support when you have a problem.

**Drives I Year Warranty** 

### OWL Phones

Order Numbers (only) 1-800-245-6228 1-215-682-6855

> Technical Help 1-215-837-1917

### OWL WARE Software Bundle

### Disk Tutorial/Utilities/Games DISK TUTOR Ver 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

### **OWL DOS**

An operating system that gives faster disk access and allows the use of double-sided drives. Corrects a floating point number error on early CoCo systems.

### COPY-IT

Quickly copies selected programs between disks. A wild card option selects groups of programs to copy.

### **VERIFY**

Verifies reading of each sector. Bad sectors are listed on the screen.

### 2 GAMES

We will select 2 games from our stock. These sold for more than \$20 each.

If sold separately this is more than \$125 worth of software!!

Do not mistake this software with cheap, non-professional "Public Domain" software which is being offered by others. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped thousands of new users learn their disk drive.

### only \$27.95 (or even better) only \$6.95 with any Disk Drive Purchase!!

Our prices include a discount for cash but do not include shipping.

OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option at no cost to the buyer except for shipping costs. Call our tech number for return. Return of non-defective or unauthorized returns are subject to a service charge.

OWL-WARE P.O. BOX 116 Mertztown, PA 19539

V	490200 65030 END210

### The Listing: FONTSETR

Ø ' COPYRIGHT 1989 FALSOFT, INC 10 'DMP-130 PRINTER FONT AND STY LE SETTER BY EDWARD JONES 2Ø WIDTH32:POKE15Ø,18:CLS:PALETT E13,Ø:PALETTE12,37:PALETTE8,32:P ALETTE9,48 3Ø PRINT@16Ø,STRING\$(32,243);:PR 4Ø PRINT" DMP-13Ø CHARACTER STYL E SETTER":PRINT" 5Ø PRINTSTRING\$(32,243); 6Ø FORX=1TO8ØØ:NEXT 7Ø PRINT@481,"TURN ON PRINTER & PRESS A KEY"; 8Ø A\$=INKEY\$:IFA\$=""THEN8Ø 9Ø CLS:PRINT" <A> NORMAL TEXT <R> QUIT" 100 PRINT" <B> COMPRESSED TEXT"; :PRINT@55,STRING\$(8,156) 110 PRINT" <C> CONDENCED TEXT" 12Ø PRINT" <D> PROPORTIONALLY SP ACED TEXT 13 Ø PRINT" <E> CORRESPONDENCE NO RMAL TEXT" 14Ø PRINT" <F> CORRESPONDENCE CO MPRESSED" 15Ø PRINT" <G> START ITALICS-----<H> STOP" 16Ø PRINT" <I> START SUBSCRIPT---<K> STOP" 17Ø PRINT" <J> START SUPERSCRIPT -<K> STOP" 18Ø PRINT" <L> MICROFONT TEXT" 19Ø PRINT" <M> START ELONGATE----<N> STOP" 200 PRINT" <0> START BOLD------<P> STOP" 21Ø PRINT" <Q> UNDERLINE------<S> STOP" 22Ø PALETTE8, Ø: PALETTE9, 48 23Ø PRINTSTRING\$(32,243); 24Ø PRINT@481,"SELECT LETTERS TO SET PRINTER"; 25Ø C\$=INKEY\$:IFC\$=""THEN25Ø 26Ø IFC\$=" "THENCLS:PRINT@161,"P RINTER FONT AND STYLE IS SET":PR INT: LINEINPUT"WANT TO PRINT A TE ST? <Y/N>;:T\$ 27Ø IFC\$="A"THENPRINT@4,CHR\$(216 );:PRINT@292," ";:PRINT@36," ";: PRINT@68," ";:PRINT@132," ";:PRI NT@164," ";:GOSUB52Ø:GOTO24Ø 280 IFCS="B"THENPRINTESO, CHRS(21 6);:PRINT@292," ";:PRINT@4," ";:

PRINT@68," ";:PRINT@132," ";:PRI NT@164," ";:GOSUB53Ø:GOTO24Ø 29Ø IFC\$="C"THENPRINT@68,CHR\$(21 6);:PRINT@292," ";:PRINT@4," ";: PRINT@36," ";:PRINT@132," ";:PRI NT@164," ";:GOSUB54Ø:GOTO24Ø 300 IFC\$="D"THENPRINT@100,CHR\$(2 16);:GOSUB55Ø:GOTO24Ø 31Ø IFC\$="E"THENPRINT@132,CHR\$(2 16);:PRINT@292," ";:PRINT@4," "; :PRINT@36," ";:PRINT@68," ";:PRI NT@164," ";:GOSUB57Ø:GOTO24Ø 32Ø IFC\$="F"THENPRINT@164,CHR\$(2 16);:PRINT@292," ";:PRINT@4," "; :PRINT@36," ";:PRINT@68," ";:PRI NT@132," ";:GOSUB56Ø:GOTO24Ø 33Ø IFC\$="G"THENPRINT@196,CHR\$(2 16);:PRINT@218," ";:GOSUB58Ø:GOT 024Ø 34Ø IFC\$="H"THENPRINT@218,CHR\$(2 16);:PRINT@196," ";:GOSUB59Ø:GOT 024Ø 35Ø IFC\$="I"THENPRINT@228,CHR\$(2 16);:PRINT@26Ø," ";:PRINT@25Ø,"
";:PRINT@282," ";:GOSUB6ØØ:GOTO2 4 Ø 36Ø IFC\$="J"THENPRINT@26Ø,CHR\$(2 16);:PRINT@228," ";:PRINT@25Ø," ";:PRINT@282," ";:GOSUB61ø:GOTO2 40 37ø IFC\$="K"THENPRINT@25ø,CHR\$(2 16);:PRINT@282,CHR\$(216);:PRINT@ 26Ø," ";:PRINT@228," ";:GOSUB62Ø :GOTO24Ø 38Ø IFC\$="L"THENPRINT@292,CHR\$(2 16);:PRINT@4," ";:PRINT@36," ";: PRINT@68," ";:PRINT@132," ";:PRI NT@164," ";:GOSUB63Ø:GOTO24Ø 39Ø IFC\$="M"THENPRINT@324, CHR\$(2 16);:PRINT@346," ";:GOSUB64Ø:GOT 4ØØ IFC\$="N"THENPRINT@346,CHR\$(2 16);:PRINT@324," ";:GOSUB65Ø:GOT 024Ø 41Ø IFC\$="O"THENPRINT@356,CHR\$(2 16);:PRINT@378," ";:GOSUB66ø:GOT 024Ø 42Ø IFC\$="P"THENPRINT@378,CHR\$(2 16);:PRINT@356," ";:GOSUB67Ø:GOT 024ø 43Ø IFC\$="Q"THENPRINT@388, CHR\$(2 16);:PRINT@41Ø," ";:GOSUB68Ø:GOT 0240 44Ø IFC\$="S"THENPRINT@41Ø, CHR\$(2 16);:PRINT@388," ";:GOSUB69Ø:GOT 024Ø 445 IFC\$<"A"ORC\$>"R"THEN24Ø 45Ø IFC\$="R"THENCLS:PRINT@161," PRINTER FONT AND STYLE IS SET":F ORX=1TO8ØØ:NEXT:SOUND5,1:PRINT:P RINI WANT TO PRINT A TES 46Ø PRINT"

T? <Y/N>" 47Ø T\$=INKEY\$:IF T\$=""THEN47Ø 48Ø IF T\$="N"THEN CLS:END 49Ø IF T\$="Y"THEN7ØØ 5ØØ GOTO47Ø 52Ø PRINT#-2, CHR\$(27); CHR\$(19);: RETURN' NORMAL (10 CPI) 53Ø PRINT#-2, CHR\$(27); CHR\$(23);: RETURN' COMPRESSED (12 CPI) 54Ø PRINT#-2, CHR\$(27); CHR\$(2Ø);: RETURN' CONDENCED (17 CPI) 55Ø PRINT#-2, CHR\$(27); CHR\$(17);: RETURN' PROPORTIONALLY SPACED 56Ø PRINT#-2, CHR\$(27); CHR\$(29);: RETURN | CORRESPONDENCE COMPRESSE D (12 CPI) 57Ø PRINT#-2, CHR\$(27); CHR\$(18);: RETURN' CORRENPONDENCE NORMAL (1 58Ø PRINT#-2,CHR\$(27);CHR\$(66);C HR\$(1);:RETURN' START ITALICS 59Ø PRINT#-2, CHR\$(27); CHR\$(66); C HR\$(Ø);:RETURN' STOP ITALICS 6ØØ PRINT#-2,CHR\$(27);CHR\$(83);C HR\$(1);:RETURN' START SUBSCRIPT 61Ø PRINT#-2,CHR\$(27);CHR\$(83);C HR\$(Ø);:RETURN' START SUPERSCRIP 62Ø PRINT#-2, CHR\$(27); CHR\$(88);: RETURN STOP SUPER/SUBSCRIPT

63Ø PRINT#-2, CHR\$(27); CHR\$(77);: RETURN' MICROFONT 64Ø PRINT#-2, CHR\$(27); CHR\$(14);: RETURN' START ELONGATE 65Ø PRINT#-2, CHR\$(27); CHR\$(15);: RETURN' STOP ELONGATE 66Ø PRINT#-2, CHR\$(27); CHR\$(31);: RETURN' START BOLD 67Ø PRINT#-2, CHR\$(27); CHR\$(32);: RETURN' STOP BOLD 68Ø PRINT#-2, CHR\$(15);:RETURN'UN DERLINE 69Ø PRINT#-2, CHR\$(14);:RETURN'S TOP UNDERLINE 700 CLS:PRINT" ENTER TEST MESSAG E":PRINTSTRING\$(32,243);:PRINT 710 LINEINPUT TM\$ 72Ø PRINT#-2,TM\$ 73Ø PRINT@481, "PRINT THE MESSAGE AGAIN? <Y/N>"; 74Ø R\$=INKEY\$:IFR\$=""THENGOTO74Ø 75Ø IF R\$="Y"THEN72Ø 76Ø IF R\$="N"THEN78Ø 77Ø GOTO74Ø 78Ø PRINT@481, "CHANGE THE PRINT <Y/N>"; CODES? 79Ø PC\$=INKEY\$:IFPC\$=""THEN79Ø 800 IF PC\$="Y"THENCLS:GOTO90 81Ø IF PC\$="N"THENCLS:END 829 GOTO/99 (0)

### PECIAL DEAL ON 500

BACK BY POPULAR DEMAND! GET OUR LATEST 50 DISKS OR TAPES FULL OF OVER 500 PROGRAMS. HERE IS WHAT YOU'LL RECEIVE:

- ★Over 250 Utility/Home Application Programs including a Word Processor, Database, Spreadsheet, Disk Utilities, Business Software, Electronics Series, Educational Programs for Kids, plus much more!
- ★Over 200 exciting games including King Pede, Kron, Star Trek, Flight Simulator, Wizard, Horse Races, Football, plus much more.
- ⋆Over 30 adventures including Rambo, Haunted House, Power Sword, Skid Row, plus 32k graphic adventures.

Individual issues sell for \$900 each or \$45000 for all 50. We slashed the price to

only \$15000!

REG. \$450



TURN TO PAGES 22 & 23 FOR A COMPLETE LISTING OF ALL **OUR PROGRAMS** 

VISA





### \*\*THIS MONTH ONLY\*\*

Buy this package of 500 programs and receive a free 6 month subscription.



WE'VE CHOSEN THE BEST OF OVER 760 PROGRAMS (OVER 6 YEARS OF ACCUMULATING FINE SOFTWARE), AND PACKAGED THEM FOR YOU. 12 PROGRAMS EACH PACKAGE, COLOR COMPUTER I, II or III. SPECIFY TAPE OR DISK. ONLY \$29.95 EACH PACKAGE! 5 NEW ONES!

### #1 Home Mgmt I

Ctreckbook Balancor Oost of Living Tinycate Sprandsfreet Electronic Datebook Account Manager Stock Markot Word Processor Lottery Analyst Coco Database Coco Terminol Battenties

### #4 Business Helper

Workronte Word Processor Spreadsheet Calendar Accounts Receivable DISK Accounts Payeble Income Property Mail List Job Log Asset Manager

### #7 Machine Lang. Tut.

Basic Compil ME Tutorial Pt 2 ME Tutorial Pt 3A, 3B ME Tutorial Pt 3A, 3B ME Tutorial Pt 4 ME Tutorial Pt 6 ME Tutorial Pt 7 ME Tutorial Pt 8 MET Dictionary Coco Technical Look Coco Technical Look Pls 1-3

### #2 Education

Flash Cáid Spanish Lessons Typing Tutor Creativity Test Anth Football Arm routon Cost of Living Math Tutors 1, 2 Tingonometry Tutor Typing Gama Word Tests Talking Alphabel Clown Dunk Math

### #5 Games III

Sandy Rover 👡 Sandy Rover
Gray Lady
Flippy The Seal
Atine Builders
Panzer
Mrs Pac
Fire Runner
Cosmo Rays
Dig
Bottle Tank
Kron Krng Pede

#8 Gamble Issue Horse Racing Pack Track

#3 Adventures II NEW. tceworld Jungle Keys Assulet of Powel The Top Cookes Godkies Barracks Genūsis Project Rambo\_

### Zioma Experimeni #6 Electronics Tutorial

NEW

### #9 Caco 3 Only

Parnt Coco 3 Convert Coco 3 Opmon's Castle Function Keya NEW Function Keys
Bowling 3
Godo 3 F Codo 2
Weard
Codo 3 Drawer
H-Res Choss
FYR-Drada 3
Whanny 3 Coco 3 Screen Print

\$2995 EACH SET

\* Special This Month \* Buy 2 Packages and gel 1 FREE

T & D SUBSCRIPTION SOFTWARE, 2490 MILES STANDISH DR., HOLLAND, MI 49424 (616) 399-9648





THE RAINBOW is a teaching environment and we realize that the majority of our readers will always be beginners. In our continuing effort to always keep the new user in mind, and in addition to the many beginner feature articles and programs published in every issue, "Novices Niche" contains shorter BASIC program listings that entertain as well as help the new user gain expertise in all aspects of the Color Computer: graphics, music, games, utilities, education, programming, etc.




### Hi-Res Screen Dump

By Shane Messer

If you're like me, the first thing you think about when you get a printer is graphics. However, the only screen dumps I've seen are for the PMDDE graphics, which turn out squashed—and if you try to dump the 320/191 screen, it is about the width of the page but the same height as the PMDDE screen. So I figured it out. If you take a 640/191 screen and dump it sideways, it should take up most of the paper. If you have a 320/191 screen and use the HSCREEN 4 command, it switches your screen to 640/191 to dump it. This works fine; however, when using the 640/191 screen, you must use Color 0 for the foreground and Color 1 for the background. Once you type in and run the program, it will draw a small design and print it. It takes a while, so if you have a lot of DRAW statements you can merge them into this program. I used a DMP-132 for this screen dump.

CoCo3

The Listing: DUMP132



```
5Ø HCLS1:PALETTE 1,63
6Ø PALETTE 2,63:PALETTE 3,63
7ø GOSUB løøø
8Ø PRINT#-2, CHR$(18)
9Ø PRINT#-2,CHR$(27);CHR$(16);CH
R$(Ø);
100 \text{ PRINT} \# -2, \text{CHR} \$ (39);
11ø FOR H=Ø TO 64ø STEP 6
12Ø PRINT#-2,CHR$(18)
13Ø PRINT #-2,CHR$(27);CHR$(16);
CHR$ (Ø);
14Ø PRINT#-2, CHR$(39);
15Ø FOR Y=198 TO Ø STEP -1
16Ø D=128
17\emptyset IF HPOINT(H,Y)=\emptyset THEN D=D+1
18Ø IF HPOINT(H+1,Y)=Ø THEN D=D+
19Ø IF HPOINT(H+2,Y)=ØTHEND=D+4
2 p g IF HPOINT(H+3,Y)=gTHEN D=D+8
21Ø IF HPOINT(H+4,Y)=ØTHEND=D+16
22\emptyset IF HPOINT(H+5,Y)=\emptysetTHEND=D+32
```

23Ø IF HPOINT(H+6,Y)=ØTHEND=D+64
24Ø PRINT #-2,CHR\$(D);CHR\$(D);
25Ø NEXT Y:NEXTH
26Ø END
1ØØØ 'SCREEN DRAW ROUTINE
1Ø1Ø POKE 65497,Ø:HCOLORØ:FOR T=
1ØØ TO 54Ø STEP 25:HLINE(T,4Ø)-(T+1Ø,45),PSET,BF:NEXT
1Ø2Ø HBUFF 1,9ØØ:HGET(1ØØ,4Ø)-(5

4Ø,45),1:FOR T=2Ø TO 185 STEP12: HPUT(1ØØ,T)-(54Ø,T+5),1:HPUT(9Ø, T+6)-(53Ø,T+12),1:NEXT 1Ø3Ø HCIRCLE(32Ø,99),15Ø,3 1Ø4Ø HPAINT(14Ø,9Ø),1,3 1Ø5Ø HCOLORØ:HLINE(Ø,Ø)-(64Ø,198 ),PSET,B 1Ø6Ø POKE 65496,Ø 1ØØØØ RETURN

### The Timer

### 4K

### By Wayne Hufford

This program is a timekeeper, It can be used for games or any activity that has a time limit. At the first prompt, type in how many minutes you want to count down, followed by the number of seconds. There will be a one-second pause, then the top of the screen shows the amount of time you entered. Note: The time displayed is one second less than the number you typed in because the one-second pause starts the countdown. When the timer gets to zero, a low tone will sound and the program will end.

The Listing: SOUNDOFF

- ø ' COPYRIGHT 1989 FALSOFT, INC
- 1 CLS
- 2 PRINT"HOW MANY MINUTES?"
- 3 PRINT"HOW MANY SECONDS?"
- 5 INPUT B

6

6 INPUT C

7 IF C=Ø THEN GOSUB 15Ø

2Ø FOR M=B TO Ø STEP -1

3Ø FOR S=C TO Ø STEP -1

4Ø CLS

5Ø PRINT M":"S

6Ø IF S<1Ø THEN CLS:PRINTM": Ø"S

65 IF S=ØTHEN 175

7Ø FOR T=1 TO 4Ø5

8Ø NEXT T

9Ø NEXT S

100 NEXT M

12Ø IF B>Ø THEN B=B-1:GOTO2Ø

13ø SOUND 1,7ø:END

15ø IF B=Ø THEN13ØELSE155

155 B=B-1

16ø FOR R=1 TO 4ø5:NEXTR:C=59

17ø GOTO2ø

175 IF M=Ø THEN 13Ø ELSE 18Ø

18Ø M=M-1

185 FOR R=1 TO 4Ø5:NEXTR:S=59

19Ø GOTO4Ø



### Beam3D

### 16K ECB

### By Joseph Pendell

Beam3D is a short program that allows you to animate three-dimensional pictures. After you type in the program and run it, a small box appears on the screen. Use the right joystick to move it around. Press any key and the box becomes fixed. The right joystick then moves a larger box. Notice that the four corners of the two boxes are connected to give the appearance of three dimensions. Press a key to clear the screen and place the smaller box at a different position. The variables S1 and S2 in Line 10 are the sizes of the two boxes, whereas lines 20 and 30 calculate a multiplying factor. The product of a joystick reading and its factor give a position on the screen. Multiplying factors are chosen so that the boxes do not go off the screen. Lines 90 and 200 check to see if the joystick has been moved since the last time it was read. If it is the same, the graphics are not redrawn. Lines 140 to 160 do the actual drawing of the image. An easy modification to the program is to change the box sizes in Line 10.

### The Listing: BEAM3D

- Ø BEAM3D
- 1 'BY JOSEPH PENDELL
- 2 ' COPYRIGHT 1989 FALSOFT, INC
- 1Ø S1=1Ø:S2=4Ø
- $2\emptyset$  M1=(255-S1)/63:M2=(191-S1)/63
- 30 M3 = (255 S2)/63 : M4 = (191 S2)/63
- 4Ø PMODE4,1:PCLS:SCREEN1,1
- 5Ø X=JOYSTK(Ø) \*M1
- 6Ø Y≔JOYSTK(1) \*M2
- $7\emptyset$  LINE(X,Y)-(X+S1,Y+S1),PSET,B
- 8Ø IFINKEY\$<>""THEN1ØØ
- 9Ø IF (JOYSTK(Ø) \*M1<>X) OR (JOYS
- TK(1)\*M2<>Y) THEN PCLS:GOTO5Ø EL
- SE GOTO 80
- løø X1=X:Y1=Y
- 11Ø LINE(X1,Y1)-(X1+S1,Y1+S1),PS
  ET,B
- 12Ø X=JOYSTK(Ø) \*M3
- 13Ø Y=JOYSTK(1) \*M4
- $14\emptyset$  LINE(X,Y)-(X+S2,Y+S2),PSET,B

 $15\emptyset$  LINE(X1,Y1)-(X,Y),PSET 16ø LINE(X1+S1,Y1)-(X+S2,Y),PSET 17Ø LINE(X1,Y1+S1)-(X,Y+S2),PSET 18 LINE(X1+S1,Y1+S1) - (X+S2,Y+S2)), PSET

19Ø IFINKEY\$<>""THENPCLS:GOTO5Ø 2ØØ IF (JOYSTK(Ø) \*M3<>X OR JOYST K(1) \*M4<>Y) THEN PCLS:GOTO11Ø EL SE 19ø



### **Hot Stuff**

### 16K **ECB**

### By Ric Pucella

This little game will keep you entertained for hours. It's a version of a popular game many played when young, where someone hides an object and others have to find it while the "hider" clues the players by telling them they are either "hot" if they are close to the object's location — or "cold" if they are far from it.

In this game the "hider" is the computer and you must find the object in a 30-by-30 square grid. (The size of the grid can be changed by changing the value of D in Line 14 of the listing.) To help you remember where you have looked, type -1.0 at the prompt, and the computer will display all your moves.

### The Listing: HOTCOLD

ø ' COPYRIGHT 1989 FALSOFT, INC

5 '\*\*\* HOT STUFF

'\*\*\* BY RIC PUCELLA

7 '\*\*\* (C) 1988 DEBBIE SOFTWARE

13 CLEAR5ØØØ

14 D=3Ø

15 DIMP\$(1ØØ)

2Ø FORX=ØTO5:READA,A\$:A\$(X)=CHR\$

(A) +" "+A\$: NEXTX: CLS: PRINT"HOT S TUFF": PRINT"BY RIC PUCELLA": PRIN T"(C) 1988 DEBBIE SOFTWARE": PRIN  $T: S=\emptyset: X=RND(D): Y=RND(D): FORZ=\emptyset TO$ 1:Z=Ø:INPUT"X,Y";A,B 22 IF(A>3ø)OR(B>3ø)THENNEXTZ ELS  $ES=S+1:T=ABS(X-A)+ABS(Y-B):IFT=\emptyset$ THEN199 25 IFA=-landb=Ø THEN S=S-1:FORY1 =ØTO5:FORX1=1TOS:IFMID\$(P\$(X1),9 ,1)=LEFT\$(A\$(Y1),1)THEN PRINTP\$( X1):NEXTX1,Y1,Z :ELSENEXTX1,Y1,Z 3Ø N=INT(SQR(D))/T+1:IFN>5 THEN N=5 $4\emptyset$  IFT>SQR(D)+2 THEN N= $\emptyset$ 5ø PRINTA\$(N):PRINT "+STR\$(A),2) 6Ø P\$(S)=RIGHT\$(" "+STR\$(B),2)+" "+RIGHT\$(" "+A\$(N):NEXTZ 100 PRINT"YOU GOT IT IN";S;"MOVE S..." 11Ø DATA 175, "YOU'RE FREEZING", 2 39, "YOU'RE COLD...", 207, "YOU'RE WARM...",159,"YOU'RE HOT...",255 "YOU'RE VERY HOT",191,"YOU'RE B

URNING..."



### Math Drill

4K

### By William A. Queen, III

Math Drill quizzes students in addition, subtraction, multiplication and division. The program is menu-driven and keeps track of the number of correct and incorrect answers. You may change the type of problem drilled without losing your score totals,

### The Listing: MATHORIC

' COPYRIGHT 1989 FALSOFT, INC 10 REM \*\*\* MATH DRILL 2Ø REM \*\*\* <C> 1988, W.A. QUEEN III

3Ø CLS:GOSUB 48Ø "YOUR NAME: "; 4Ø PRINT @ 226, 5Ø INPUT NAME\$ 6Ø CLS:GOSUB 48Ø 7Ø PRINT @ 169, "A ADDITION" 8Ø PRINT @ 2Ø1, "S SUBTRACTION 9Ø PRINT @ 233, ™M MULTIPLICATI ONII 1ØØ PRINT @ 265, "D DIVISION" 11ø PRINT @ 33ø, "SELECT ONE"  $12\emptyset$  AN\$ = INKEY\$ 13Ø IFAN\$="A"THEN15ØELSEIFAN\$="S "THEN15ØELSEIFAN\$="M"THEN15ØELSE IFAN\$="D"THEN15Ø 14Ø GOTO 12Ø 15Ø CLS:GOSUB 48Ø  $16\emptyset T = T + 1$ : X = RND(12): Y =

RND(12) 17Ø IF AN\$ = "A" THEN PRINT @ 22 8, "WHAT IS" X"+"Y; 18Ø IF AN\$ = "S" THEN PRINT @ 22 8, "WHAT IS" X"-"Y; 19ø IF AN\$ = "M" THEN PRINT @ 22 8, "WHAT IS" X"\*"Y; 200 IF AN\$ = "D" THEN PRINT @ 22 8, "WHAT IS" X"/"Y; 21Ø INPUT ANSWER 22Ø IF AN\$ = "A" THEN IF ANSWER = X+Y THEN 31Ø23Ø IF ANS = "S" THEN IF ANSWER = X-Y THEN 31Ø 24Ø IF ANS = "M" THEN IF ANSWER = X\*Y THEN 31Ø 25Ø IF AN\$ = "D" THEN IF ANSWER = X/Y THEN 31 $\emptyset$ 26Ø IF AN\$ = "A" THEN PRINT @ 32 6, "THE ANSWER IS" X+Y 27Ø IF AN\$ = "S" THEN PRINT @ 32 6, "THE ANSWER IS" X-Y 28Ø IF AN\$ = "M" THEN PRINT @ 32 6, "THE ANSWER IS" X\*Y 29Ø IF AN\$ = "D" THEN PRINT @ 32 6, "THE ANSWER IS" X/Y 3ØØ GOTO 41Ø 31Ø CLS(3)

320 FOR M = 1 TO 433Ø SOUND 175,1: SOUND 2ØØ,1 34Ø NEXT M 35Ø CLS 360 PRINT @ 168, "CORRECT, " NAM E\$ "!!!" 37Ø C=C +1 38Ø PRINT @ 235, "THAT IS" 39Ø PRINT @ 258, C "OUT OF" T "C ORRECT ANSWERS" 4ØØ PRINT @ 298, C/T\*1ØØ "% CORR ECT" 41Ø PRINT @ 356, "PRESS <ENTER> WHEN READY" 42Ø PRINT @ 386, "FOR ANOTHER OR <R> TO RETURN" "TO THE MENU"; 43Ø PRINT @ 426,  $44\emptyset$  A\$ = INKEY\$  $45\emptyset$  IF A\$ = CHR\$(13) THEN 15 $\emptyset$ 46Ø IF A\$ = "R" THEN 6Ø 47ø GOTO 44ø 48ø PRINT @ 1ø, "MATH DRILL" 49Ø PRINT @ 35, "<C> 1988, W.A. QUEEN III 5ØØ PRINT "============ ======="; 51Ø RETURN

### Home Help

### \$Chores\$ for Dollars

16K **ECB** 


### By Steve Paul

\$Chores\$ for Dollars is a handy program to inspire the younger members of the family to help out with the daily tasks around the home. \$Chores\$ is written in two sections. Lines 2 through 8 handle the inputs while lines 10 through 15 print the chore list.

When you run \$Chores\$, the program asks for a list of chores and their respective money amounts, allowing from one to nine entries. When the list is complete, the program automatically goes to the print mode in Line 6. \$Chores\$ prints two lists per page and as many pages as you want. Just line up the printer ribbon with the top of the page and start printing. It's amazing how ambitious my son became with this approach to the chore problem.

### The Listing: CHORES

- ' COPYRIGHT 1989 FALSOFT, INC '\*\* STEVE PAUL\*\*
  - \*\* BYRON, MI. \*\*
- CLEAR 4ØØ:DIM S1\$(9)
- '\*\*\*INPUT ITEMS & AMOUNTS\*\*\*
- 4 CLS3:PRINT@32\*3+1,"ALIGN PAPER WITH TOP OF RIBBON";:PRINT@32\*4



+8,"TURN PRINTER ON";

5 Y=1:PRINT@32\*6+2,"CHILDS FIRST NAME: ";:LINEINPUTCFN\$:IFLEN(CF N\$) >9THENCLS4: GOSUB17: GOTO5

6 CLS3:PRINT@32\*8+2,"CHORE NAME:

";:LINEINPUTS1\$(Y):IF LEN(S1\$(Y

))>14THENCLS4GOSUB17:GOTO6

7 PRINT@32\*1Ø+2, "MONEY VALUE";:I MPUTS(Y):PRINT:IF S1\$(Y) = "" THEN GOTO 11

- 8 IF Y=9 THEN GOTO11
- 9 Y=Y+1:GOTO6

```
10 ' ****PRINTER****
11 CLS6:PRINT@32*8+8, " NOW PRIN
TING ";:FOR LF=1T05:PRINT#-2
12 NEXTLF: FOR ZZ=1 TO 2:PRINT#-
2, TAB(1Ø); CFN$; "'S CHORE & ALLOW
ANCE REPORT:
              WEEK BEGINNING
--/--":PRINT#-2:T$=STRING$(58,"-
"):PRINT#-2,TAB(1Ø)T$:PRINT#-2,T
AB(1Ø)": CHORE NAME : SAMT :
S: M: T: W: T: F: S: TOTAL AMT.
13 FOR X=1 TO Y-1 STEP 9:FOR Z=X
TO X+8: PRINT#-2, TAB(1Ø) ":----
----:--:--:--:--:--:
--:--:"
14 PRINT#-2,USING "
           8: #.##: : :
```

```
:";S1$(Z);
S(Z):NEXT Z:NEXT X
15 T$=STRING$(57,"-"):PRINT#-2,T
AB(1Ø)T$;":"
16 PRINT#-2, TAB(33)":
                      ALLOWANCE
EARNED :
                      :":T$=STRI
NG$(34,"-"):PRINT#-2,TAB(33)T$;"
'":PRINT#-2:PRINT#-2:PRINT#-2:NE
XTZZ:PRINT"PRINT AGAIN? (Y/N) ":
INPUT PG$:IF PG$="Y" THEN GOSUBL
8:GOTO11 ELSEEND
17 PRINT@32*8+5," **TO LONG DO O
VER** ";:FORAA=1 TO 1ØØØ:NEXT AA
: CLS3: RETURN
18 FOR LF=1TO5:PRINT#-2:NEXTLF:R
ETURN
```

### **Note Card**

### By Darrin Seats

Being a high-school English student, I have found how unenjoyable giving speeches is. Making neatly-written note cards for each speech simply adds to the misery. This program prints a 3-by-5-inch note card by taking the information you type in and dumping it to your printer. When the program is done, cut out the note card along the dotted lines. *Note Card* was written using a DMP-110; if you have a different printer, just change the appropriate code in Line 150.

16K ECB

### The Listing: NOTECARD

```
Ø ' COPYRIGHT 1989 FALSOFT, INC
1Ø 'NOTE CARD MADE BY:
2ø ' DARRIN SEATS
3ø ' P.O. BOX 252
4ø ' SMITHSHIRE, IL. 61478
5Ø
6Ø POKE 15Ø,41 '12ØØ BAUD PRINTE
R
7ø CLEAR 12øø
8Ø DIM A$(26)
9Ø CLS:PRINT"INPUT TEXT THAT YOU
 WANT ON YOURNOTE CARD. MAXIMUM
LINE LENGTH IS 40 CHARACTERS. W
ITH A MAXIMUMOF 26 LINES."
1øø A=A+1
11Ø PRINTA;:LINEINPUT A$(A)
12Ø IF LEN(A$(A))>4Ø THEN PRINT"
REDO-TOO LONG!":GOTO 11ø
13Ø IF A<26 THEN 1ØØ
14Ø PLAY"A": PRINT" PRINTING NOTE
CARD"
15Ø PRINT#-2, CHR$(27); CHR$(2Ø) '
CONDENSED
16ø GOSUB 19ø:PRINT#-2:GOSUB 2øø
:FOR Q=1 TO 26:PRINT#-2,":
;:PRINT#-2,A$(Q);:W=LEN(A$(Q)):P
=4Ø-W:FOR E=1 TO P:PRINT#-2," ";
:NEXTE:PRINT#-2,"
                      :":NEXTQ:G
```

```
SEMIJAA
           Ob-3 is an operating wyscen
         An unersting system is a group of
         origines besigned to work with each
        other to allow standard 1/0 and control
        of a cosonier sketca. The was to
       which these prigrees were together
      boin to fors an environment of sores
     in which the user can work
    Of the Authorization the General That
    it effects note than one was in section
    given fales and programs at the same
  US-9 is also madif-tasking. This
 seans many pracesses, or running
 programs, can orrer of the sime time
ACS gloss this by providing such confusion process with a "blice"
of processor line at regular
```

OSUB 200:GOSUB 190
170 PRINT#-2, CHR\$(27); CHR\$(19)
180 END
190 FOR Q=1 TO 52:PRINT#-2,".";:
NEXT Q:RETURN
200 PRINT#-2,":";:FOR Q=1 TO 50:
PRINT#-2," ";:NEXTQ:PRINT#-2,":";
:RETURN

Submissions to "Novices Niche" are welcome from everyone. We like to run a variety of short programs that can be typed in at one screen sitting and are useful, educational and fun. Keep in mind, although the short programs are limited in scope, many novice programmers find it enjayable and quite educational to improve the software written by others.

Program submissions must be on tape or disk. We're sorry, but we cannot key in program listings. All programs should be supported by some editorial commentary, explaining how the program works. If your submission is accepted for publication, the payment rate will be established and agreed upon prior to publication.

# DIGISECTOR DS-69B VIDEO VIDEO DIGITIZER FOR THE COCOS...)

SUPERUTION !!!



COCO 3 SCREEN

### USE YOUR COCO 3 TO ITS FULL POTENTIAL!

Use The Micro Works' DIGISECTOR™ DS-69 or DS-69B and your COCO 3's high resolution graphics to capture and display television pictures from your VCR or video camera. The DIGISECTOR™ systems are the only COCO video digitizers available that accurately capture and reproduce the subtle shades of gray in TV pictures!

- COLOR: Add color to your screen for dramatic special effects.
- HIGH RESOLUTION: 256 by 256 spatial resolution.
- PRECISION: 64 levels of grey scale.
- SPEED! 8 images per second on DS-69B, 2 images per second DS-69.
- COMPACTNESS: Self contained in a plug-in Rompack.
- EASY TO USE: Software on disk will get you up and running fast!
- COMPATIBLE: Use with a black and white or color camera, a VCR or tuner.
- INEXPENSIVE: Our low price puts this within everyone's reach.

### **POWERFUL C-SEE 3.3 SOFTWARE**

This menu-driven software will provide 5 and 16 shades of gray to the screen and to the printer with simple joystick control of brightness and contrast. Pictures taken by the DIGISECTOR™ may be saved on disk by C-SEE 3.3 and then edited by our street MACIONA DIA.



optional MAGIGRAPH, or by COCO MAX or GRAPHICOM. This versatile new software is included in both DIGISECTORS™

DS-69B and C-SEE 3,3 DS-69 and C-SEE 3,3 \$149.95 \$ 99.95

### TRADE IN YOUR OLD DIGISECTOR™

If you already have one of The Micro Works' DS-69 or DS-69A DIGISECTORS™, you may return it to us and we will upgrade your unit to a DS-69B.

UPGRADE DS-69A to DS-69B UPGRADE DS-69 to DS-69B \$49.95 \$69.95

The DS-69B comes with a one year warranty. Cameras and other accessories are available from The Micro Works. DS-88 version available for IBM PC.

### NO RISK GUARANTEE

If you are not completely satisfied with the performance of your new DS-69B, you may return it, undamaged, within ten days for a full refund of the purchase price. We'll even pay the return shipping. If you can get any of our compelitors to give you the same guarantee, buy both and return the one you don't like. We know which one you'll keep.



For many enthusiastic computer users, understanding the mechanics of their hardware is as essential as pen and paper to a writer. The following article will begin a basic explanation of the 40-track disk drive. Articles to follow will elaborate on various other drives.

First, to define a disk drive: A disk is similar to a cassette tape and a drive is like a eassette player. Both systems use the principal of magnetism, and in both eases the media is made of plastic material coated on one or both sides with a substance containing iron oxide. This makes it sensitive to an electromagnet, ealled a head. Both cassette players and disk drives have heads.

In a eassette player the tape is dragged across the head by a motorized mechanism. In the record mode, a magnetic field is created by the record electronics. This field varies in intensity proportional to the signal it is recording. The varying intensity leaves iron particles in the tape aligned in a specific order. Simply stated, the tape is magnetized while in the record mode. Then the tape dragging across the play head makes tiny magnetic fields that are transfered to electrical signals. These are then amplified to an andible level.

A disk drive's electronics works much the same way. The mechanism, obviously, is different in that it is made with a computer in mind. A cassette is made for continuous music, which makes it inconvenient when you want a small piece of data at the end of a tape. A disk drive, though, is made with the ability to access any part of it quickly.

Let's take a closer look at a disk. It is eommonly known as a *floppy disk*, because of its flexibility. The disk most used by the CoCo community is 5¼-inch square and consists of four parts.

The first is the actual media. It is a round piece of plastic, a little over 5 inches in diameter, with a 1½-inch hole in the center. Better-quatity disks have a second piece of plastic glued to the inner side of the disk to reinforce the mechanism that holds and spins the disk. More on that later. It also has a second hole, about 1/16 inch in diame-

Tony DiStefano is a well-known specialist in computer hardware projects. He lives in Laval Ouest, Quebec. Tony's username on Delphi is DISTO. Heads, sleeves, jackets and index pulses . . .

## The ABCs of Disk Drives

By Tony DiStefano Rainbow Contributing Editor

ter, that is about a half-inch from the edge of the inside hole. This is called the *index* hole.

The third part of the disk is called the *jacket*. The jacket serves two purposes. First, it is a protective cover for the media. Touching or bending the media can damage it or completely destroy data. Except for one slot, the jacket completely covers the media. This slot has to be left open so that the read/write head can access the media. The jacket also has a hole on both sides to expose the index hole and another hole to expose that part of the media pinched by the mechanism.

The second purpose is to protect the media from being erased. In the upper right-hand corner of the disk is a small noteh. When this notch is left uncovered, the disk drive is able to write to the disk whenever the software "tells" it to. When it is covered with opaque tape the disk drive cannot write to the media, even if the software "tells" it to.

The fourth part of a disk is the sleeve, a paper envelope that protects the media from fingers or dust and eigarette smoke. Most people don't realize it, but eigarette smoke ereates a thin film of tar

that attracts dust, putting extra wear on the drive heads. Sleeves cover everything from the index hole to the access hole. Whenever a disk is not being used, it should be stored in its sleeve. Never leave a disk in a drive with the door closed over a long period of time. It puts a dent in the media,

Now let's diseuss the drive. It is a meehanism used to read and write data to the disk. The first thing a drive does is spin the disk inside the jacket. When you elose the door of a disk drive, a plastie hub pinehes the disk to the metal hub and shaft of a motor. Older drives had a eapstan and were belt driven by a separate motor. Now drives have the motor built right into the hub. When the drive is selected, the motor spins the disk at about 300 rpm (revolutions per minute), give or take 5 rpm. Older drives took up to five seconds to come up to speed; the newer drives can come up to speed within two revs. That's about two-fifths of a second.

The next responsibility of the drive is to properly move the head. The read/write head is mounted on a movable assembly that can move across the access hole in the disk jacket. The heads rub on the moving media. Open the door of a drive and peek in just after a DIR and you will see the back-and-forth motion. The assembly moves with the help of a stepping motor. The head movement is done in steps, with each step being called a track.

With 40 of these tracks on each side of its disk, the 360K drive is today's most commonly used drive. The drive is double-sided, meaning that there are two read/write heads, one for each side of the disk. Tracks are numbered from 0 to 39, Track 0 being on the outermost area of the disk and counting up as tracks move toward the center. The head can move back and forth on a pair of rails controlled by a stepper motor that receives one of two signals from the controlling hardware.

The two signals are "step" and "direction." The direction is set according to where the head is and where you want it to go. Then the step pulse is applied, and the head moves the distance of one track in the specified direction. In the case of the 360K drive, the distance between two tracks is about one-forty-eigth inch. That is 48 tracks per inch.

A hardware switch positioned to turn on when the heads are at Track 0 tells the controller where the head is. The proper way to position the head to Track 0 is to give the controller a restore command or to step and test for the switch until Track 0 is detected. Some software steps in 40 times without testing; but if the head is not at Track 40, then it bangs against the Track 0 stopper and can possibly become misaligned. A register in the controller keeps track of where the head is. If the controller confuses where the heads are, it restores to Track 0 and then steps to the desired track.

Another duty of the drive is detecting index pulse. The little hole in the disk is used to give the controller a reference point. Inside the drive on one side of the hole is an IR (infra-red) LED. On the other side there is an IR detector. When the disk is spinning, most of the time the light emitted by the LED is blocked by the disk. Every revolution of the disk, the hole appears in the path of the LED and detector. This in turn gives a short pulse to the controller. By this signal the controller can determine a reference point to the rotational position of the disk.

This position reference is used when formatting new disks. Formatting divides the disk into small blocks called sectors. Each sector has a unique address or 1D number. They are assigned by track number, sector number and side. Some controllers, however, do not use side but, instead, have greater sector numbers,

As mentioned earlier, tracks are numbered 0 to 39. In CoCo's case, sectors contain 256 bytes of data each. There are 18 sectors per track per side. Radio Shack DOS is written to handle a single-sided drive with 35 tracks at 18 sectors per track. That gives you a total of 256 bytes x 18 sectors x 35 tracks = 161,280 bytes per disk.

Since most drives today can step 40-tracks and are double-sided. This is a waste of data area. Some third-party DOSs get around this by changing it to handle double-sided and 40 tracks.

When formatting, the controller does one complete track at a time. The index pulse is used to start the writing head up and then to shut it off. This keeps the write head from writing over the part already written on.

So far, I have been talking about the incchanical parts of a disk drive, but there is more — the electronics part.

A disk drive has several electronic sections in it. Though the actual electronics varies, there are standard protocols that make drives made by different companies compatible. This is called the interface. All drives use a 34-pin edge connector to transfer all electronic information to and from the controller. All the pins do basically the same thing. You can virtually unplug a Panasonic 360K drive and plug in a Tandem without any problems. Table I shows a pin list of the standard 360K drive connector.

Pin#	Function
2	N/C
4	N/C
6	D4 Select
8	Index Pulso
10	D0 Select
12	D1 Select
14	D2 Select
16	Motor On
18	Direction
20	Step
22	Write Data
24	Write Gate
26	Track 00
28	Write Prot
30	Read Data
32	Side Select
34	N/C
	,

All odd pins are ground returns. These signals completely control the drive. The electronics needed for this task are speed regulation for the spinning of the drive, stepping the head in and out, electronics to power the write head and crase head, and amplifiers to read the small signal of the read head and to light the "drive in use" LED.

a 360K Drive

Now you should have a good idea of how a disk drive works. Next time, I'll discuss how an 80-track drive is different and include a circuit on how to double-step the drives so it can read standard 40-track disks.

### MORE BAUD LESS BUCKS

Save Time and Money with a Surprisingly Afterdable 2400/1200/300 BPS Hayes -Compatible Modom for any Computer.

Don't be looted by the low cost of these 2400 baud moderns. These are high quality moderns made in the USA, with performance features unmatched by corpositions costing these times as much.

This is full-leatured Hayes compatible modern that works with any computer. It features superior Hayes compatibility, edvanced digital signal processing, and adaptive equalization for great performance and reflability. All of this in a compact, ettractive goarsywhere package that's not not much larger than a pepor back book.

Convenience leatures like call progress tono detection, auto-dial and auto-answer, a call progress speaker with volume control, a second jack for a local phone, on board diagnostics.

Money saving premiums for sign-up and connect time for Dolpht, The Source, CompuServ, etc. Softwarn evailebla: ProcComm (PC) + 5; QuickLink (Mac) + 5; WizPro is free (shareward).

Backed by two year mig. warrantoo, so you can buy with confidence that comes with 11 years of follocommunication experience.

2400/1200/300 BPS modem \$125.00

(Please add 2.50 shipping and handling) Doalor inquiries welcome.

### GCS FILE TRANSFER UTILITIES

See: Review - December Rainbow, Dale Puckett - November Rainbow.

The GCS File Trenster Utilities provide a simple and quick method to transfer lext and binary files from and to a variety of floppy disk formats.

Just place the PC (MSDOS), RSDOS, FLEX or MiNI-FLEX disk into your disk drive - enter a simple command end the life is copied into a OS-9 file. File transfer back is just as simple. Under Multi-Vuo version, just select command from one of three monus. Commande Dir of PC, RS or FLEX disk

Dump disk sector of PC, RS or FLEX Reed file from PC, RS or FLEX disk Write life to PC, RS or FLEX disk Reneme life on PC disk Delete file from PC disk Formet PC disk

Extensive Options

Requiree

Single, Double sided disks.
Single, double density disks.
35, 40 or 80 track flappy drives.
8 or 9 sectors (PC).
First level sub-directories (PC).

Binary filos. Use pipes for direct and multiple trensfers. OS-9, 2 drives (one can be hard or

ramdisk - one floppy 40 T DD DS), Multi-Vuo for Multi-Vue version, SDISK (SDISK3 for COCO III).

### GCS File Transfer Utilities for CoCo

Mulli-Vue vereion \$54,95 Stendard vereion \$44,95 SDISK or SDISK3 \$29,95

Standard diskertes are OS-9 lormar (5,25') add \$2,50 tor 3,5'.
Orders must be prepaid or COD, VISA/MC, Add \$1,75 S&H,
COD is additional.

GRANITE COMPUTER SYSTEMS
Route 2 Box 445 Hilleboro, NH 03244
(603) 464-3850

OS-9 is a frademark of Microware Systems Corporation and Motorola Inc. MS-DOS is a trademark of Microsoft Corp. FLEX is a trademark of TSC, Inc.



The eleventh in a series of tutorials for the beginner to intermediate machine language programmer

### Machine Language Made BASIC Part XI: 3-D Without Glasses

### By William P.Nee

n last month's article about 2-D rotation, everything was plotted symmetrically and we didn't have to pay any attention to location. Now we will be discussing 3-D, and it becomes more important to visualize where we are actually plotting our points.

Think of the center of the screen as 0,0,0 — that is, zero x, zero y, and zero z. Numbers or bits to the right of the center are +x and those to the left of the center are -x. Numbers or bits above the center are +y and below the center are -y. Numbers or bits between you and the screen are -z, and behind the screen are +z. The z numbers or bits, of course, are not really there, but they must be taken into consideration when rotating points. We still only PSET the x and y coordinates.

Bill Nee bucked the "snowbird" trend by retiring to Wisconsin from a banking career in Florida. He spends the long, cold winters writing programs for his CoCo. ROTATE AROUND X AXIS
Y1 = Y\*COS - Z\*SIN
Z1 = Y\*SIN + Z\*COS

ROTATE AROUND Y AXIS Z1 = Z\*COS - X\*SIN X1 = Z\*SIN + X\*COS

ROTATE AROUND Z X1 = X\*COS - Y\*SIN Y1 = X\*SIN + Y\*COS Z1 = Z

Figure 1

rigure i

Listing 1: RD	TATE 3D				
		00100	000	0/700	
4FØØ 1Ø8E	5000	gg1gg gg11g START	ORG LDY	\$4FØØ	
4F94 198E 4F94 19BF		93129 START	STY	#\$52ØØ COORD	START OF COORDINATES
4FØB F6	5985	99139	LDB	NUMBER	
4FØB F7	5082	99149	STB	COUNT	NOW ARMI DOIS TO SET
4FGE C6	32	99159 RNDX	LDB	#59	
4F1Ø BD	BC7C	00160	JSR	SBC7C	REGISTER B TO FF1
4F13 BD	BFIF	99179	JSR	\$BF1F	RND(59)
4F16 BD	B3ED	99189	JSR	SB3ED	PUT IT BACK IN RECISTER B
4719 1E	89	99199	EXG	A.B	MAKE IT A 2-BYTE NUMBER
4F1B ED	A4	Ø9299	STD	. Y	+X
4F1D ED	26	99219	STD	6.Y	+X
4F1F ED	20	99229	STD	12.4	+X.
4F21 ED	A8 12	gg23g	STD	18.Y	+X
4F24 49		Ø924Ø	NEGA		
4F25 ED	A8 1B	G925Ø	STD	24.Y	-X
4F28 ED	A8 1E	99269	STD	3Ø,Y	- X
4F2B ED	A8 24	99279	STD	36,Y	-X
4F2E ED	A8 2A	GG2BG	STD	42.Y	-X
4F31 C6	32	99299 RNDY	LDB	#5Ø	
4F33 BD	BC7C	99399	JSR.	\$BC7G	BEGISTER B TO FP1
4F36 BD	BF1F	99319	JSR	\$BF1F	RND(59)
4F39 BD	B3ED	99329	JSR	\$B3ED	PUT IT BACK IN REGISTER B
4F3C LE	89	99339	EXG	A,B	MAKE IT A 2-BYTE NUMBER
4F3E ED	22	99349	STD	2, Y	+Y
4F49 ED	2B	99359	STD	B, Y	+Y
4F42 ED	AB 1A	99369	CTZ	26,Y	+Y
4F45 ED	AB 29	9937g	STD	32,Y	+¥
4F4B 4g		gg38g	NEGA		
4F49 ED	2E	99399	STD	14, 4	-Y
4F4B ED	A8 14	99499	STD	29.Y	-Y
4F4E ED	A8 26	99419	STD	38,Y	-Y
4F51 ED	A8 2C	99429	STD	44.Y	-Y
4F54 C6	32	99439 RNDZ	TDB	#5@	
4F56 BD	BC7C	99449	JSR	\$BC7C	BEGISTER B TO FP1
4F59 BD	BF1F	99459	JSR	\$BF1F	RND(SØ)
4F5C BD	83ED	99469	JSR	\$B3ED	PUT IT BACK IN REGISTER B
4F5F 1E	89	99479	EXG	A, B	MAKE IT A 2-BYTE NUMBER
4F61 ED	24	99489	STD	4,7	+Z
4F63 ED	AB 19	gg49 <b>g</b>	STD	16,Y	+2

4F66	EB	A8 1C	99599		STD	28.7	+Z
4F69		AB 28	99519		STD	40 Y	+Z
4F6C			gg 52g		NEGA	721-	1 64
4F6D		2A	93539		STD	19.Y	-Z
4F6F		AB 16	99549		STD	22.Y	-Z
4F72		A8 22	99559		STD	34.Y	-2
4F75		A8 2E	9956g		STD	46,Y	-Z
4F78		A8 30	99579		LEAY	48,Y	NEXT COORDINATE LOCATION
4F7B		5982	9958g		DEC	COUNT	FINISHED ALL THE DOTS YET?
4F7E		8E	99599		BNE	RNDX	THIS CLOU THE THE PAIS ITEL
4F89		95	88988 Accad	74075	LDB	#5	
4F82		9653		PAGES	JSR	\$9653	
			99619				DAT C
4F85 4F88		9542 1F	99629		JSR	\$9542	PCLS
			gg63g		BSR	PICK	WHICH AXIS TO ROTATE AROUND?
4FBA		48	99649		BSR	LOOP5	COMPUTE AND SET POINTS
4F8C		91	99659		LDB	#1	GRAPHICS SCREEN
4F8E		95AA	99669		JSR	\$95AA	
4F91		91	99679	PAGE1	LDB	#1	
4F93		9653	99689		JSR	\$9653	200
4F96		9542	99699		JSR		PCLS
4F99		gE.	99799		BSR	PICK	WHICH AXIS TO ROTATE AROUND?
4F9B		37	99719		BER	LOOP5	COMPUTE AND SET POINTS
4F9D		91	99729		TDB	#1	CRAPHICS SCREEN
4F9F		95AA	99739		JSR	\$95AA	
4FA2		9F A9Ø9	99749	FIN	JSR	[\$A999]	
4FA6		D8	99759		BEQ	PAGE 5	IF NOT, BACK TO PAGES
4FA8			99769		RTS		END OF THE PROCRAN
4FA9		93	99779	PICK	LDB	#3	THERE ARE 3 AXIS
4FAB		BC7C	9978P		JSR	\$BC7C	RECISTER B TO FP1
4FAE		BFLF	99799		JER	\$BF1F	RND(3)
4F81	BD	83ED	ggagg		JSR	\$B3ED	PUT IT BACK IN REGISTER B
4FB4		<b>P1</b>	99819		CMPB	#1	IS IT X ROTATION
4FB6	26	g <sub>B</sub>	99829		BNE	YROTAT	
4FB8	38	5292	99839		LDX	#\$5292	FIRST Y COORDINATE
4FBB	198E	5294	99849		LDY	#\$5294	FIRST Z COORDINATE
4FBF	39		9985g		RTS		
4FCØ	C1	92	99869	YROTAT	CMPB	#2	IS IT Y ROTATION
4FG2	26	98	99879		BNE	ZROTAT	BRANCH IF NOT
4FC4	8E	5294	99889		LDX	#\$5294	FIRST Z COORDINATE
4FG7	198E	5299	99899		LDY	#\$5299	FIRST X COORDINATE

Since the Color Computer numbers from the top of the screen down, we change the y direction a little. Look at the following diagram:

If you want to set a point (x1,y1) at coordinates (+12,+16), what is the actual screen location? Since the xl location is to the right of the center, it's location is 128+x1; since the y1 location is above the center, it's location is 96vI. The screen location is then 140,80. If x2 is -20 and y2 is -30, its screen location is 128+(-20),96-(-30), or 108,126. It is the x,y (and z) coordinates that are stored and rotated, not the screen locations.

In last month's article we actually revolved points around the z axis although we just called it rotating. Now we need a formula to rotate around the x axis, a horizontal line through the center of the screen, and the r axis, a vertical line through the center of the screen. As before, x, y and z are the old locations and x1, y1 and z1 are the new rotated locations. (See Figure 1,)

Since we are using the same angle of rotation in all three cases (see last month's article), all three formulas are the same — just the x, y and z are



### **NOW ONE YEAR LIMITED WARRANTY ON ALL DISTO PRODUCTS**

**CRC COMPUTERS** 

All DISTO products are designed by well known "TURN Of The Screw" author TONY DISTEFANO Every one can NOW afford and enjoy a OISTO Controller



### Mini Controller

The No-Extra-Cost Controller

- 2 DOS Switcher (switch included)
- NO clumsy jumpers to move
   Accepts 24 or 28 pin EPROMs

75\$ DOS included (add 10\$ for 2nd DOS)

See page 123, March 89 Rainbow for more into

RS-232 SuperPack 55\$

A Stand-Alone (Multi-Pak rgd.) adapter that gives the user a frue RS-232 Senal Port. Completely compairble with OS-9's ACIA software.

- Compatible with software that requires the Tandy Deluxe RS-232 Pack
- · DB-25 cable recluded

To plug mio your DISTO Super Add Ons (Mulli-Pak required)

Super RAM 3 ZeroK Board 25\$ Free software included

RGB to Monochrome 35\$ Video/Audio Adapter See page 123, March Rainbow 89

MEB Adapter 35\$

Under OS-9:

LOCAL RADIO SHACK STORE Part no: 90-2009

Bullered Read/Write sector achieved without halting the CPU Continual use of keyboard even white reading or wirling to disk. System's clock no longer looses time during Read & Write.

NMI is blocked & transferred to IRQ in software for low CPU overhead . Completely Interrupt driven for last

& smooth Multi-Tasking operations.

• Drivers written by KEVIN DARLING

Don't let anyone tell you otherwise, the WD 1773 does not have any problems with COCO 3s. !! Only bad designs do !!

CRC COMPUTERS INC.

11 Boul. Des Laurentides, Laval, (Quebac), Canada H7G 2S3 for Canadian Prices include S&H of \$4 or \$8 if order exceeds \$75

The only floppy disk Controllers that ELIMINATES the need of a Multi-Pak

Super Controller

Along with the included DOS, plug-in three more software selectable DOSes or 2764 or 27128 EPROMs burned to your liking.

The internal M.E.B. (Mini Expansion Bus) lets you add DISTO's incledible Super Add-ons

Super Controller

NOW AVAILABLE AT YOUR

99.95 \$ /110\$ (2 DOSes)

SUPER ADO-ONS

RADIO SHACK (R) which has more experience with COCO controllers then eny other supplier now carry the DISTO SUPER CONTROLLER II

See page 122, March 89 Rainbow for more info 75\$ 3 in 1 Multi Board Adapter Parallel Printer Port, Real Trini and a flue RS-232 Serial Port. External DC adapter required. (OS-9 Driver included)

> Real Time Clock & Printer Interface 35\$ OS-9 Driver (20\$)

Mini EPROM Programmer 55\$ 40\$

Hard Disk Adapter Works with SASI & SCSI interface. No Multi-Pak needed rl used with SC1 of SC2. Compatible with RGB DOS and Burke & Burke Hyper I/O. OS-9 Driver included. Hard Disk Adapter with RS-232

NEW EXTENDED WARRANTY SERVICE:

Any Disto Product serviced for Ital rate of 20 \$US (includes S/H). Call us for your R.M.A. number

Sorry; No personal cheques Master Card and Visa Accepted

<u>1-514-967-0195</u>

different. Again, it is only the x and y screen locations that are actually PSET.

The machine-language program picks a set of 25 random coordinates between 1 and 50 for x, y and z. Since the pattern is symmetrical, there are actually eight coordinate points computed and rotated;

$$\begin{array}{lll} X_1 \mathcal{Y}_1 Z & X_2 - \mathcal{Y}_1 & -X_1 \mathcal{Y}_1 Z & -X_1 - \mathcal{Y}_1 Z \\ X_1 \mathcal{Y}_1 - Z & X_1 - \mathcal{Y}_1 - Z & -X_1 \mathcal{Y}_2 - Z & -X_1 - \mathcal{Y}_1 - Z \end{array}$$

"After picking an axis of rotation, the program computes the other two coordinate's rotated position, but the axis coordinate remains unchanged."

Our coordinate table, which is two bytes for each x, y, and z coordinate, starts at \$5200. The first x coordinate is stored in locations \$5200 +0, +6, +12 and +18; the negative x coordinate is stored at \$5200 +24, +30, +36 and +42. The first y coordinate is stored at \$5200 +2, +8, +26 and +32; the negative y coordinate is stored at \$5200 +14, +20, +38 and +44. The first z coordinate is stored at \$5200 +4, +16, +28 and +40; the negative z coordinate is stored at \$5200 +10, +22, +34 and +46.

So starting at \$5200 we have:  $\pm x$ , 0,  $\pm y$ , 0,  $\pm z$ , 0,  $\pm z$ , 0,  $\pm x$ , 0,  $\pm y$ , 0, -z, 0,  $\pm x$ , 0,  $\pm y$ , 0,  $\pm z$ , 0,  $\pm z$ , 0,  $\pm x$ , 0,  $\pm y$ , 0,  $\pm z$ ,

Since we run the program from BASIC, we do not need to set the PMODE or color. After setting Page 5, the computer randomly selects the axis of rotation, Remember that \$5200 is the location of the first x coordinate, \$5202

4FCB 39	99999	RTS		
4FCC 8E 5299	99919 ZROTAT	LDX	#\$5200	FIRST X LOCATION
4FGF 1Ø8E 52Ø2	\$\$92\$	LDY	#\$5292	FIRST Y LOCATION
4FD3 39	88338	RTS	"Washi	I I I I I I I I I I I I I I I I I I I
4FD4 CE 7000	ØØ94Ø LOOPS	LDU	#\$7999	LOCATION OF "SCRATCH PAD"
4FD7 F6 5Ø85	99959	LDB	NUMBER	
4FDA 86 Ø8	99969	LDA	#8	SET 8 POINTS PER COORDINATE
4FDC 3D	99979	MUL		<b></b>
4FDD FD 5Ø83	99989 LOOP3	STD	COUNTI	
4FEG EC 84	gg 99g	LDD	,х	
4FE2 ED G4	91999	STD	, ט	
4FE4 ED 44	91919	STD	4,0	
4FE6 47	91,929	ASRA		
4FE7 56	91939	RORB		
4FE8 47	g1g4g	ASRA		
4FE9 56	91959	RORB		
4FEA 47	91969	ASRA		
4FE3 56	91979	RORB		
4FEC 47	91989	ASRA		
4FED 56	91999	RORB		
4FEE 47	g11gg	ASRA		
4FEF 56	g111g	RORB		
4FFF 47	g112g	ASRA		
4FF1 56	91139	RORB		
4FF2 47	91149	ASRA		
48E3 56	91159	RORB		
4FF4 ED 42	91169	STD	2, U	
4FF6 EC C4	g117g	TDD	, 0	
4FF8 A3 42	g118g	SUBD	2,0	
4FFA ED C4	Ø119Ø	STD	Ü,	
4FFG EG A4	91299	LDD	Y	
4FFE 47	91219	ASRA		
4FFF 56	91229	RORB		
5000 47	g123g	ASRA		
5991 56	g124g	RORB		
5992 47	Ø125Ø	ASRA		
5993 56	Ø126Ø	RORB		
5ØØ4 ED 42	91.279	STD	2,U	
5996 EC G4	91289	TDD	ָ , ט	
5998 A3 42	Ø129Ø	SUBD	2,0	
SØØA ED 84	91399	STD	, Χ	
500C EC A4	g131g NEWY	LDD	, Υ	
SØØE ED 46	Ø132Ø	STD	6,U	
5910 ED 48	Ø133Ø	STD	8,0	
5912 EC 44	g134g	TDD	4.U	
5914 47	g135g	ASRA		
5015 56	g136g	RORB		
5916 47	Ø137Ø	ASRA		
5017 56	g138g	RORB		
5018 47	91399 91499	ASRA RORB		
5919 56 591A ED 44	91419	STD	4.0	
501C EG 48	Ø142Ø	LDD	8.0	
5Ø1E 47	Ø143Ø	ASRA		
5Ø1F 56	91449	RORB		
5020 47	91459	ASRA		
5921 56	g146g	RORB		
5022 47	91479	ASRA		
5023 56	g1.48g	RORB		
5024 47	g149g	ASRA		
5925 56	91599	RORB		
5026 47	91519	ASRA		
5927 56	91529	RORE		
5928 47	Ø153Ø	ASRA		
5929 56	91549	RORB		
592A 47	91559	ASRA		
592B 56	Ø156Ø	RORB		
592G ED 48	Ø157Ø	STD	8,0	
592E EC 46	Ø1.58Ø	LDD	6,0	
5030 A3 48	91,599	SUBD	₿,Џ	
5@32 E3 44	91699	ADDD	4,0	
5934 ED A4	g161g	STD	, Y	
5936 39 96	g162g	LEAX	6,X	
5938 31 26	Ø163Ø	LEAY	6,Y	
593A FC 5983	91649	LDD	COUNTL	
5930 83 9991	91.659	SUBD	#1 100P3	
5949 1926 FF99	91669 91679 CET	LBNE	LOOP3	
5944 CE 5299	91679 GET 91689	LDU LDB	#\$52gg NUMBER	
5947 F6 5985 594A 86 98	Ø169Ø	LDA	#8 #0#bER	SET 8 POINTS PER COORDINATE
594C 3D	parap			THE STATE OF THE GOVERNMENTS
594D FD 5983	91799	JUL		
	91799 91719 LOOP6	HUL STD	COUNTI	
	g171g LOOP6		COUNT1 #96	
5959 86 69 5952 AP 42		STD		GET ACTUAL Y COORDINATE
\$959 86 69	91719 LOOP6 91729	STD LDA	#96	

5956	3D		91759		MUL		
5957	9B	BA	Ø176Ø		ADDA	\$BA	CRAPHICS START
5959	1F	91	91779		TFR	D,X	REGISTER D TO REGISTER X
5958	E6	C4	91789		LDB	, U	ROTATED X COORDINATE
5Ø5D	CB	89	91799		ADDB	#128	ACTUAL X COORDINATE ON SCREE
5Ø5F	54		91899		LSRB		8 BITS PER BYTE
5969	54		91819		LSRB		
5961	54		91829		LSRB		
5962			Ø183Ø		ABX		ADD TO REGISTER X; - BYTE
5963	86	89	91.849 B	II	LDA	#128	
5965	AB	C4	Ø185Ø		ADDA	, U	GET ACTUAL X GOORDINATE
5967	84	97	g186g		ANDA	#7	GONVERT TO A NUMBER Ø - 7
5969	198E	92DD	Ø187@		LDY	#\$92DD	OR TABLE LOCATION IN ROM
596D	E6	84	Ø188Ø		LDB	, X	GET GURRENT BYTE CONTENTS
596F	EA	A6	01890		ORB	A,Y	OR IT WITH OR TABLE
5971	E7	84	grada		STB	, X	PSET MEW BYTE CONTENTS
5973	33	46	Ø191Ø		LEAU	6,0	NEXT COORDINATE LOCATION
5975	FC	5983	91929 F	INISH	I.DD	COUNT1	
5978	83	9991	Ø1930		SUBD	#1	
597B	1926	FFCE	01949		LENE	LOOP6	ALL DONE YET?
507F	39		Ø195Ø		RTS		
5989			\$1969 C	COORD	RMB	2	
5982			91979 G	COUNT	RMB	1	
5983			Ø1980 C	COUNTI	RMB	2	
5985		19	91999 N	UMBER	FGB	25	
		4F@@	92999		END	START	

is the location of the first y coordinate. and \$5204 is the location of the first z coordinate.

After picking an axis of rotation, the program computes the other two coordinate's rotated position, but the axis coordinate remains unchanged. The end of the program PSETS the x and r screen locations, Pressing any key stops the program and returns to BASIC.

Instead of using the machine language program to pick the  $x_i$  y and z coordinates, you can use your own program. The BASIC Alternate 3-D program is an example of this. Just remember to poke the following locations with:

> &H5085 - NUMBER OF DOTS (NO) &H5200 - START OF COORDINATES &H4F80 - NEW EXECUTION ADDRESS

### Listing 2: ORIVER

Ø ' COPYRIGHT 1989 FALSOFT, INC 5 REM DRIVER PROGRAM

1Ø PCLEAR8: CLEAR2ØØ, &H4FØØ-1

2Ø X=RND(-TIMER)

3Ø PMODE 4,1:PCLS:SCREEN 1,1

4Ø EXEC &H4FØØ

5ø GOTO 5ø

### Listing 3: ALTROTAT

ø ' COPYRIGHT 1989 FALSOFT, INC

5 REM ALTERNATE 3D PROGRAM 1ø PCLEAR8:CLEAR2øø,&H4F8ø-1

2Ø X=RND(-TIMER):ND=3Ø:P=&H52ØØ

3Ø CLS:POKE &H5Ø85,ND:PRINT@2ØØ, "CLEARING -"

4Ø FOR N=Ø TO ND\*8:POKE P+N,Ø:NE XT:CLS

5Ø PRINT@2ØØ, "COUNTING DOWN -"

6Ø FOR T=1 TO ND:PRINT@216,ND-T+

7Ø X=6Ø\*COS(T):Y=6Ø\*SIN(T):Z=6Ø\* TAN (T\*ATN(1)/45)

 $8\emptyset X=ABS(X):Y=ABS(Y):Z=ABS(Z)$ 

9Ø XX=256-X:YY=256-Y:ZZ=256-Z

1ØØ POKE P, X:POKE P+6, X:POKE P+1

2,X:POKE P+18,X

11Ø POKE P+2,Y:POKE P+8,Y:POKE P

+26, Y: POKE P+32, Y

12Ø POKE P+4,Z:POKE P+16,Z:POKE

 $P+28,Z:POKE P+4\emptyset,Z$ 

13Ø POKE P+24, XX: POKE P+3Ø, XX: PO KE P+36, XX: POKE P+42, XX

14Ø POKE P+14, YY: POKE P+2Ø, YY: PO

KE P+38, YY: POKE P+44, YY

15ø POKE P+1ø,ZZ:POKE P+22,ZZ:PO KE P+34, ZZ: POKE P+46, ZZ

16Ø P=P+48:NEXT

17Ø PMODE 4,1:PCLS:SCREEN 1,1

18Ø EXEC &H4F8Ø

19Ø GOTO 19Ø



Conquer the World!

\$18 DOMINATION MULTI-PLAYER STRATEGY GAME! Try to take over the planet of YCNAN Battle other players armies to take control of their provinces and defend yours. Play on a Hi-res map of the planet. Take the "RISK" and be a planet-lord today!!! Requires 1 disk and Shake a joystick at! See joystick or mouse. See Rainbow Review JULY 88

HAWKSoft P.O. Box 7112 Elgin, tl. 60121-71t2 312-742-3084 S/H always included Check COD or MO accepted 11 orders add 7% sales tax

**A** 

MYDDS \$15 EPROMABLE! CUSTOMIZABLE! MYDDS is an enhancement to Disk Extended Basic 21 on the CoCo 3 Screen echo and SAY command for RS Speech Pak. Point and click mouse directory. NEW FEATURES! Supports D/S and 40 track drives. Power-up in any screen colors (or monochrome), width, and palettes (RG8 or CMP) you wish! More options than you can Rainbow Review JUNE 87

HAWKSoft KEYBOARD CABLE \$25 UNCHAIN YOUR KEYBOARD! Five foot extender cable for Coco 11 and 3. Move your keyboard where you

want it! Installation instructions and tips included! Custom lengths

available



A time-saver for Color Computer 3 users . . .

### CoCo 3 Printer Spooler

### By Marc - ois

omputer users have become accustomed to the timesaving luxuries a computer provides — so much so that many of us are driven mad when we must wait for our printer to finish before continuing to edit or running the program. So I have made a spooler using the 6809's IRQ and a non-used 8K block of the CoCo 3.

The program works on any CoCo 3, 128 or 512K, and at any baud rate. Just type the program BASIC in and save it to a disk. Then run it and type EXEC &HFCOO. The program asks you for the printer baud rate, after which the program becomes transparent to BASIC.

When you make an LLIST with a program under 8K, the screen shows "OK" after two or three seconds and then the cursor reappears while the printer lists the program. Now you can edit or run your program while printing. If your program is longer than 8K—for example, 13K—wait for the first 5K.

The cursor reappears and the last 8K is buffered.

To stop printing, type EXEC. However, if you have loaded another ML program, type EXEC &HFDD2. Otherwise you will execute the other ML program.

With my DMP-130 and a serial/parallel interface at 9600 baud, there is no speed difference in the BASIC and the printer going at the same speed as a normal LLIST. In fact, I have tested it at all baud rates and at 1200 bps or faster I see no difference. At 600 baud BASIC runs a bit slower, but the keyboard response is good. Occasionally at 300 bps BASIC does not get the key you have pressed.

The program uses none of BASIC memory and is located in a lost space after the new BASIC. A fairly experienced assembly programmer can put it after the RS-DOS (at \$D8DO) and burn it on EPROM. But I have not located it after the DOS for compatibility with other DOSs that use this space.

(Questions or comments concerning this article may be directed to the author a. 112 Loisara, Esauport, Queoco, Canada G1C5K5. Please include an SASE when requesting a reply.)

Marc Genois is a French-speaking Canacian who straigs Computer Science in Quebec. He also operates a french BBS in Quebec, Editor's Note: In addition to the BASIC driver, the assembled program SPOOLBIN is included on this month's RAINBOW and DISK.


### Listing 1: 5PDOLBAS

1 CLS:PRINT"COCO 3 PRINTER SPOOL ER V1. Ø": PRINT"BY MARC GENOIS (C )87":PRINT"POKING DATA :" 2 FOR I=&HFCØØ TO &HFDA5: READ A: C=C+A: POKE I, A: PRINT@77, HEX\$(I): NEXT: IF C<>41296 THEN PRINT"CHEC KSUM ERROR IN DATA LINES.":STOP 3 PRINT: PRINT"NOW, TYPE :": PRINT "(C) SAVEM'SPOOLER', & HFCDD, & HFDA5 , &HFCØØ": END 4 DATA 52,18,48,141,0,126,189,18 5,156,189 5 DATA 161,177,129,49,37,249,129 ,54,34,245 6. DATA 189,163,10,128,49,183,252 ,119,72,48 7 DATA 141, Ø, 87, 16, 174, 134, 16, 15 9,149,19Ø 8 DATA 1,104,191,252,115,48,141, Ø,231,191 9 DATA 1,104,134,126,183,1,103,2 6,80,190 1Ø DATA 1,13,191,252,117,48,141, 1,20,191 11 DATA 1,13,183,1,12,142,64,0,1 91,253 12 DATA 87,191,253,85,142,162,19 3,134,18,167 13 DATA 128,140,162,201,38,249,1 42,162,239,167 14 DATA 128,140,162,249,38,249,1 42,253,7,159 15 DATA 157,28,175,53,146,56,16, 16,32,64 16 DATA Ø,19Ø,Ø,87,Ø,41,Ø,18,Ø,7 17 DATA Ø,1,13,13,67,111,67,111, 32,73 18 DATA 73,73,32,80,114,105,110, 116,101,114 19 DATA 32,83,112,111,111,108,10 1,114,32,32 2Ø DATA 118,49,46,48,13,66,121,3 2,77,97

21 DATA 114,99,32,71,1Ø1,11Ø,111 ,1ø5,115,32 22 DATA 32,40,99,41,32,49,57,56, 55,13 23 DATA 13,49,61,51,48,48,44,32, 24 DATA 54,48,48,44,32,51,61,49, 5Ø,48 25 DATA 48,13,52,61,50,52,48,48, 26 DATA 53,61,52,56,48,48,44,32, 54,61 27 DATA 57,54,48,48,13,69,110,11 6,101,114 28 DATA 32,112,114,105,110,116,1 Ø1,114,32,98 29 DATA 97,117,100,32,114,97,116 ,101,32,61 3Ø DATA 62,32,Ø,52,16,26,8Ø,142, 64,8 31 DATA 191,253,85,191,253,87,28 ,175,53,144 32 DATA 52,4,214,111,92,53,4,43, 4,110 33 DATA 159,252,115,50,98,52,23, 190,253,85 34 DATA 48,1,188,253,87,39,251,2 6,80,246 35 DATA 255,162,52,4,198,55,247, 255,162,48 36 DATA 31,167,128,14Ø,96,Ø,38,3 ,142,64 37 DATA Ø,191,253,85,53,4,247,25 5,162,53 38 DATA 151,68,68,0,16,190,253,8 7,188,253 39 DATA 85,39,59,246,255,162,52, 4,198,55 4Ø DATA 247,255,162,49,141,Ø,49, 246,252,119 41 DATA 166,165,52,2,166,128,246 ,255,34,B4 42 DATA 37,23,189,162,191,140,96 ,ø,38,3 43 DATA 142,64,0,191,253,87,188, 253,85,39 44 DATA 4,106,228,38,225,50,97,5 45 DATA 255,162,110,159,252,117, 1,1,1,2 46 DATA 3,6

### Join the MIDI revolution... turn your synthesizer into a recording studio!

If you've never heard what a CoCo and a MIDI synthesizer can do together, you're in for a real treat! Your CoCo can act as a sophisticated music controller. Use it to compose music on a graphics screen that looks just like printed music, and then play it on your synthesizer for incredible 8-part music. Or use it as a ten track tape recorder; advanced programming then lets you edit and modify to perfect your performance as much as you wish.



 Lyra (8 part MIDI music composition program; a great way to enjoy all the music you could never hope to play!)

Lyra Lybrary (a 16 disk collection of music transcriptions for Lyra) \$14.95 each disk

• The Lyra Companion (a 100 page book packed with tips on using Lyra) \$9.95

CoCo MIDI 3 (a complete professional quality MIDI sequencer)

FBEDIT (Edit and create new voices for the FB-01)

\$150.00

0

### **BASIC Training**

his article employs various attitudes used during the last lesson in which we created the figure of a bird. The following instructions will allow you to run this bird through some simple flight and behavior patterns and will provide you a foundation upon which to create more complex patterns.

The graph-paper utility is not needed since we have developed enough raw material to illustrate additional animation techniques. Refer to Listing 1. Lines 0 to 290 are very similar to last month's program. If you saved it, load it and enter DEL300-.

Line 110 is different. It has the second screen, SCREEN 1, and PCLS because all six attitudes were unveiled for reference. This is the reason Line 290 is masked.

If you did not save the program, simply key in lines 0 to 290 from Listing 1. Enter 181 GDTD 181, then run the program. You can see the six attitudes; from left to right, the variable names are A, B, C, D, AA and BB.

In assigning variables, try using a sequence that is easy to remember. Here is a list of my attitudes and corresponding variables:

Wing up attitudes A&B
Wings down C&D
Wings partly up AA
Wings partly down BB

With these you can make a tentative flight plan. My strategy for returning to the up-wing position is to use C, a variant of D, to give a different timelapse impression. To move the head up, BB continues the impression, followed by AA, passing the horizontal plane in an upward direction and ending in the full up-wing position using B. Use any position or sequence you like. Be creative, You should have no trouble roughing out a variety of possible attitudes on graph paper. Here is a possible configuration:

BDM+3,-2M+3,-2M+3,-2M+3,2

A straight-line horizontal plane attitude was not created because although the bird travels through the horizontal

Florida-based Joseph Kolar is a veteran writer and programmer who specializes in introducing beginners to the powers of the Color Computer. Some homegrown animation

### BASIC Bird Watching

By Joseph Kolar Rainbow Contributing Editor

plane on each flap, a straight line would be too distracting.

Enter DEL1B1, then key in lines 300 and 320 to 430. Attitude A is located from (12,12) to (2,4,1B). Key in Line 320. In the same location, replace A with AA

To make this transformation less abrupt, put a pause between the attitudes. Key in Line 310. (We're using a GDSUB routine because we will use it several times.) Note PCLSO. Add 325 GDTO 325. Type EDIT430, then press ENTER. Press the space bar until the cursor is under P. Enter 6D to delete PCLSO, then run the program. Then type DEL325, but don't run the program.

Our next pair of flaps are in lines 340 and 360 so key them in. They move to the right, +6 and down, +6. Enter 345 EDTD 345, then run the program. Notice that A vanished but not AA. To correct things enter EDIT430 and press ENTER. Then press the space bar until the eursor is under R. Type I (for Insert) PCL50: and press ENTER.

Key in lines 330 and 440. To make the pause longer in duration, we added a shorter pause. An example is the short pause between flaps at Line 310 and the longer pause while moving to a new location at Line 330. Now run the program,

As soon as the bird location changes, our reference group of attitudes is erased, as well as the bird, AA, at the old location. Do you know what erased A?

Mask Line 310. You are asked how

CoCo erases the lines in this situation. Lines 300 and 320 (with pause and erase masked) erased A. A and AA are in the same location, as were all the PUTS in the last tutorial. Each new PUT prints a new frame over the previous one, destroying it.

Unmask Line 310. Enter DEL345 and key in lines 350 and 370, the short and longer pauses.

Key in lines 380 to 410. Note that we move each pair of frames, C, 88 and AA, B, (+6.+6).

If you want to save the program, enter CSAVE. Experiment by substituting your home-grown bird attitudes and by changing locations. This is a good time to take a breather and go over what you've read so far.

To continue, look at Listing 2, If you saved your copy of Listing 1, load it by entering CLDAD, then type DEL420- and key in lines 420 to 510. Carefully compare lines 300 to 410 and change the GOTDs and GDSUBs to reflect those in Listing 2. Then run the program.

We are creating different flight patterns, but they aren't logical. Our prime purpose is to continue exploring how to locate various attitudes.

You recall that in lines 300 to 410 the bird was at one location in a pair of attitudes before moving to the next location. His flight downwards is not the same as his return trip. Press BREAK and enter LIST-4B0. The six attitudes return it to its original position. They are, in order, AA, BB, C. D, BB, AA. There is no change in the sequence of pauses: a short pause, a long pause and repeat sequence.

Here is how lines 430 to 480 are actually set up: The chosen attitudes are selected and listed on scratch paper. The coordinates in Line 410 are noted and written down. The first of the six lines is 430, and its variable was added to the coordinates pulled from Line 410. On the work paper copy it looks like this:

430 (30,30)-(42,36),AA

The coordinates from Line 300 are written about two inches below. The sixth line is designated as Line 480, and its preassigned attitude is AA. It looks like this:

480 (12,12)-(24,18),AA

Line 480 is printed over the attitude in Line 410 to avoid jerky motion in

flight. Line 480 should be printed at the same location as Line 300. This blends the movement of frames.

On the work-sheet, between the starting and ending move, write in:

440 ( )-( ),BB 450 ( )-( ),C 460 ( )-( ),D 470 ( )-( ),BB

All you need now are some coordinates in the four lines. Each line's starting coordinates are the most important. The ending coordinates are predicated on the starting ones, (+12,+6).

I decided to use coordinates (24,24) in lines 440 and 450; (18,18) in lines 460 and 470. These figures are written on the worksheet. It doesn't take a genius to add +12,+6 to each to get the ending locations of each frame.

Even though we are working upwards and to the left, our ending locations are always higher figures than the starting coordinates. Think of it as hanging a canvas in a location of your choice that is set with the beginning coordinates. The actual picture takes up the area that is defined by the ending coordinates.

Fill them in on your work-sheet. You know how to make PUT lines. At this point, it is pretty much a copying chore to transfer the data you accumulate into the program to create a flying loop. Line 480 also has the instructions to loop back to Line 300. Modify anything you feel could be improved to create other flight plans.

We use a somewhat different method in Listing 3. Load your copy of Listing 2 and enter DEL300-. In Line 110, chop off Screen 1,1. We don't want the attitudes created and stored by unmasking Line 290 to remove them from the screen. Key in lines 300 to 460 and run the program.

The bird cycles across the screen a few times, first downward and upwards without seeming to change direction, then undulating as it advances from left to right. (In this tutorial, x,y are the horizontal and vertical coordinates respectively.) Line 300 allows CoCo to begin its flight path at a location randomly chosen from 0,60 to 0,120.

Begin a worksheet by listing the scoop on the first line. For example:

320 (X,Y)-(X+12,Y+6).

Our attitudes will probably change until we get a smooth movement plotted. Expect to make eight frames in a downward direction and about six frames for wavy lines, 14 frames to a cycle.

Add on your paper places for lines 330 to 460:

In the first cight lines on your worksheet, you will progress by in-place pairs, creating the starting location, (+6,+6). The ending locations will be increased by (+12,+6). As a result, lines 320 and 330 are the same. The starting locations for Line 330 are x+0, y+0 or x. If

Add +6, +6 to lines 340 and 350, then enter the info on the worksheet. Continue the same increment pattern for lines 360 and 370 to begin at (x+12,y+12). Guess what the starting coordinates are for lines 380 and 390?

All the ending coordinates are +12, +6 more than the starting coordinates.

### 

When Tandy introduced OS-9 Level 2, you bought it. Now, no more excuses.



An Enjoyable, Hands-On Guide To OS-9 Level 2
On The Color Compuer 3
\$32.95 + \$2.50 P&H, US funds
Includes disk. Over 280 pages of lessons, essays & ttps.
Requires 2 drives, 512K, 80-column monitor.

Turbocharge your OS-9 system!

THE GOLDBERGUTILITIES

Power-packed dtsk with tutorial-style documentation!

Save dtsk space (Pk]□Find lost files (Grep)□Copy multtple files (Zcopy)□Sort long lists (Sort)□Clear screen with ease (Cls)□Convert between hex, decimal, and binary (Val)□ FIFTEEN COMMANDS IN ALL!

\$24.95 + \$2.50 S&H.

Kenneth-Leigh Enterprises
1840 Biltmore Street NW Suite 10
Washington DC 20009 202/232-4246
Personal check & money order welcome.

### Milme-Tilmes

The bi-monthly magazine on disk especially for your CoCo 3 with OS-9 Level 2!

- 10 programs with each issue to build your OS-9 library!
- Instruction and examples of Basic09 procedures to help with your own programs.
- Program Reviews, Hints, and Help columns to advance your knowledge of OS-9.
- Supplied totally on 5.25" disk

For only \$34.95, you get all 60 programs and valuable articles for a whole year!

Send U.S. check or money order to:

Sorry, no C.O.D.'s

JWT Enterprises

5755 Lockwood Blvd.
Youngstown, Ohio 44512 Cana

Prices:
1-Year \$34.95
Back Issues \$7.00 ea

Canada, add \$1.00 Foreign, add \$2.00 Calculate them and enter them in the appropriate places on the worksheet.

Line 400 is a masked reference line to indicate that the system is changed and we are preparing to move up and to the right. Therefore, cross out Line 400 on your worksheet.

In order to give an uneven aspect to the flight, the attitudes used in lines 410 to 460 are not paired.

Look at lines 410 to 460. The x forward motion increases by +6 each time. y decreases by -6 except in Line 440.

Line 410 takes a quantum drop at +6,+18. This simulates a sudden drop in an air pocket to add a glitch to the flight track. Note Line 440. It wasn't moved on the vertical coordinate, giving it a more erratic flight. Copy these offsets and then calculate and enter the ending coordinates, based on the beginning coordinates.

Now variables are chosen and assigned to each PUT line to make a viable flight.

Gather the info and key in one program line at a time, without the GDSUB routines and yanking PCLSO: out of Line 500, to see how the pattern shapes up. This is of limited value. You see where the frames progress but the proof is in the pudding — that is, how it looks in flight. Since you are also manipulating locations and time pauses, the interplay of attitude, location and pause has significant visual effects.

After you finalize your choice of attitudes and enter the PUTS, add

multiple-line GOSUB pause routines, etc. Ultimately you must use trial and error to wind up with your desired effect.

A FOR-NEXT loop at Line 310 to 470 allows the flight curve to run across the screen four times.

Line 480 gives a hint of the bird as it flies off the screen. Note that X+259 did not bomb out the program. What value would? Try X+969. You can even change the value to X+65000 and CoCo will still cooperate.

Line 480 is really a nonsense line. The last frame set by Line 460 PUTS x at 240. X equals (240+247). The value in Line 480 equals 487. The only thing that saves it is that y is a good value. CoCo sets the y and gives up on frame, if you are quick enough. Press BREAK and enter PRINT X, Y. Then run the program.

If you use 480 PUT (247, Y)-(259, Y+6), B, PSET, you get a traffic jam at the right edge. CoCo can't find a place to put the frame because the ending coordinates are off the screen, so it dutifully backs up and tries to get it all on. The result is one big mess.

One of the hazards of using GET-PUT is a bunched-up or junk frame. This malfunction is caused by off-the-screen location or DIM not allowing storage of the full canvas. But more frequently, improper calculations result in a PUT area that is not the same as the GET area. This error resides in the ending coordinates.

The coordinates to give the closest full picture without a pile-np are (243, Y)-(255, Y+16). The bird looks

like it is flying across the screen but is really flying sideways. Now make a copy of your final program.

The conventional way to show a bit of bird would be to DRAW one wing in a 6-by-6 area, enter DIM and BET, then enter PUT at the edge of the screen at 249.

Add to Line 120;

.00(2)

181 DRAW~8M120,O8D6M+3,-2E2M+1,2~ (a wing with a bend.) 281 GET (120,0)-(126,6), CC,G 480 PUT(29,Y)-(255,Y+6), CC, PSET:GOSU8510:GOTO300.

Then run the program.

You may use the (x,y) system to begin at any location as long as you designate the values of x and y in the program PUT line:

DEL300-300 X=50;Y=50 310 PUT (X,Y)-(X+12,Y+6),C,PSET 320 PUT (X-10,Y-10)-(X+2,Y-4),C, PSET 330 GOTO 330

Then run the program, Line 320 translates to:

PUT (50-10,50-10)-(50+2,50-4) or PUT (40,40)-(52,46)

Hope this gives you food for thought and an itch to try your hand at animation,  $\Box$ 

### Listing 1; FLIGHT51

```
Ø 'LISTINGI
løø '
11Ø PMODE4,1:PCLS:SCREEN1,1
12Ø DIM A(2), B(2), C(2), D(2),
E(2), AA(2), BB(2)
13Ø DRAW"BMØ,ØM+3,2F2M+1,2M+1,-2
E2M+3,-2"
14ø DRAW"BM2ø,øM+2,3F2M+2,1M+2,-
1E2M+2,-3"
15Ø DRAW"BM4Ø,ØBD6M+1,-2E2M+3,-2
M+3,2F2M+1,2"
16Ø DRAW"BM6Ø,ØBD6M+3,-2E2M+1,-2
M+1,2F2M+3,2"
17Ø DRAW"BM8Ø,ØF3M+3,1M+3,-1E3"
18ø DRAW"BM1øø,øBD6M+6,-4M+6,4"
23Ø GET(Ø,Ø)-(12,6),A,G
24Ø GET (2Ø,Ø)-(32,6),B,G
25Ø GET(4Ø,Ø)-(52,6),C,G
26\emptyset \text{ GET } (6\emptyset,\emptyset) - (72,6),D,G
27Ø GET(8Ø,Ø)-(92,6),AA,G
```

```
28\emptyset GET(1\emptyset\emptyset,\emptyset)-(112,6),BB,G
29Ø 'PCLS:SCREEN1,1
3ØØ PUT(12,12)-(24,18),A, PSET
31Ø GOSUB43Ø
32Ø PUT(12,12)-(24,18),AA,PSET
33Ø GOSUB44Ø:GOSUB43Ø
34Ø PUT(18,18)-(3Ø,24),BB,PSET
35Ø GOSUB43Ø
36Ø PUT(18,18)-(3Ø,24),D,PSET
37Ø GOSUB44Ø:GOSUB43Ø
38Ø PUT(24,24)-(36,3Ø),C,PSET:GO
SUB43Ø
39Ø PUT(24,24)-(36,3Ø),BB,PSET:G
OSUB44Ø:GOSUB43Ø
4ØØ PUT(3Ø,3Ø)-(42,36),AA,PSET:G
OSUB43Ø
41Ø PUT(3Ø,3Ø)-(42,36),B,PSET:GO
SUB44Ø:GOSUB43Ø:GOTO42Ø
42Ø GOTO42Ø
43Ø FOR Z=1TO1ØØ:NEXT:PCLSØ:RETU
RN
44Ø FORZ=1TO5Ø: NEXT: RETURN
```

### Listing 2: FLIGHTS2 Ø 'LISTING2 100 1 110 PMODE4,1:PCLS:SCREEN1,1 12Ø DIM A(2), B(2), C(2), D(2), E(2), AA(2), BB(2)13Ø DRAW"BMØ, ØM+3, 2F2M+1, 2M+1, -2 E2M+3,-2" 14Ø DRAW"BM2Ø,ØM+2,3F2M+2,1M+2,lE2M+2,-3" 15Ø DRAW"BM4Ø,ØBD6M+1,-2E2M+3,-2 M+3,2F2M+1,2" 16Ø DRAW"BM6Ø,ØBD6M+3,-2E2M+1,-2 M+1,2F2M+3,2" 17Ø DRAW"BM8Ø,ØF3M+3,1M+3,-1E3" 18ø DRAW"BM1ØØ,ØBD6M+6,-4M+6,4" 23Ø GET(Ø,Ø)-(12,6),A,G 24Ø GET (2Ø,Ø)-(32,6),B,G $25\emptyset \text{ GET}(4\emptyset,\emptyset) - (52,6),C,G$ 26Ø GET $(6\emptyset,\emptyset)$ - (72,6), D, G 27Ø GET(8Ø,Ø)-(92,6),AA,G $28\emptyset \text{ GET}(1\emptyset\emptyset,\emptyset) - (112,6),BB,G$ 29Ø 'PCLS:SCREEN1,1 3ØØ PUT(12,12)-(24,18),A, PSET 31Ø GOSUB5ØØ 32Ø PUT(12,12)-(24,18),A,PSET 33Ø GOSUB51Ø:GOSUB5ØØ

34Ø PUT(18,18)-(3Ø,24),BB,PSET

```
35Ø GOSUB5ØØ
36Ø PUT(18,18)-(3Ø,24),D,PSET
37Ø GOSUB51Ø:GOSUB5ØØ
38Ø PUT(24,24)-(36,3Ø),C,PSET:GO
SUB5ØØ
39Ø PUT(24,24)-(36,3Ø),BB,PSET:G
OSUB51ø:GOSUB5øø
400 PUT(30,30)-(42,36),AA,PSET:G
OSUB5 ØØ
41Ø PUT(3Ø,3Ø)-(42,36),B,PSET:GO
SUB510:GOSUB500
43Ø PUT(3Ø,3Ø)-(42,36),AA,PSET:G
OSUB5ØØ
44Ø PUT(24,24)-(36,3Ø),BB,PSET:G
OSUB51Ø:GOSUB5ØØ
45Ø PUT(24,24)-(36,3Ø),C,PSET:GO
SUB5ØØ
46Ø PUT(18,18)-(3Ø,24),D,PSET:GO
SUB51ø:GOSUB5ØØ
47Ø PUT(18,18)-(3Ø,24),BB,PSET:G
OSUB5 ØØ
48Ø PUT(12,12)-(24,18),AA,PSET:G
OSUB51ø:GOSUB5øø:GOTO3øø
49Ø GOTO49Ø
500 FOR Z=1T0100:NEXT:PCLS0:RETU
RN
51Ø FORZ=1TO5Ø:NEXT:RETURN
```

```
Listing 3: FLIGHTS3
  Ø 'LISTING3
  løø '
  11Ø PMODE4,1:PCLS
  12Ø DIM A(2), B(2), C(2), D(2),
  E(2), AA(2), BB(2)
  13Ø DRAW"BMØ, ØM+3, 2F2M+1, 2M+1, -2
  E2M+3,-2"
  14ø DRAW"BM2ø,øM+2,3F2M+2,1M+2,-
  1E2M+2,-3"
  15Ø DRAW"BM4Ø,ØBD6M+1,-2E2M+3,-2
  M+3,2F2M+1,2"
  16Ø DRAW"BM6Ø,ØBD6M+3,-2E2M+1,-2
  M+1,2F2M+3,2"
  17Ø DRAW"BM8Ø,ØF3M+3,1M+3,-1E3"
  18Ø DRAW"BM1ØØ,ØBD6M+6,~4M+6,4"
  23\beta GET(\beta,\beta)-(12,6),A,G
  24\beta GET (2\beta,\beta)-(32,6),B,G
  25\emptyset \text{ GET}(4\emptyset,\emptyset)-(52,6),C,G
  26\emptyset \text{ GET } (6\emptyset,\emptyset) - (72,6),D,G
  27ø GET(8ø,ø)-(92,6),AA,G
  28Ø GET(1ØØ,Ø)-(112,6),BB,G
  29Ø PCLS:SCREEN1,1
  3ØØ Y=RND(6Ø)+6Ø
  31Ø FOR X=Ø TO 24Ø STEP62
  32Ø PUT(X,Y)-(X+12,Y+6),A,PSET:G
  OSUB5ØØ
  33Ø PUT(X,Y)-(X+12,Y+6),AA,PSET:
  GOSUB51ø:GOSUB5øø
  34Ø PUT(X+6,Y+6)-(X+18,Y+12),BB,
```

PSET:GOSUB5ØØ 35Ø PUT(X+6,Y+6)-(X+18,Y+12),D,P SET:GOSUB51ø:GOSUB5øø 36Ø PUT(X+12,Y+12)-(X+24,Y+18),C , PSET: GOSUB5ØØ 37Ø PUT(X+12,Y+12)-(X+24,Y+18),B B, PSET: GOSUB510: GOSUB500 38Ø PUT(X+18,Y+18)-(X+3Ø,Y+24),A A, PSET: GOSUB5ØØ 39Ø PUT(X+18,Y+18)-(X+3Ø,Y+24),B ,PSET:GOSUB51Ø:GOSUB5ØØ 41Ø PUT(X+24,Y+3Ø)-(X+36,Y+36),A A, PSET: GOSUB5ØØ 42Ø PUT(X+3Ø,Y+24)-(X+42,Y+3Ø),B ,PSET:GOSUB51g:GOSUB5gg 43Ø PUT(X+36,Y+18)-(X+48,Y+24),A A, PSET: GOSUB5ØØ 44Ø PUT(X+42,Y+18)-(X+54,Y+24),C ,PSET:GOSUB51ø:GOSUB5øø 45Ø PUT(X+48,Y+12)-(X+6Ø,Y+18),B B, PSET: GOSUB5 ØØ 46Ø PUT(X+54,Y+6)-(X+66,Y+12),BB ,PSET:GOSUB5ØØ 47Ø NEXTX 480 PUT(X+247,Y)-(X+255,Y+6),B,PSET:GOSUB51ø:GOTO3ØØ 49Ø GOTO49Ø 500 FOR Z=1T060:NEXT:PCLS0:RETUR 51Ø FORZ=1TO5Ø:NEXT:RETURN (2)

The Charles

If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.

Let me tell you, it's no easy task coming up with a new program every month of the year. Strangely enough, inspiration always finds its way to my door. While agonizing over what to write this month, someone suggested a program about the twelve months of the year.

Lo and behold, Calendar was born. Now there's an early childhood program to help students learn the order, names and climates of each month. So you see, "twelve months" solved the problem for one.

Since first introducing the programs Opposites and Count on Me, I have received very positive responses to early-childhood educational programs for the CoCo. When many families buy a Color Computer, "having it help the kids" is a good justification for the money spent. But it is often hard to fulfill due to the lack of good youngster-oriented software. Calendar is one step in the right direction.

This program is designed to use the same basic format as introduced in *Opposites* and *Count on Me*, with a graphics representation for each month. This is a good starting point — familiarizing the child with the order of the months and an illustration to associate with each one. (For example, a snowman for January, a Valentine for February, etc. . . .)

Next, the program asks questions about each month. By pressing the space bar, the user can advance to the correct response and then press ENTER, allowing the program to continue asking questions. If the response is correct, the screen shows the correct match. If incorrect, the screen flashes and the student is given a chance to try again.

Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.

Learning the order, name and climate of each month

### Twelve Months of Fun

By Fred B. Scerbo Rainbow Contributing Editor

A scorecard may be seen by pressing the @ key. Pressing C from the secreeard will allow you to continue with the quiz.

The written quiz section asks questions like, "Which month comes between January and March?" This helps train and quiz students on the order of the months. The information, though quite basic, is essential to all young children and this is a new and fun way of learning it. In addition, it works to familiarize the child with the computer, laying a good foundation for using more advanced programs as the child gets older.

The graphics are drawn in bold black and white since many beginners use a black and white television with their first CoCo. Be careful when typing in the listing, which can be very long because of the graphic strings involved. (In the past 1 have shown you ways to merge these graphics to Match Game, but this program uses more strings to draw the pictures. I need to come up with a few more changes before 1 can give you alterations for using that program with these pictures.)

I hope all of you have someone in your family or among your friends who can benefit from *Calendar*.

Thanks to the many people who have continued to send old gray CoCos for us to distribute in our special needs classes throughout our school system. I am expecting our local news media to run some coverage on these new computer stations, which were donated from my many kind readers. If I can reprint anything from those articles, or any pictures, I will try to do so.

We do have several donated disk drives with no controllers, If any of you have an old controller that is collecting dust and you would like to donate it, you may contact me in care of Drury Senior High School, S. Church St., North Adams, MA 01247. The same goes for any older graphics Adventures you have solved and for which you have no further use. (Please, no pirated copies, That only hurts those of us who are trying to help create new software for you!)

Until next month, good luck in your CoCo dealings!

	1   50181	500 248
	50181	56075
		600 135
	25592	670 78
	330 116	770 , 191
	395 231	END120
	450 195	
The Listing: CALENDAR		
and annual Property of the		

```
ING$(32,156);:FORI=1T0192:READA:
PRINTCHR$(A+128);:NEXT
2Ø PRINTSTRING$(32,195);STRING$(
32,211);
25 PRINT@358," AN INTRODUCTION T
O ";:PRINT@39ø."
                     THE 12 MONTHS
3Ø PRINT@422," BY FRED B.SCERBO
  ";:PRINT@454," COPYRIGHT (C) 1
35 DATA11ø,1ø8,1ø9,1ø1,1ø8,1ø8,1
Ø9,1ØØ,11Ø,,96,1Ø9,1Ø8,1Ø9,1ØØ,1
11,,100,110,100,110,108,105,101,
108,108,109,100,110,108,108,109
4ø DATA1ø6,,,1ø1,,,1ø1,,1ø6,,,1ø
1,,,,11ø,1ø6,,1ø6,,1ø6,,1ø1,1ø1,
,,løl,,lø6,,,løl
45 DATA1Ø6,,,1Ø1,99,99,1Ø3,,1Ø6,
,,101,99,103,,106,109,,106,,106,
,101,101,99,99,103,,107,99,99,10
5Ø DATA1Ø6,,,1Ø1,,,1Ø1,,1Ø6,,,1Ø
1,,100,,106,100,106,106,,106,,10
1,101,,,101,,106,100,98,
55 DATA1Ø6,,,1Ø1,,,1Ø1,,1Ø6,,,1Ø
1,,96,,106,,108,106,,106,,101,10
1,,,101,,106,,100,98
6ø DATA1ø7,99,1ø3,1ø1,98,,1ø3,97
,107,99,106,103,99,103,97,107,,9
7,107,97,107,99,102,101,98,96,10
3,97,1Ø7,,,1Ø1
65 X$=INKEY$:IFX$<>CHR$(13)THEN6
7Ø DIM P$(12,3),A$(6),B$(2Ø),C$(
2\emptyset), A(2\emptyset), N(2\emptyset), B(4), C(4), D(4), E
(4), F(4), AO(2\emptyset)
75 FORI=1T03:READ C(I),D(I),E(I)
, F(I):NEXT:FORI=1T06:READA$(I):N
EXT: FORI=1TO12: READP$(I,1), B$(I)
,P$(I,2),C$(I):NEXT
8Ø FORI=1T012:P$(I,3)="BR12ND8R4
ND8R4D8BR4U8R6D8NL6BR4U8F8U8BR4R
4ND8R4BR4D8U4R6U4D8":NEXTI
85 COLORI,Ø
9Ø CLS:PRINTSTRING$(32,"=");:PRI
NT@72, "THE 12 MONTHS": PRINT@134,
"A) REVIEW MONTHS": PRINT@198, "B)
 QUIZ GRAPHICS": PRINT@262, "C) QU
IZ WRITTEN"
95 PRINT@324,"<<<SELECT YOUR CHO
ICE>>>"
100 PRINT: PRINTSTRING$ (32, "=");:
PRINT@420, "DEDICATED TO THE STUD
ENTS": PRINTTAB(6) "OF CONTE MIDDL
E SCHOOL"
1Ø5 X$=INKEY$: X=RND(-TIMER):IFX$
="A"THEN36ØELSEIFX$="B"THEN11ØEL
SEIFX$="C"THEN63ØELSE1Ø5
11ø CLSØ:PMODEØ,1:PCLS1
115 LINE (\emptyset, \emptyset) = (254, 17\emptyset), PRESET, B
12Ø LINE(6,4)-(122,82), PRESET, BF
```

### VIP Writer 1.1

### RATED "BEST" IN SEPT '88 "RAINBOW"

VIP Writer has all the foatures of VIP Writer III described elsewhere in this magazine except the screen widths are 32, 51, 64 & 85. Screen colors are black, green & white, double clock speed is not supported. Spooler and menus are unavailable because of memory limitations. Even so, VIP Writer is the BEST word processor for the CoCo 1 & 2 Version 1.1 includes the configuration program and RGB Hard Disk support. Includes VIP Speller 1.1 DISK \$69.95 and RGB Hard Disk support. Includes VIP Speller 1.1 Available Ihrough Radio Shack Express Order Cal. #90-141

Writar owners; upgrade to Writer 1.1 for \$20 + \$3 S/H, Send only original disk and \$23 total.

VIP Speller 1.1

INCLUDES 50,000 WORD DICTIONARY

VIP Speller works with ANY ASCII file created by most popular word processors even Telewriter 64. It automatically checks text files for words to be corrected, marked for special attention or even added to the 50,000 word Dictionary. You can even view the word in context. Words can be added to or deteled from the dictionary or you can create your own dictionary! New teatures of version 1.1 are FASTER and more reliable disk access and printing at 9600 baud. DISK \$34.95 Speller owners: upgrade to Speller 1.1 for \$10 + \$3 5/H. Send original disk and \$13 Total,

### VIP Calc 1.1

### "MORE USEABLE FEATURES" FEB. 1985 "RAINSOW"

VIP Calc has all the leatures of VIP Calc III described obsewhere in this magazine except the screen widths are 32, 51, 64 & 85. Screen colors are black, green and white, double clock speed and Spooler are not supported. Even so, VIP Calc is the most complete cate for the CoCo 1 & 21 Version 1.1 has laster and more reliable disk access and improved display speed.

DISK \$59.95 Cate owners; upgrade to Cate 1.1 for \$10 + \$3 S/H. Send only original disk and \$13 rotal.

### VIP Database 1.1 "ONE OF THE BEST" JUL '84 "RAINBOW"

VIP Database has all the features of VIP Database III described elsewhere in this magazine excopi iho screen widths are 51, 64 & 85, Screen colors are black, green and white, double clock speed and Spooler are not supported. Even so, VIP Database is the most complete database for the CoCo 1 & 21. Version 1,1 has laster and more reliable disk access and single spaced reports. DISK \$49.95 Database owners, upgrade to Database 1.1 for \$10 + \$3 S/H, Send only disk and \$13 total,

### VIP Disk-ZAP 1.1

RAVED ABOUT IN THE APRIL 1983 "RAINBOW" Now you can retrieve lost data on any disk. VIP Disk-Zap is the ultimate repair utility for repair of most disk errors. VIP Disk-Zap verifies diskettes, reads and writes any sector and lots you retrieve all types of bashed text files, BASIC and ML programs. VIP Disk Zap includes an informative 50 page tutorial manual, New features of version 1.1 are FASTER and more RELIABLE disk access and printing at up to 9600 BAUD. DISK \$24.95

Disk-Zap owners: upgrade to Disk-Zap 1.1 for \$10 + \$3 S/H. Send original disk and \$13 Total

### VIP Terminal RATED BEST IN JANUARY 1984 "RAINBOW"

For your important communications needs you've got to go beyond software that only lets you chat. You need a smart leminal so that you can send and receive programs and messages and print them! The VIP Terminal features 32, 51, 64 or 85 characters by 21 or 24 lines on the screen and has a 43K byte buffer to store

### VIP Integrated Library

Outperforms ALL OTHER Integrated programs!

The VIP Integrated Library 1.2 combines all six popular VIP programs · Writer 1.1, Speller 1.1, Calc 1.1, Database 1.1, Terminal and Disk-Zap 1.1 into one program on one disk. The program is called VIP Desktop. From the desktop you have instant access to word processing with a spelling checker always in attendance, data management with mail merge, spreadsheet financial analysis, telecommunications and disk maintenance, 64K required. DISK \$149.95

Available through Radio Shack Express Order Cat. #90-213. VIP Library orders add \$4 S/H USA, \$5 Canada & \$10 Foreign

VIP Integrated Library owners: upgrade to the VIP Integrated Library 1.2 for \$45 + \$3 S/H. Send only ORIGINAL disk and \$48 total,

### SD ENTERPRISES

(503) 663-2865 P.O. Box 1233. Gresham, OR 97030 We accept VISA / MASTERCARD and C.O.D. orders by phone. Non Library orders add \$3 S/H in USA, \$4 Canada, \$6 Foreign, COD orders add an additional \$2.75. Personal checks allow 3 weeks for delivery.

```
125 LINE(128,4)-(248,82), PRESET,
13Ø LINE(6,86)-(122,164), PRESET,
В
135 LINE(128,86) - (248,164), PRESE
14ø DRAW"BM26,188CØNU1ØR1ØNULØBR
6R1ØU6L1ØU4R1ØBR6NR1ØD4NR1ØD6R1Ø
BR12BU6NE4D2F4BR6R1ØU6L1ØU4R1ØBR
6ND1ØR1ØD4NL1ØBR6NR1ØD6U1ØR1ØD1Ø
BR6NR1ØU1ØR1ØBR6NR1ØD4NR1ØD6R1ØB
RIØUIØNL4RIØD4NL1ØD6NL14BR6U1ØR1
gD4NL1gD6BR6U1gR1gD4L1gR4F6BR6E4
U2H4"
145 DATA13Ø,6,246,8Ø,6,86,12Ø,16
2,13Ø,86,246,162
15ø PAINT(2,2),ø,ø:PCOPY1TO3
155 PMODEØ, 4: PCLS1
16ø LINE(Ø,Ø)-(254,17ø),PRESET,B
F
165 LINE(8,6)-(12Ø,8Ø), PSET, BF
17Ø PCOPY4TO2:PMODEØ,1:SCREEN1,
175 DATA"BM2,8C1","BM13ø,8Cø","B
M2,9øCø","BM13ø,9øCø","BM2,48Cø"
,"BMl3ø,48Cø"
18Ø FORI=1TO12
185 A(I) = RND(12) : IFN(A(I)) = 1THEN
19Ø N(A(I))=1:NEXTI:FORY=1T012:C
OLOR1,Ø
195 FORI=2TO4
2\emptyset\emptyset B(I) = RND(3) + 1: IFN(B(I)) = \emptyset THE
N2ØØ
2 \not = 5 N(B(I))=\not = 3:NEXTI:FORI=1TO4:N(
I)=1:NEXT
21Ø B=RND(1Ø):IFB=A((Y))THEN21Ø
215 C=RND(1\emptyset): IFC=B OR C=A((Y)) T
HEN215
22Ø DRAW A$(1):DRAWP$(A(Y),1)
225 DRAW A$(B(2)):DRAWP$(B,2):DR
AWP$(B,3)
23ø DRAW A$(B(3)):DRAWP$(C,2):DR
AWP$(C,3)
235 DRAW A$(B(4)):DRAWP$(A(Y),2)
:DRAWP$(A(Y),3)
24ø COLOR1,ø
245 Z=Ø
25Ø PMODEØ,4
255 DRAW A$(1)+"CØ":DRAWP$(A(Y),
1)
26Ø DRAW A$(B(2))+"C1":DRAWP$(B,
2):DRAWP$(B,3)
265 DRAW A$(B(3))+"C1":DRAWP$(C,
2):DRAWP$(C,3)
27Ø DRAW A$(B(4))+"C1":DRAWP$(A(
Y), 2):DRAWP$(A(Y),3)
275 PMODEØ,1:SCREEN1,1
28ø LINE(8,6)-(12ø,8ø),PSET,B
285 X$=INKEY$:IFX$=" "THEN295ELS
EIFX$="@"THEN8ØØ
29Ø COLOR1, Ø:LINE(8,6)-(12Ø,8Ø),
```

```
PRESET, B: GOTO28Ø
295 Z=Z+1:IFZ=4THENZ=1
3 p p COLORL, p:LINE(C(Z),D(Z))-(E(
Z), F(Z)), PSET, B
3Ø5 X$=INKEY$:IFX$=" "THEN295ELS
EIFX$=CHR$(13)THEN315ELSEIFX$="@
"THEN8 ØØ
31\emptyset COLORL, \emptyset:LINE(C(Z),D(Z))-(E(
Z), F(Z)), PRESET, B: GOTO3ØØ
315 IFZ+1=B(4)THEN325
32Ø NW=NW+1:FORK=1TO5:PMODEØ,4:S
CREEN1,1:SOUNDLØ,3:PMODEØ,1:SCRE
EN1,1:SOUND1,3:NEXTK:GOTO3ØØ
325 NC=NC+1:PMODEØ,4:PCLS1:LINE(
\emptyset, 4\emptyset) - (256, 126), PRESET, B: LINE (6,
44) - (124, 122), PRESET, B: LINE(13Ø,
44)-(248,122), PRESET, B: PAINT(2,4
2),ø,ø
33Ø DRAW A$(5):DRAWP$(A(Y),1)
335 DRAW A$(6):DRAWP$(A(Y),2):DR
AWP$(A(Y),3)
34ø SCREEN1,1
345 X$=INKEY$:IFX$<>CHR$(13)THEN
345
35ø PMODEØ,1
355 PCOPY3TO1:SCREEN1,1:PCOPY2TO
4:NEXTY:GOTO8ØØ
36ø PMODEØ,2:PCLS1:SCREEN1,1:LIN
E(\emptyset, 4\emptyset) - (256, 126), PRESET, B: LINE(
6,44)-(124,122),PRESET,B:LINE(13
Ø,44)-(248,122), PRESET, B: PAINT (2
,42),Ø,Ø
365 FORI=1T012:DRAW A$(5):DRAWP$
(I,l)
37ø DRAW A$(6):DRAWP$(I,2):DRAWP
$(I,3)
375 X$=INKEY$:IFX$<>CHR$(13)THEN
375
38ø COLOR1, Ø:LINE(8, 46) - (122, 12ø
), PSET, BF: LINE(132, 46) - (246, 12Ø)
, PSET, BF: NEXTI
385 RUN
39Ø DATA "BR14BD28R12L6D12NL6BR1
gul2R8D6NL8D6BR6Ul2M+8,+12Ul2BR6
D12R8U12BR6ND12R8D6NL8D6BR6U12R8
D6L6F6BR12U6NH6E6BE4BU4NL1Ø4BD28
LlØ4"
395 DATA JANUARY
4ØØ DATA"BR1ØBD46R1ØØL58H4U6E4R1
2F4D6NG4BU1ØBL6E4U4H4L8G4D4F2BU1
ØBR2H2U4E2R8F2D4G2BU1ØNR4NU8L2NU
8L2NU8L2NU8L2NU8L4BD16NG8BR16F8B
D3ØBL58U8NG2BR6NR6D4R6D4NL6BR8U8
L4R8"
405 DATA DECEMBER AND FEBRUARY
41ø DATA "BR14BD28NR8D6NR8D6BR12
NR8U6NR8U6R8BR4R1ØD6L8U6D12L2R1Ø
NU4BR4U12R8D6L6F6BR4BU12D12R8U12
BR4ND12R8D6NL8D6BR4U12R8D6L6F6BR
1ØU6NH6E6BE4BU4NL1Ø4BD28L1Ø4"
415 DATA FEBRUARY
```

### XTEAM & OS-9

### XTERM

OS-9 Communications program

- · Menu oriented
- Upload/download Asell or XMODEM protocol
- Execute OS-9 commands from within XTERM
- Definable macro keys
  - Works with standard serial port, RS232 Pak, or PBJ 2SP Pack, Includes all drivers
  - Works with standard screen, Xscreen WORDPAK or DISTO 80 column board

with some மி. 95

### ECONOMIST

Perform economic analysis to compare different cost and income alternatives! Compute present and future Life Cycle Worths for various combinations of single, series and gradi-

pute for sensitivity analysis! Display line graphs. Printout data and results. Pull-down menus, windows and prompts. Requires os-9 level II and Basic09.

\$39.95 WITH SOURCE \$79.95

### HARDWARE

512k memory upgrade Ram Software

Diurit Buckup.

Ram Disk Print Spooler \$134.95

All three for only \$19.95

"Software by ColorVenture

### XWORD OS-9 word processing system

- · Works with standard text screen, XSCREEN, WORDPAK, or DISTO
- · True character oriented full screen editing
- · Full block commands
- · Find and Replace commands
- Proportional spacing supported
   Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- t0 header/footers
- · Margins and headers can be set different for even and odd pages

\$69.95 with source \$124.95

XMERGE Mail merge capabilities for XWORD

\$24.95 with source \$49.95

XSPELL OS-9 spelling checker, with 40000 word dictionaries \$39.95

XTRIO xword/xmerge/xspell

\$114.95 with source \$199.95

XED OS-9 full screen editor

\$39.95 with source \$79.95

XDIS OS-9 disassembler

\$34.95 with source \$54.95

XDIR & XCAL Illerarchial directory, OS-9 calculator

\$24.95 with source \$49.95

### THE DIRECTOR

Produces hires picture sound and color animation shows. Completely menu driven with full editing. Great for presentations and ver's, Requires COCO III \$39.95

Call for price

### FOR RS DOS AND

### SMA L BUSINESS ACCOUTING

This sates-based accounting package is designed for the non-accountant oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Insulate Sales Entry teneralism. of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vender status Reports. Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

\$79.95

### INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update sales and the sales force. One may enterrupone inventory data, enter sales, run five sales analysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

\$59.95

### PAYROLL

PAYROLL

Designed for maintaining personnet and payroit data for up to 200 hourly and salarted emptoyees with 8 deductions each. Calculates payroil and tax amounts, prints checks and maintains year-to-date totals which can be automalically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withhold. Aditional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current mise, deductions. Suited for use in all stales except Oklahoma and Delaware stales except Oklahoma and Delaware

\$59.95

PERSONAL BOOKKEEPING 2000 Handles 45 accounts. Enters cash expenses as casily as checks. Handles 26 expense categories K. Menu driven and user friendly. \$39.95

### ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, perpares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Acciling package.

\$59.95

### ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, volds checks, cancels checks, de-letes cancelled checks, and detetes paid A/P Involces. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Tackage.

\$59.95



### MICROTECH CONSULTANTS

1906 Jerrold Avenue St. Paul, MN 55112

Dealer Inquiries Invited Author Submissions accepted 1-1



### Ordering Information

Add \$3.00 shipping & handling, MN residents add 6% sales tax. Visa, Mastercard, COD (add \$3.50), personal checks.

(612) 633-6161

42Ø DATA"BR6ØBD46M+18,-22U4H2U2H 2L2H2L4G2L2G4ND2H4L2H2L4G2L2G2D2 G2D4M+18,+22FEBH16BR6M-12,+6NH4N D4L2NH4ND4BM+36,-18BD4M+16,-1ØNL 6ND4BD44BL74R6D4L6D4R6BR6U8F8U8B R4R2D8L2R6U8NL4"

425 DATA JANUARY AND MARCH

43ø DATA "BR26BD28ND12R6ND12R6D1 2BR6U12R8D6NL8D6BR6U12R8D6L6F6BR 6NR8U12R8BR6D12U6R8U6ND12BR22BU8 NL1Ø4BD28L1Ø4"

435 DATA MARCH

44Ø DATA"BR58BD2ØU8E4R1ØF8D4G4NL 12F4D4G8L1ØH4NU8G4L1ØH8U4E4NR12H 4U4E8R1ØNF4BD32G6L4BL28BD1ØR6D4N L6D4NL6BR6U8R6D4L4F4BR4R2NU8R4U8 NL6"

445 DATA FEBRUARY AND APRIL

45ø DATA "BR32BD28ND12R8D6NL8D6B R6U12R8D6NL6BR6D6U12R8D6L6F6BR8U 12BR8D12R8BR24BU2ØNL1Ø4BD28L1Ø4" 455 DATA APRIL

46Ø DATA"BR58BD28F4R2ØE4NU4F2R8E 6U1ØH6L2ØG8ND6E4H8L16G8E2L1ØG6L6 G6D8F4R18E8G4R12E6BG1ØBR4NG12BL8 G14BL8E1ØBR24NG12E2BR8NG1ØBR8NG1 2BR8NG1ØBR8G12BL66BD8D4R6D4U8BR6 R4ND8R4BR4D8U4R6U4ND8"

465 DATA MARCH AND MAY

47Ø DATA "BR38BD28ND12R8ND12R8ND 12BR6ND12R8D6NL8D6BR12U6NH6E6BR3 ØBU8NL1Ø4BD28L1Ø4"

475 DATA MAY

48ø DATA"BR1ØBD46R1ØØL74U1ØH14U4 D1ØF16R2U8E14U4D1ØG16U2ØE6U6G2H2 G2H2G2H2D6F6BD22BR42U1ØH14U4D1ØF 16R2U8E14U4D1ØG16U2ØE6U6G2H2G2H2 G2H2D6F6BD32BL68NR6D4R6D4NL6BR1Ø U8L4R8BR4D8U4R6D4U8"

485 DATA APRIL AND JUNE

49Ø DATA "BR32BD28R12L6D12NL6BR1 2NU12R8NU12BR6U12F12U12BR6NR8D6N R8D6R8BR26BU2ØNL1Ø4BD28L1Ø4"

495 DATA JUNE

500 DATA"BR28BD20R64D2L64R6D12NG 2NF2BD4NG2NF2BD4NG2F2BE12R30U2L3 0U2R30U2L30U2R30BD32BL58L6D8U4R6 D4NL6BR10U8L4R8BR4D8U4R6D4U8"

505 DATA MAY AND JULY

51Ø DATA "BR32BD28R12L6D12NL6BR1 2NU12R8NU12BR8NU12R8BR8U6NH6E6BR 28BU8NL1Ø4BD28L1Ø4"

515 DATA JULY

52Ø DATA"BR2ØBD22D16R5ØU16NL5ØD8 R1ØE2R2E2R2E2U2E2U2BU6NU4BF2BR2N E4BD2BR4NR4BG2BD2NF4BL12NG2BU4NL 4BE2BU2NH2BD44BL74ND2R6D4G2D2BR1 2U8L4R8BR4D8U4R6D4U8" 525 DATA JUNE AND AUGUST 53Ø DATA "BR22BD28ND12R8D6NL8D6B R6NU12R8NU12BR6NR8U12R8BD6NL4D6B R6NU12R8NU12BR6R8U6L8U6R8BR4R6ND 12R6BR14BU8NL1Ø4BD28L1Ø4"

535 DATA AUGUST

54Ø DATA"BR32BD46H6R32U38G28R28U 28R4ND28D8F22L22D8L4R36G6BR2ØG4L 4H4G4L4H4G4L4H4G4L4H4G4L4H 4G4L4H4G4L4H4BD1ØBR4ND8R6D4NL6D4 NL6BR8U8L4R8BR4D8U4R6D4U8"

545 DATA JULY AND SEPTEMBER

55Ø DATA "BR12BD28NR6D6R6D6NL6BR 6NR6U6NR6U6R6BR6D12U6NR6U6R6ND6B R4R4ND12R4BR4NR6D6NR6D6R6BR6U12R 4ND12R4ND12BR6NL2ND12R6D6NL6D6NL 8BR6NR6U6NR6U6R6BR6ND12R6D6L6F6B U2ØNL1Ø4BD28L1Ø4"

555 DATA SEPTEMBER

56Ø DATA "BR4ØBD2ØL4D4R4D4NL4BR4 NR4U8R4BR4D8U4R4U4D8BR4U8R4D8NL4 BR4U8R4D8NL4BR4NU8R4BR8R6H2ØL32G 2ØR6D16R58NU16L8U1ØL6ND1ØBL8L4D4 R4U4BL12L4D4R4U4BL12L4D4R4U4BD22 BL24ND4R6D4NL4D4BR8U8L4R8BR4D8U4 R6D4U8"

565 DATA AUGUST AND OCTOBER

57Ø DATA "BR16BD28ND12R8D12NL8BR 6NR8U12R8BR4R6ND12R6BR4NR8D12R8U 12BR4R2ND12R8D6NL8D6NL1ØBR6NR8U6 NR8U6R8BR6ND12R8D6L6F6BR8BU2ØNL1 Ø4BD28L1Ø4"

575 DATA OCTOBER

58Ø DATA"BR56BD14ND3ØR8F4D22G4L1 6H4U22E4NR8G2L6G4D18F4R6L12H6U14 E6R6BR28R6F4D18G4NL6R6E6U14H6L6B L16BU4U4E6L4G6D4BD14L8E4ND2F4BR4 R8H4ND2G4L2D2NG4F4NL8BD6L1ØNH2R1 2E2BD2ØBL52NG2ND8BR4ND8R6D8NL6BR 1ØU8L4R8BR4D8U4R6D4U8"

585 DATA SEPTEMBER AND NOVEMBER 59Ø DATA"BR14BD28ND12M+8,+12U12B R4NR8D12R8U12BR4D8F4E4U8BR4NR6D6 NR6D6R6BR4U12R6ND12R6D12BR4R2U12 L2R1ØD6NL8D6NL8BR4NR8U6NR8U6R8BR 4ND12R8D6L6F6BR4BU2ØNL1Ø4BD28L1Ø 4"

595 DATA NOVEMBER

600 DATA"BR20BD40R80U4L80ND4R8U6 R4E2U2E2U2E2R2E2R2E2R16NE6G8D4F4 R8E4U4H4E8NG4H4U4R4F4D2G2L2BD4NL 4F4R2F2R2F2D2F2D2F4BL80BD22NG2ND 8BR8NG2ND8BR6R4ND8R4BR4D8U4R6D4U 8"

695 DATA OCTOBER AND DECEMBER
619 DATA"BR14BD28R2ND12R8D12NL19
BR4NR6U6NR6U6R6BR4NR8D12R8BR4NR6
U6NR6U6R6BR6ND12R6ND12R6D12BR4R2
U12L2R19D6NL8D6NL8BR4NR8U6NR8U6R
8BR4ND12R8D6L6F6BR4BU29NL194BD28

LlØ4" 615 DATA DECEMBER 62Ø DATA"BR34BD12G6R4G6R4G6R4G6R 26H6R4H6R4H6R4H6L2BD8NR2BD4NR2BD 4NR2BD4NR2BD4NR2BD2D4R2NU4BR36R8 L2U2L4R2U12NU12L4NU1ØL4NU1ØL4NU1 øL4NU1øR2øNU1øR4NU1øR4NU1øR4NU1ø BD28BL82NG2ND8BR6R6D4L6D4R6BU8BR 6R4ND8R4BR4D8U4R6D4U8" 625 DATA NOVEMBER AND JANUARY 63Ø CLS:V=1 635 FORI=1TO12  $64\emptyset$  AO(I)=RND(12) 645 IF N(AO(I))=1 THEN 64ø  $65\emptyset$  N(AO(I))=1:NEXTI 655 FOR P=1T012 66Ø CLS 665 PRINT@68, "WHICH MONTH COMES BETWEEN" 67Ø PRINT@132,C\$(AO(P))+" ?" 675 FOR Q=1TO2  $68\emptyset$  C(Q)=RND(1 $\emptyset$ ):IF C(Q)=AO(P) T HEN68Ø 685 FOR K=Q-1 TO ØSTEP-1:IF C(K) =C(Q) THEN68Ø 69Ø NEXTK 695 NEXTQ:C(3)=AO(P) 7ØØ FOR E=1TO3 7Ø5 F(E) = RND(3)71ø FOR K=E-1 TO Ø STEP-1:IF F(K )=F(E) THEN7 $\emptyset$ 5 715 NEXTK: NEXTE 72Ø PRINT 725 PRINTTAB(8)"A-"+B\$(C(F(1))): PRINT 73Ø PRINTTAB(8)"B-"+B\$(C(F(2))): PRINT 735 PRINTTAB(8)"C→"+B\$(C(F(3))): PRINT 74Ø G\$=INKEY\$:IFG\$="@"THEN8ØØ 745 IF G\$=""THEN74Ø 75ø G≐ASC(G\$)-64 755 IF G<1 THEN 74Ø 76ø IF G>5 THEN 74ø

### PREMIUM COCO3 512K UPGRADE

Made in USA by J&R Electionics

·Memory chips socketed, user replaceable

THEN78Ø

 Rugged, long life construction. Top mounted Memory for cooling

· Heavy duty POWER and GROUND planes to minimize memory errors due to norse

·High performance design, permits use of less expensive 150ns memory chips

We supply Prime memory chips, not inferior pulls or fallouts\*

765 IF C(F(G))<>AO(P)


 Includes RAMDISK, Spooler and Memory Test software on disk with 28 page User's Manual (We set the standard for 512K support software. We believe our software is uniquely powerful, as opposed to those 'Me, too' companies that charge extra for software with much less power!)

### SPECIAL PRICES

#1010-29.95 JramR bare board plus connectors and sollware

#1014-39.95 JramR assembled & tested ØK (No memory chips) and software \*CALL (for latest price of #1014 with memory chips and other products) To place an order, write to: J&R Electronics, P.O. Box 2572, Columbia, MD 21045, OR call (301) 987-9067-Jesse or (301) 788-0861-Ray

77Ø PRINT: PRINT" RIGHT! THE ANSW ER IS: "+B\$(AO(P)) 775 NC=NC+1:GOTO79Ø 78Ø PRINT: PRINT" SORRY! THE ANSW ER IS: "+B\$(AO(P)) 785 NW=NW+1 79Ø X\$=INKEY\$:IFX\$<>CHR\$(13)THEN 79Ø 795 NEXT P 800 CLS:PRINT@101,"YOU TRIED"NC+ NW"TIMES &": PRINT@165, "ANSWERED" NC"CORRECTLY" 8Ø5 PRINT@229, "WHILE DOING" NW"WR ONG." 81Ø NQ=NC+NW:IF NQ=ØTHEN NQ=1 815 MS=INT(NC/NQ\*1ØØ) 82Ø PRINT@293, "YOUR SCORE IS"MS" 웅. 11 825 PRINT@357, "ANOTHER TRY (Y/N/ C) ?"; 83Ø X\$=INKEY\$:IFX\$="Y"THEN RUN 835 IFX\$="N"THENCLS:END 84Ø IFX\$="C"THEN85Ø 845 GOTO83Ø 85Ø IFV=1THEN66Ø 855 IFV=ØTHEN275



- available for CoCo, MSDOS, TRS-80
- revised for '88 law changes
- prompts for easy guided use
- calculates 1040, 1040A, 2441, 2106, 6502
- calculates schedules A-F, SE
- computer generated substitute forms
- FREE TAX ESTIMATE PROGRAM

PERSONAL CHECKS WELCOME SHORT FORM ONLY \$15.00

NO CREDIT CARDS, C.O.D.

A

+ 3.00 SHIPPING

TRY-O-BYTE, 1008 Alten Circle, Florence, S.C. 29501, (803) 662-9500

### **BASICally Speaking**



Editor's Note: This issue marks Larry Boeldt's solo debut as editor of RAINBOW's "BASICally Speaking" column, an assignment handed over to him by the RAINBOW and an extremely busy Bill Bernico. As previously, "BASICally Speaking" will continue to address and solve your programming problems.

Dear Larry:

I'm an amateur radio operator and have been the proud owner of a CoCo 3 for the past five months. I would like to know if the CoCo 3 is capable of receiving international Morse code through some means of decoder circuit and print text on the screen. What potts would I have to use, and how would the sofware be written?

Dwayne Fitzgerald Wilson's Beach, New Brunswick

Dear Dwayne:

To my knowledge there is no such device for the Color Computer. You might try to contact a hardware producer or even Tandy to find out if such a product is available.

### Dear Larry:

Is there an easy way to change graphics statements like LINE, DRAW and CIRCLE in a CoCo 2 program to HLINE, HDRAW and HCIRCLE statements on the CoCo 3?

Danna Aschenbach Rock Springs, Wyoming

### Dear Danna:

This could not be more timely. You can convert the program in this column [See the following letter.] that changes PRINT statements to PRINT#-2, statements to work for graphics commands as well. The graphics, of course, would only show up on the left portion of the screen, but it saves a lot of typing. The same rules apply for the graphics conversions. Don't forget to save the program in the ASCII format.

Larry Boeldt has five rears of experience on the Color Computer and owns a CoCo-based company geared toward customizing software for businesses.



### By Larry Boeldt

Just change the lines in the program as follows:

72 INPUT"ENTER THE COLOR COMPUTE R 2 COMMANO; "C2\$ 220 OF=INSTR(OF,A\$,C2\$) 240 A\$=LEFT\$(A\$,OF-1)+"H"+RIGHT\$ (A\$,LS-OF):OF=OF+LEN(C2\$)

Don't forget that you must select the proper HSCREEN before the graphics are drawn. You must run this program for each command you want to convert. It saves a lot of time compared to searching for each command individually.

### Dear Larry:

There is a program in the February 1983 RAINBOW that converts PRINT statements to PRINT #-2, statements. I am having trouble using this program on a disk system. Could you convert the program to work on a CoCo with disk?

Earl Jesse Foster Lynchburg, Virginia

Dear Earl:

According to the program's writer, the program should work fine on a disk system — except for the CSAVEM command, which should be replaced with a SAVEM command.

Here is a program written in BASIC that will do the same thing. As with both

programs, the assumption is made that each line of a BASIC program contains no more than 240 characters. To be converted the program must be saved in the ASCII format SAVE" filename ", A.

### The Listing: CONVERT

10 ' BASIC STATEMENT CONVERTER

20 ' WRITTEN BY LARRY BOELDT FOR

30 ' RAINODW MAGAZINE BASICALLY

40 ' SPEAKING COLUMN.

50 ' COPYRIGHT (C) 1989

60 ' 65 CLEAR 14000: DIM L\$(500)

20 INPUT "ENTER THE PROGRAM NAME; "F\$

80 OPEN"D",#1,F\$,1

90 FIELD #1,1 AS A\$

100 X=0:B=1

110 GET #1,8:8=8+1

120 IF B=LOF(1) THEN CLOSE: GOTO200

130 IF AS=CHR\$(13) THEN 150

140 L\$(X)=L\$(X)+A\$:GOTO 110

150 X=X+1:GOTO 110

160 '

200 FOR R=1 TO X: A\$=L\$(R): OF=1

210 LS=LEN(A\$):IF LS>240 THEN PRI NT"LINE ";LEFT\$(A\$,INSTR(A\$," "))

;" IS TOO LONG: "GOTO 300

220 OF=INSTR(OF.A\$,"PRINT")

230 IF OF=0 THEN 300

240 OF=OF+4:A5=LEFT\$(A\$,OF)+"#-2,

"+RIGHT\$(A\$,L5-OF)

260 GOTO 210

300 Ls(R)=As: NEXT R

310 OPEN"O", #1, F\$

320 FOR R=1 TO X

330 PRINT #1,L\$(R)

340 NEXT R

350 CLOSE #1

Thanks for the questions. Keep 'em coming!

Questions about specific BASIC programming problems can be addressed to BASICally Speaking, THE RAINBOW, P.O. Box 385, Prospect KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. We are unable to answer letters individually.

For a quicker response, your questions may also be submitted through RAINBOW'S CoCo SIG on Delphi. From the CoCo SIG>prompt, type ASK for "Ask the Experts." At the EXPERTS>prompt, select the "BASICally Speaking" online form, which has complete instructions.

## Jse our 800 number!

For credit card orders, you may want to phone in your subscription. Our credit card order number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries please call (502) 228-4492.

We accept VISA, MasterCard, and American Express.

Subscriptions to the RAINBOW are \$31 a year in the United States. Canadian rate (U.S.). All subscriptions begin with the current issue. Please allow 6 to 8 weeks is \$38 (U.S. funds only). Surface rate elsewhere is \$68 (U.S.). Airmail is \$103 for the first copy. Kentucky residents add 5% sales tax.

In order to hold down non-editorial costs, we do not bill

# **MULTI-YEAR SUBSCRIPTION DISCOUNT AVAILABLE**

(See information on order form)

## Send Me Rainbow Magazine!

Which Tandy Color Computer do you use? CoCo 1 CoCo 2 CoCo 3
Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year!
As the premier magazine of the Tandy Color Computer, the RANBOW has more of everything — and
greater variety, too. Do yourseff and your CoCo a favor and subscribe to the Rainbow today!
Choose one: LJOne Year \$31 — 35% off cover price Note:
☐Two Years \$58 — 39% off cover price inquire about muti-year
☐Three Years \$79 — 44% off cover price
☐ IF RENEWING, PLEASE ATTACH LABEL
Name
Address
City State ZIP
☐ Payment Enclosed (payment must accompany order)
Charge:   VISA   MasterCard   American Express
Account Number

Card Expiration Date

Signature

### RAINBOW ON TAPE OF RAINBOW ON DISK! Our 800 number is also good for ordering

funds) in Canada and \$105 (U.S.) in all other countries. RAINBOW ON DISK is \$99 a year in the United States, \$115 (U.S.) in Canada and \$130 Just call (800) 847-0309 anytime from 8 a.m. to 5 p.m. EST. Credit card orders only. Subscriptions to Rainbow on TAPE are \$80 a year in the United States. \$90 (U.S.

(U.S.) in all other countries.

Individual issues of Rainbow on TAPE are \$10 in the U.S., \$12 (U.S.) in Canada and all other countries. Individual issues of Rainbow on Disk are \$12 in the U.S., \$14 (U.S.) in Canada, and \$16 (U.S.) in all other countries. Kentucky residents please add 5% sales tax.

RAINBOW ON TAPE and RAINBOW ON DISK are not stand-alone products: you need the magazine for loading and operating instructions and the necessary documentation. THE RAINBOW magazine is a separate purchase.

# Give Your Fingers A Break!

RENEW (attach label)

YES! Sign me up: | NEW

W ON TAPE □ RAINBOW ON DISK (Available beginning with the October 1986 issue)	ar Single Issue (specify month & year)			State ZIP	☐ Payment Enclosed (payment must accompany order)	VISA	lber	Card Expiration Oate
☐ RAINBOW ON TAPE	☐ A Full Year	Name	Address	City	Payment Enclos	Charge: 🗆 VISA	Account Number	Signature
		ž	Ă	Ö		Q	A	S

Prospect, KY 40059-9989

P.O. Box 385

The Falsoft Building

P.O. Box 385

The Falsoft Building

THE COLOR COMPUTER MONTHLY MACAZINI

Prospect, KY 40059-9989

FIRST CLASS NESS PERMIT NO. 1 RE U CARD

POSTAGE WILL BE PAID BY ADDRESSEE PROSPECT, KY



UNITED STATES NECESSARY NO POSTAGE IF MAILED IN THE

FIRST CLASS ISINESS POSTAGE WILL BE PAID BY ADDRESSEE PERMIT NO. 1 RE \<u>0</u> PROSPECT, KY CARD



UNITED STATES NECESSARY NO POSTAGE IF MAILED N THE

### The Biggest The Best The Indispensable

THE COLOR COMPUTER MONTHLY MAGAZINE

THE RAINBOW is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! THE RAINBOW features more programs, more information and more in-depth treatment of

the Tandy Color Computer than any other source.
A monthly issue contains nearly 200 pages and up to two dozen programs, 14 regular columns and as many as 12 new product reviews. And advertisements: THE RAINBOW is known as the medium for advertisers - which means every month it has a wealth of Intormation unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

Every single issue of THE RAINBOW covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helptul utilities and do-ityourselt hardware projects make it easy and tun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hard-

Join the tens of thousands who have found THE RAINBOW to be an absolute necessity for their GoCo. With all this going for it, is it surprising that more than 90 percent of THE RAINBOW subscribers renew their subscriptions? We're willing to bet that, a year from now, you'll be doing the same.

### Rainbow On Tape & Rainbow On Disk!

 great ways to bring THE RAINBOW Into your lite. Each month, all you do is pop the tape into your cassette player or the disk into your drive. No more lost weekends. As soon as you read an article about a program in THE RAINBOW, it's ready to load and run. No work. No wait.

Just think how your software ilbrary will grow. With your tirst year's subscription, you'll get almost 250 new programs: games, utilities, business

programs, games, utilities, business programs, home applications. And, with RAINBOW ON DISK, you'll also get all the OS-9 programs. RAINBOW ON TAPE and RAINBOW ON DISK—they're the "meat" of THE RAINBOW at a price that's "small potatoes." And now you even have a choice about how it should be served up to you.

To get your first heaping helping, just till out and return the attached reply card. No postage neces-

### Dr. Preble's Programs Since 1983

### Pytamix

This fastinating CoCo 3 game routinues to be one of our best selters. *Pyramix* is t00% machine language written exclusively to take advantage of all the power in your 128K CoCo 3, The Colors are brilliant, the graphirs sharp, the artion fast. Written by Jordan Tsvetkoli and a product of ColorVenture.

### The Freedom Series

### Vocal Freedom

I've got to admit, this is one nifty rompuler program. Vocal Freedom turns your computer into a digital voice rerorder. The optional Hacker's Pac lets you incorporate voices or sounds that you record into your own BASIC or ML programs. This is not a synthesizer, Sounds are digilized directly into romputer memory so that voices or sound effects sound very natural. One "off-the-shelf" application for Vocal Freedom is an automatic message minder. Rerord a message for your family into niemory, Sel Voral Freedom on automatic. When Vocal Freedom "hears" any noise in the room, It plays the prerecorded message! Disk operations are supported. YF also tests nicinory to take advantage of from 64K up to a full 512K. Requires low rost amptifier (RS ral. #277-1008) and any mirrophone.

### Mental Freedom

Would your friends be impressed il your romputer rould sead their minds? Mental Freedom uses the terliniques of Biofeedbark to routrol video game action on the streen, Telekinesis? Yes, you rontrol the artion with your thoughts and emotions. And, oh yes, it take in a perfertly natural voice without using a



speert synthesizer! Requires Radio Shark's low rost Biofeedback monitor, Cal. #63-675.

### BASIC Freedom

Do you ever type in BASIC programs, manually? If you do, you know it can be a real chore. Basic Freedom rhanges ail that, it gives you a full screen editor just like a word processor, but for BASIC programs. Onre loaded in, it is always on-line. It kides invisibly untit you rall it forth with a single keypress? This program is a must for programers or anyone who types in programs. By Chris Babrork and a product of ColorVenture,

### Lightning Series

These three utilities give real power to your CoCo 3.

### Ramdisk Lightning

This is the best Ramdisk available, It lets you have up to 4 mechanical disk drives and 2 Ram drives on-line and is fully compatible with our printer spooler below.

### Printer Lightning

High rapacity print spooler for CnCo 3, Load it and forget it --extept for the versalitity it gives you. Never wait for your printer again! Printer runs at high speed white you routinue to work at the keyboard! Will operate with any printer you have already hooked to your CoCo,

### Backup Lightning

This utility requires 512K. Reads your master disk onre and then makes superfast multiple disk barkups on all your drives! No oeed to formst black disks first! Supports 35, 40 or 80 trank drives.

### COCO Braille

Produce standard grade 2 Brailie on a Brother daisy wheet printer. Easy to use for sighted or blind user. No knowledge of Braille 1s necessary. Call for free sample. The raised dots produced are easily fourth readable by the blind. The print-to-braitle atgorithm is robust with



errors rarety being made--and, it has the ability to learn!

### Prices

CoCo 3 only

Ram Disk Lightning, Disk\$19.95
Printer Lightning Disk\$19,95
Backup Lightning, Dist\$19.95
All three, Disk \$49.95
Pyramix, Disk\$24.95

CoCo 1,2, or 3

Vocal Freedom,	Dist		\$34.95
Vocal Freedom	Hackers	Pec	\$14.95
COCO Braille			\$69.95

CoCo 2 or 3 only

Mental Freedom	Dist	 \$24.9	) 5
Basic Freedom.	Dist	 \$24.9	25

CoCo 1 or 2 only

### We Ship FAST!

Add \$2.50 shipping/handling in USA or CANADA
Add \$5.00 to ship to other countries

Dr. Preble's Programs
6540 Outer Loop
Louisville, KY 40228
24 Hour Order Line

Visa, MasterCard, COD, Check



(502) 969-1818

High-density printer enhancements for the shoestring desktop publisher

### **High Capacity** Screen Dumps for the Shoestring Desktop Publisher, Part I

By H. Allen Curtis

ver since "A Desktop Publisher on a Shoestring" appeared in THE RAINBOW (October '87 Page 58), I have been continually striving to upgrade, improve and enhance the original shoestring desktop publisher programs.

The quality of any desktop publisher is reflected directly and crucially with the quality of its screen dumps. The purpose of this article is to present highquality, high-capacity screen dumps that maximize the capabilities of printers most commonly used by CoCo owners. Let me assure those who own screen dumps that those presented here are meant to augment rather than to replace them.

The screen dumps formerly developed to work with Desktop Low (DESK-TOPL) and Desktop High (DESKTOPH), the desktop publisher programs for the CoCos 1, 2 and 3, print two screens-perpage. The new screen dumps dramatically increase the screen-per-page capacity to six, eight and 12 screen dump prints at a dot density of 240 dots-perinch. This density approaches the 300 dots-per-inch capabilities of most laser printers. The six- and eight-screens-perpage screen dumps produce twocolumn printouts with three and four screen dumps per column. The 12screens-per-page screen dumps yield three-column printouts with four screens per column.

The low-capacity, two-screens-perpage screen dumps, especially for DESK-TOPL often require the use of the smaller-sized fonts because of the printout magnification. The high-capacity screen dumps condense the character printout size and thereby significantly increase the versatility and flexibility of the shoestring desktop publisher in the utilization of a wide variety of fonts.

The high-capacity screen dumps require more time to print per page. However, the printout time per screen is reduced considerably. Thus, the new screen dumps are also time savers.

These screen dumps were also designed to act primarily in conjunction with the word processor input file feature introduced in "The Desktop Publisher: A Reprise" (September '88, Page 102). Nevertheless, they can be employed, but with less convenience without that feature.

There are eight different high capacity screen dumps presented here. Half of them were written to work with the Tandy DMP series of dot-matrix printers. From my correspondence with shoestring desktop publisher users, it appears that most have DMP-105 and -106 printers, the least expensive of the DMP printers but with of the greatest graphics capabilities. All four screen dumps meant for DMP printers can be employed to their utmost with the DMP-105 and -106 printers.

Closely following in graphics capabilities are the DMP-110 and -200 printers, which can be used with all four of the screen dumps and with three of them to their utmost. The DMP printers with the least graphics capabilities are the 100, 130 and 130A, able to be employed with only one of the four screen dumps. Screen dumps ordinarily print eight screens per page, but with those three printers it is limited to six. Owners of DMP-130 and -130A printers should note that with a parallel-to-serialinterface connection the two printers

H. Allen Curtis lives in Williamsburg, Virginia, He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.

can emulate 1BM printers. Under this emulation the other four high-capacity screen dumps can be used by the DMP-130 and -130A printers.

Four screen dumps were designed to work with Epson printers and the commonly used Epson-compatible printers. All printers used with the screen dumps SCRNDMP and SCRNDMPS of "Screen Dump Extraordinaire" (October '87, Page 30) are Epson-compatible insofar as their graphics capabilities are concerned.

For DESKTOPL there are two BASIC driver programs, each servicing two high-capacity screen dumps, one for DMP printers, the other for Epson compatible printers. There are also two BASIC driver programs with similar functions for DESKTOPH, Both DESKTOPL and DESKTOPH will be modified to give their O commands a high-capacity screen dump option.

After the screens — six, eight or 12 — intended for a printed page are generated and saved, the high-capacity screen dump option of the O command should be chosen. This causes the automatic loading and running of the appropriate BASIC driver program. After the driver-initiated printout is completed, the driver optionally allows another printout, program termination, or an automatic loading and running of DESKIDPL or DESKIDPH.

### Desktop Low Printouts

The BASIC printer drivers used in conjunction with DESKTOPL are shown in listings 1 and 2. DRIVERLT, the program of Listing 1, is the driver for DESKTOPL and Tandy DMP printers. Likewise, DRIVERLE, the program of Listing 2, is the driver for DESKTOPL and Epsoncompatible printers.

DESKTOPL must be altered to work with DRIVERLT or DRIVERLE by merging to it one of four patch programs, LALTER, LALTERD, LALTERE and LALTERDE, of listings 3, 4, 5 and 6 respectively. Which patch program to merge with DESKTOPL depends on the version of the program used. Presently there are effectively four versions of DESKTOPL, which are an outgrowth of selling many DESKTOPL users built-in screen dumps, enhancements or both.

Table 1 shows with which version of DESKTDPL each program of listings 3 to 6 is associated. Any of the four effective versions of DESKTDPL may or may not include the word processor input file feature. Moreover, these four versions may accommodate two, 10 or 19 fonts, depending on whether additional fonts

were purchased. If you use the version of DESKTDPH published in RAINBOW use the LALTER patch file from Listing 3.

Each patch program gives the O command of DESKTOPL the ability to transfer control to DRIVERLT or DRIVERLE. Those with Epson-compatible printers need to change Line 645 of the patch program associated with their version of DESKTOPL by replacing DRIVERLT with DRIVERLE.

The powers of the O command are expanded further by each patch program. It adds an option to the O command allowing you to look at the directory of the disk in Drive O. For later printing, you can save six, eight or 12 screens on disk by means of the O command using the save screen option. To keep track of files already on disk you can occasionally use the directory option of the O command, If you have more than one drive and have fonts, DESKTOPL has the ability to address drives when saving screens. You may in such a case save screen files on a disk in a drive other than Drive O. You should then append to DIR in Line 645 a drive number one, two or three corresponding to the drive used.

When the patch program for DESK-TDPL version is typed, if you have made any changes in Line 645, save it in ASCII form. If you choose to save LALTERD, for instance, in ASCII form, type SAVE\*LALTERD", A and press ENTER.

To alter DESKTDPL, do the following: Gct out the disk containing DESKTDPL and its font files; Make a backup copy of the disk; and put away the original and work with the backup copy. For compatibility with DRIVERLT or DRIVERLE, DESKTDPL must have the filename DI

Therefore, insert DESKTOPL in the disk drive and type: RENAME "DESKTOPL > BAS "TD "DL > BAS " and press ENTER. Next, type LOAD "DL and press ENTER. Then, insert the disk containing patch program LALTER, LALTERD, LALTERDE, or LALTERDE. If the program is LALTERDE,

for example, then type: MERGE" LAL-TERDE" and press ENTER.

You would do similarly for any one of the other three patch programs but with its name instead of LALTERDE. Finally, insert the disk containing DL in your drive and type SAVE "DL" and press ENTER.

Depending on the printer, you may need to change some lines of the driver program DRIVERLT or DRIVERLE. The poke command in Line 5 of each of these programs is employed to set the band rate of each particular printer. If the printer operates at 600 band, you don't need to change Line 5. Otherwise, delete the apostrophe from Line 5 and replace the question mark with the value associated with the band rate of your printer.

Baud Rate	Value
1200	41
2400	18
4800	6 or 7
9600	- 1

If you have a DMP-110 or -200 printer, change lines 720 and 740 of DRIVERLT to include "elongation on" and "clongation off" printer control codes. In particular, replace CHR\$(19) with CHR\$(14) in Line 720. Also insert, CHR\$(27);CHR\$(15) between 2 and : in Line 740.

Line 680 was written for the 800 dotsper-line graphics mode of the DMP-105 and -106 printers. If your printer has a 960 dots-per-line graphics mode, delete Line 680.

If you have a printer that is Epson-compatible but is not an Epson, you may need to tailor DRIVERLE to fit the needs of your printer. The tailor-making process, though somewhat tedious, is well worth the effort.

It involves changing eight DATA statements containing Epson printer control code sequences. Lines 570 through 600 contain the control codes for a two-column printout. Similarly, lines 650 through 680 hold the control codes needed for a three-column printout.

DESKTOPL Version
Neither Dump nor Enhancements
Dump
Enhancements
Both Dump and Enhancements

LALTÉR LALTERD LALTERE LALTERDE

May 1989

Patch Program

Table I

The first DATA value in each of the lines specifies the number of values in the control code sequence represented by the remainder of the DATA statement. Lines 570 and 650 are identical and specify the control code sequence for

line spacing.

For ordinary printing, the printer provides a line spacing of 1/6 inch that produces six lines of print per inch. For the printer graphics modes, the line spacing must be a closer 7/72 inch. The Epson control code sequence that yields the required line spacing is 2, 27, 49. In lines 570 and 650 the initial value of 2 indicates that the following two values 27 and 49 represent the control code sequence. Check your printer manual to see whether or not 27, 49 is the control code sequence for a line spacing of 7/ 72 inch. If not, modify lines 570 and 650 accordingly. If it has three values, for instance, in addition to changing the control code sequence, you need to alter the initial value to 3. In such a case the DATA statement ends with four 0 values instead of five required for the Epson printer.

Your printer may automatically adjust the line spacing to fit the graphics modes, wherein you just need to replace the initial value 2 in lines 570 and 650 with 0. However, if your printer does not have automatic line spacing adjustment and you make the 0 for 2 substitution, your printout will show notice-

able gaps between lines.

BASIC lines 600 and 680 also deal with line spacing, holding control code sequences for the return to 1/6 inch line spacing. Therefore, check the manual for a 27, 50 control code sequence, and, if needed, make changes in lines 600 and 680 analogous to those in lines 570 and 650. The control code sequences in lines 580 and 660 differ only in their final value; 5 and 9, indicating a left margin five and nine characters wide. Check your manual for a control code sequence 27, 108, n where n is a value to indicate the character width of the left margin, making any needed modifications in lines 580 and 660.

Lines 590 and 670 contain the Epson control code sequences for specifying the graphic modes. The mode designated by Line 590 is the one with a dot density of 576 dots per line (72 dots per inch). The last two values of that code sequence indicate a maximum of 2\*256=512 dots (the width of two screens) that are to be printed per line. If your printer manual has a different control code sequence for this graphics mode, change line 590 so that the code

Final Two Characters of Filenaine	Screen Image Printout Destination
L1	Top 1/3 of Left Column
L2	2nd 1/3 of Left Column
L3	Bottom 1/3 of Left Column
R1	Top 1/3 of Right Column
R2	2nd 1/3 of Right Column
R3	Bottom 1/3 of Right Column

Table 2. Filename Structure for Two-Column, Six-Screen Printout

Final Two Characters of Filename	Screen 1mage Printout Destination
or r hename	_
L1	Top 1/4 of Left Column
L2	2nd 1/4 of Left Column
L3	3rd 1/4 of Left Column
L4	Bottom 1/4 of Left Column
R1	Top 1/4 of Right Column
R2	2nd 1/4 of Right Column
R3	3rd 1/4 of Right Column
R4	Bottom 1/4 of Right Column

Final Two Characters	Screen Image
of Filename	Printout Destination
L1	Top 1/4 of Left Column
L2	2nd 1/4 of Left Column
L3	3rd 1/4 of Left Column
L4	Bottom 1/4 of Left Column
M1	Top 1/4 of Middle Column
M2	2nd 1/4 of Middle Column
EM	3rd 1/4 of Middle Column
M4	Bottom 1/4 of Middle Column
R1	Top 1/4 of Right Column
R2	2nd 1/4 of Right Column
R3	3rd 1/4 of Right Column
R4	Bottom 1/4 of Right Column

specifies a maximum of 512 dots printed per line.

Line 670 holds the control code sequence for the graphics mode with a dot density of 960 dots per line (120 dots per inch). The last two values of the Epson control code sequence specify a maximum of 3\*256=768 dots to be printed per line. Again, if your printer requires another control code sequence for the 960 dots per line mode, modify Line 670 accordingly, making the change in such a way that the code provides for a maximum of 768 dots printed per line.

A few tips on the typing of the driver program, DRIVERLT or DRIVERLE, should prove helpful. Before you run the driver being typed, save it on disk. Each driver contains some pokes to memory, which, if involved in a typing error, can cause the loss of the whole program when it is run. After saving the driver in its entirety, run it, and when asked for a two- or three-column printout, press 3. If you made an error in the difficult-totype DRIVERLT lines 80 through 220 or DRIVERLE lines 80 through 140, the program will stop and report the number of the line in which the error occurs, Respond to the error report by comparing your erroneous line with the correct rendition in the listing and rectify the error. Rerun the program and correcting process until the driver executes the screen replaced with another prompt screen, Press BREAK to stop the program.

Next, run the program and press 2 for a two-column printout, DRIVERLT will follow with another prompt, which you may answer by pressing 1 or 2. Then the Each Screen Destined for the Left Column Printout Margins Top Left Right 0 16 237 Each Screen Destined for Right Column Printout Margins

Margins
Top Left Right
0 3 224

Table 5. Margin Settings for Two-Column, Six-Screen Printout

Each Screen Destined for Left Column Printout Margins Top Left Right 0 0 252 Each Screen Destined for Right column Printont Margins Top Left Right 0 3 256

Table 6. Margin Settings for Two-Column, Eight-Screen Printout

request for a few moments wait occurs. If DRIVERLT was mistyped, lines 380 through 500 or DRIVERLE lines 290 through 340, the program will stop and report the errored line, allowing you to correct it. Repeat running and correcting the program until it can execute beyond the screen containing the few moments wait request. Finally, save the driver program on disk.

Each of DRIVERLT and DRIVERLE provides prompts and messages to lead you through the program in effecting the desired two- or three-column printout. You must, however, have ready on disk the required screen files previously saved by the desktop publisher program DL. The eight or less character filename of each screen file must adhere to the structure described in Tables 2, 3, or 4. In the three tables, the heading Screen Image Printout Destination refers to the location on the printed page of the screen image.

The patch programs of listings 3, 4, 5 and 6 have given the program DL a handy new feature that promotes pleasing two- and three-column printouts, DL now positions every character of any font within a vertical distance of eight, 12. 16 or 24 dots on the screen with each distance divided evenly into the 192 dot vertical size of a DL screen. This means that with a top margin setting of zero via the M command of DL, each screen will hold exactly 24, 16, 12 or eight lines of characters depending on the font in use. This guarantees that in a printout of two screen images, one above the other in a column, the spacing between screen images will be indistinguishable

from the spacing between lines of either screen image written with the same font.

Tables 5, 6, and 7 give the margin settings specified by DL's M and W commands that produce pleasingly spaced two- and three-column high capacity printouts. It must be pointed out that the right margin setting for the screens intended for a two-column, six-screen printout must not exceed 240. The reason is that for such a printout, a 480 dots-per-line graphics mode must be used and each column of the printout cannot exceed 240 dots of the 480 dots per line.

A typical session for producing a twocolumn printout is as follows: It is assumed that you will be making use of the word processor input file feature of DL. If your copy of DL does not have this feature, you will have to write a screen when others are employing the feature. It is also assumed that you have on a disk the word processor file in proper form for input. The disk should otherwise be blank.

Suppose the filename of the file is MYDDC. Your printer should be ready to use. Load and run DL. Select a font most suitable for your prospective two-columned document. If you have a DMP-105, DMP-106 or Epson compatible printer, make the left-column margin settings in accordance with Table 6; otherwise, according to Table 5. If you have only one disk drive or if your copy of DL cannot address drives when saving screens, there's no need to swap the DL disk with the one containing MYDDC.

Next, by means of the ASCII input

option of the I command, employ the word processor input feature to fill a screen. When the screen is full, opt to have the remainder of the MYDDC file recorded in a file called REST. Take this option every time you fill a screen and employ the O command to save the screen on disk.

Choose a filename that is six or less characters in length, for example, DUMP. Then, when saving the screen, type the filename as DUMPL1, where the final two characters indicate that the screen image is to be printed as the top part of the left column of the page. If your disk containing MYDDC is in a drive other than 0, you must append to the filename the usual colon and drive number.

Now, clear the screen and use the word processor input feature to bring in information from REST. Save the screen as previously, but this time use the filename DUMPLZ, repeating the process used to obtain the second screen file. Save the third screen as DUMPL3. If you used Table 6 to make the margin settings, repeat the process again to save another screen as DUMPL4. After saving a full column of screens, make the right margin settings in accordance with Table 5 or 6 again, Clear the screen and input another, saving it as DUMPR1. Continuing the process analogously until all six or eight screens have been saved.

Suppose REST becomes empty before all the required screens have been filled and saved. Nevertheless, you need a full complement of screens saved on disk. Suppose that you were able to save seven screens of an eight-screen printout. In such a case, clear the screen and save it as DUMPR4. At this point, make certain that the disk containing DRIVERLT or DRIVERLE is in Drive 0. (It is convenient to have that program recorded on the disk containing DL.)

Select the high capacity screen dump option of the O command to load and run the program. Answer the two- or three-column prompt by pressing 2. DRIVERLY will ask you to press I if you have a DMP-105 or -106, otherwise press 2. Type the appropriate number and you will be asked if you need reminders about file and filename requirements, after which, you are given three options. Take the option to load screens for dumping. If you do not have more than one disk drive, now insert the disk containing the screen files you just saved. When asked for a filename, enter DUMP if the screen file disk is in Drive 0; otherwise, enter DUMP; and the appropriate disk drive number. The driver

Screen Destined for Left Column Printout Column Printout Margins Top Left Right 0 251

Screen Destined for Middle Margins Top Left Right 3 253

Sereen Destined for Right Column Printout Margins l'op Left Right - 5

Table 7. Margin Settings for Three-Column, 12-Screen Printout

program will load DUMPL1 and DUMPR1, initiating the appropriate screen dump and printing will ensue. When the screens of DUMPL1 and DUMPR1 are printed, the driver loads DUMPL2 and DUMPR2 and printing resumes. This process continues until the two-column printout is complete, at which time there is given three options. If choosing the option to return to DL, check that the DL disk is in Drive 0, which loads and runs DL. If the lile REST contains more information, prepare screen files for a second two-column printout.

If writing a newsletter, for instance,

it's possible to have the newsletter name span the two or three columns of the printont. The following example indicates how this is done,

Select a large sized font, say Font 1. Suppose your newsletter, The CoCo-Nut Chronicle, requires a two-column printout, Clear the screen, Press the space-bar and then type The CoCoNu. By means of the T command, set both tabs to either 240 or 250, depending on whether the printout requires six or eight screens. Then press the downarrow key to move the cursor to the right (at 240 or 250). Augmenting the

word processor input feature is the ability to move a printed line left or right. Make use of that ability by pressing Shift-up Arrow until the wof The CoCoNo is almost touching the cursor at 240 or about a third of the way past the cursor if it is at 250. Select a suitable font. Make the left margin settings according to Table 5 or 6. Then press enter twice. Use the word processor feature to fill the rest of the screen and save it as the top left column screen,

After saving all the screens for the left column; clear the screen; choose Font 1; using the M command, set the top and left margins to 0; and type t Chronicle. Select the text font again; make the right margin settings in accordance with Table 5 or 6; position down from the newsletter name by pressing ENTER twice; and fill the rest of the screen and save it as the top right column screen.

If you do not have a word processor, install the word processor input feature in DL to acquire the ability to move printed lines. (See September '88 issue, Page 102.)

11078 5 200102 6 31066 7 390103 8	20198

### Listing 1: DRIVERLT

5 'POKE15ø,?

1ø GOTO3ø

2ø CLEAR2øø, &H62FF:GOTO4ø

3Ø PCLEAR8:GOTO2Ø

4Ø CLS:PRINT@67,"HIGH CAPACITY S CREEN DUMPS": PRINT@103, "FOR TAND Y PRINTERS": PRINT@134, "BY H. ALL EN CURTIS": PRINT@167, "FOR FALSOF T, INC": PRINT@233, "COPYRIGHT 1989

5Ø PRINT@321,"TYPE 2 OR 3 DEPEND WHETHER YOU WANT A ING ON 2 OR 3 COLUMN PRINTOUT, R ESPECTIVELY.

6Ø DIMS\$(14),C(14):C=Ø:X=&H63ØØ:  $W$(\emptyset) = "12": W$(1) = "TRIO": W$(2) = "1$ /4":W\$(3)=", M1"::M\$="PRESS SPAC E TO CONTINUE

7Ø L\$(1)="L1":L\$(2)="L2":L\$(3)=" L3":L\$(4)="L4":M\$(1)="M1":M\$(2)="M2":M\$(3) = "M3":M\$(4) = "M4":R\$(1)="R1":R\$(2)="R2":R\$(3)="R3":R\$(4 ) = "R4" : K=1

8ø S\$(Ø)="1F3186ØF8D2227Ø28A1Ø8D 1927Ø28A2Ø8D1327Ø28A4Ø437EA285C6  $8 \beta D75 \beta'': C(\beta) = 2488$ 9Ø S\$(1)="8DEØØ45Ø26FA393Ø882ØE6 84D45Ø391F314F8DF627Ø28AØ18DED27  $\emptyset 28A\emptyset 2":C(1)=3\emptyset\emptyset 6$ 1ØØ S\$(2)="8DE727Ø28AØ48DE127Ø28 AØ88DDB2ØBAC68ØD75Ø8DDBØ45Ø26FA3 9861B97":C(2)=34Ø8 11Ø S\$(3)="521Ø8E67FA8DØD8D2D8D1 D8D1B8D19ØA5226EE3986ØD8DØD861B8  $D\emptyset9861\emptyset":C(3)=2624$ 12Ø S\$(4)="8DØ54F8DØ2866Ø7EA285E EA48DC63341ØA5126F833Ø1EFA1C62ØD 751398D":C(4)=342913ø S\$(5)="DB8DF71ø8E67FA8Dø68Dø 48DØ22ØB2EEA417FF7Ø3341ØA5126F72 ØDA8DØ9":C(5)=3447 14ø S\$(6)="8DDF86øD21C5øF6F39C6F ED76F86128DBA8E67FACE68ØØEF81DEB CEF8133":C(6)=4183 15Ø S\$(7)="C918ØØEF81398DE38D968 DB217FF76C66Ø8DØAC66Ø8D14C66Ø8D1 82ØC78E":C(7)=3756 16Ø S\$(8)="65ØØFE67FAA6CØA78Ø5A2 6F9398E66ØØFE67FC2ØFØ8E67ØØFE67F E2ØE88D'':C(8)=418117ø S\$(9)="AEC68ø8E656ø8DDC344øC 68Ø8E666Ø8DE1344ØC68Ø8E676Ø8DEØ3  $44 \emptyset 8 D 2 \emptyset$ ": C(9) = 378518Ø S\$(1Ø)="354ØFF67FE354ØFF67FC 354ØFF67FA861A17FF19C6CØBDABC6CØ 8DB5C6C0":C(10)=444819Ø S\$(11)="2Ø9FCE65ØØFF67FACE66 ØØFF67FCCE67ØØFF67FE86Ø117FEF639

17FF56C6":C(11)=4222

2ØØ S\$(12)="2Ø8E65CØ8D84344ØC62Ø 8E66CØ8D89344ØC62Ø8E67CØ8D88344Ø 8DC8354Ø":C(12)=3434 21Ø S\$(13)="FF67FE354ØFF67FC354Ø FF67FA17FEC18E654ØC6EØ8D19C64Ø17  $FF4DC640^{\circ}:C(13)=4308$ 22Ø S\$(14)="17FF56C64Ø17FF598D9E 861EBDA28516FFØØ86FFA78ØA78ØA78Ø 5A26F739":C(14)=3923 23Ø K\$=INKEY\$:IFK\$=""THEN23ØELSE IFK\$="2"THEN35ØELSEIFK\$<>"3"THEN SOUND6Ø,3:GOTO23Ø 24Ø CLS:PRINT@98,"ONLY A PRINTER (SUCH AS DMP 1Ø5, 1Ø6, 11Ø, 800 OR MORE DO & 200) WITH AN TS PER LINE GRAPHICS MODE A PROPER 3 COL CAN PRODUCE UMN PRINTOUT.":PRINT@326,"A FEW MOMENTS PLEASE" 25Ø FORI=ØTO14:FORJ=1TO3Ø:A\$=MID \$(S\$(I),2\*J-1,2):A=VAL("&H"+A\$): C=C+A: POKEX, A: X=X+1: NEXT: IFC<>C( I) THENCLS: PRINT@226, "TYPING ERRO R IN LINE";8Ø+1Ø\*I:ENDELSEC=Ø:NE XT 26Ø GOSUB76Ø 27Ø K\$=INKEY\$:IFK\$=""THEN27ØELSE IFK\$="N"THEN61Ø 28Ø GOSUB77Ø

29Ø K\$=INKEY\$:IFK\$=""THEN29Ø 3ØØ GOSUB79Ø 31Ø PRINT" OF A TRIO OF FILES I NDICATE THE LEFT, MIDDLE, AN PARTS OF THE TOP 1/4 D RIGHT OF THE PRINTOUT. L2, M2 AN INDICATE THE NEXT 1/ DR2 EXCEPT FOR THE LAST 4, ETC. 32Ø PRINT"CHARACTERS, THE FILENA ALL FILES MUST BE THE ME OF SAME.":PRINT@485,M\$; 33Ø K\$=INKEY\$:IFK\$=""THEN33Ø 34Ø GOTO61Ø 35Ø CLS:PRINT@162,"IF YOU HAVE A PRINTER WITH A 576 DOTS PER LINE GRAPHICS MODE (SUCH AS THE DMP1Ø5 AND DMP1Ø6), THEN PRESS 1. OTHERWISE, PR ESS 2. 36Ø K\$=INKEY\$:IFK\$=""THEN36ØELSE W\$(1) = "PAIR": W\$(3) = "":IFK\$="  $1"THENK=4:W$(\emptyset)="8"ELSEIFK$="2"T$  $HENK=3:W$(\emptyset)="6":W$(2)="1/3"ELSE$ SOUND6Ø,3:GOTO36Ø 37Ø PRINT@422,"A FEW MOMENTS PLE ASE"; 38Ø S\$(Ø)="1F3186ØF8D2227Ø28A1Ø8 D1927Ø28A2Ø8D1327Ø28A4Ø437EA285C

### The Pak is Back again and it's better than ever.

INTRODUCING.

The armly computable R5232 puch.

Telecommunicating has become painless with our latest version of an pld favorite.

INCLUDING:

GOLD Connectors.

• The latest in microchlp technology.

Includes a 3 fnnt DB-25 cable.

Does NOT remire a multipack interface.

\*Still compatible with your favorite software

### 2400 baud modem.... \$149.95 Hayes compatible • includes cable (Fither Coco or R\$232)

Cables for your Coco needs DB25 M·M . . . . \$9.95 4 pin - DB25 . \$9.95 (Specify Modern or printer) Magnavox RGB, \$14.95 call for special cable needs

CoCo Software Autoterm......\$39.95 The Wiz,.....\$49.95

still only..

X-term.....\$49.95 Warp Onc....\$29.95 OS-9 L 11 BBS....\$29.95 .V-term......\$49.95

CoCo III DOS enhancementi The latest from Minterprises VIP WRITER . . . . . \$79.95 Vip DATABASE III. \$69.95

New from GIMMESOFTI....

- JPDOS - .... \$24.95 | VIP III Libracy... \$179.95 | VIP CALC III...... \$ 69.95 | COMING SOON... | GEAGGEFRAD

Orion Technologies P.O. Box 63196 Wichita, Ks. 67203

All orders add 3.00 shpg/hdlg. C.O.D. additional 3.00 No delay for personal checks (316) 946-0440

### Alpha Software Technologies

Your OS9 Solution

OS9 Level II BBS Release 3.0

System comes complete and ready to run. Use the built in menus or create your own.
Run your own programs or games on line! Complete message system included. File transfer system supports Xmodem and Ymodem as well as koyword acorching! Even comes with it's own Terminal program!

Now includes ANSI graphics menus and editor! See the board while it runs!

For a DEMO call 1504/734-0192 (360/1200 band) or (508/675-0912 (3/12/2400 band). 

Disk Manager Tree (Muttl-Vue compatible)

Finally a complete OS9 Level II windowing terminal Many features include Auto Dial & Macro, X & Ymodem, ANSI graphics, buffer capture, on-line timor, chaimade, windows and much much more! Perfect for any BBS user!

The Zapper Multi-Vue composible!

Multi-Manu

Mulli-Vue compolible

68 pD75 p" : C(p) = 248839Ø S\$(1)="8DEØØ45Ø26FA393Ø882ØE 684D45Ø391F314F8DF627Ø28AØ18DED2 7Ø28AØ2":C(1)=3ØØ6 4ØØ S\$(2)="8DE727Ø28AØ48DE127Ø28 AØ88DDB2ØBAC68ØD75Ø8DDBØ45Ø26FA3 9861B97":C(2)=34Ø8 41Ø S\$(3)="528D1B8D538DEB3341ØA5 126F88D458DE13341ØA5126F88D3BØA5  $226E439":C(3)=3\emptyset27$ 42Ø S\$(4)="86ØD8DØD861B8DØ9861Ø8 DØ54F8DØ2862Ø7EA285DEBC31C918ØØ8 DE88D1C":C(4)=2943 43Ø S\$(5)="17FF813341ØA5126F78DØ D17FF763341ØA5126F78DØ22ØA933Ø11 E32C62Ø":C(5)=2647 44Ø S\$(6)="D75139C6FED76F86128DC ABDCB86ØD21C4ØF6F398D198DBØ8DE41 7FF86C6":C(6)=3991 45Ø S\$(7)="6Ø3Ø8DØ1298D15C66Ø3Ø8 DØ2218D152ØDEC6FED76FDEBC31C918Ø Ø39A6CØ":C(7)=33ØØ 46Ø S\$(8)="A78Ø5A26F939A6AØA78Ø5 A26F9398DE3C68Ø3Ø8DØ15A8DE6C68Ø3 Ø8DØ252":C(8)=3728 47Ø S\$(9)="8Dl1861A17FF44C6CØ3Ø8 DØØE58DD1C6CØZØBA8DD3346Ø338DØØD 731C9Ø1":C(9)=3588 48Ø S\$(1Ø)="ØØ86Ø117FF27356Ø398D ACC62Ø3Ø8DØ1838DAFC62Ø3Ø8DØ27B8D DA17FFØD":C(1Ø)=3Ø3249Ø S\$(11)="3Ø8DØØF2C6DØ8D1DC64Ø 3Ø8DØØA88D94C64Ø3Ø8DØ1AØ8DBF86ØD 17FF2286":C(11)=3452 5ØØ S\$(12)="1E17FF1DØF6F3986FFA7 8ØA78Ø5A26F939C69Ø8DF2C6CØ3Ø8DØ1 7D2ØDBAC":C(12)=3786 51Ø FORI=ØTO12:FORJ=1TO3Ø:A\$=MID \$(S\$(I),2\*J-1,2):A=VAL("&H"+A\$): C=C+A: POKEX, A:X=X+1:NEXT:IFC<>C( I) THENCLS: PRINT@226, "TYPING ERRO R IN LINE";38Ø+1Ø\*I:ENDELSEC=Ø:N EXT 52Ø GOSUB76Ø 53Ø K\$=INKEY\$:IFK\$=""THEN53ØELSE IFK\$="N"THEN61Ø 54Ø GOSUB77Ø 55Ø K\$=INKEY\$:IFK\$=""THEN55Ø 56Ø GOSUB79Ø 57Ø PRINT" OF A PAIR OF FILES I THE LEFT AND RIGHT P NDICATE THE TOP "; W\$(2); " OF ARTS OF THE PRINTOUT. L2 AND R2 INDI ";W\$(2);", ETC CATE THE NEXT EXCEPT FOR THE. 58Ø PRINT" LAST 2 CHARACTERS, T FILENAMES OF ALL FIL BE THE SAME." ES MUST 59Ø PRINT@485,M\$; 600 K\$=INKEY\$:IFK\$=""THEN600

61Ø GOSUB75Ø 62Ø K\$=INKEY\$:IFK\$=""THEN62Ø 63Ø IFK\$="3"THENCLEAR2ØØ,&H7FFF: PCLEAR4: ENDELSEIFK\$="2"THENCLEAR 200, &H7FFF: PCLEAR4: RUN"DL"ELSEIF K\$<>"1"THEN62Ø 640 CLS:PRINT@98, "ENTER PART OF FILENAME COMMON TO ALL FILES. (IF YOU HAVE MORE THAN 1 DR IVE, YOU MAY E BY APPENDING ADDRESS A DRIV A COLON FOLLOW ED BY THE DRIVE NUMBER TO THE FILENAME PART.) 65Ø PRINT@324,">>> ";:LINEINPUT 66Ø A=INSTR(1,F\$,":"):IFA>ØTHEND \$=RIGHT\$(F\$, LEN(F\$)-A+1):F\$=LEFT \$(F\$,A-1)ELSED\$="" 67Ø IFK>1THEN71ØELSEX=&H63ØØ:X(1 )=X+178:X(2)=X+216:X(3)=X+269:X(4) = X + 35668Ø PRINT#-2, CHR\$(27); CHR\$(2Ø);: POKE&H637E,16 69Ø FORI=1T04:LOADM F\$+L\$(I)+"/L R"+D\$,23Ø4Ø:LOADM F\$+M\$(I)+"/LR" +D\$:LOADM F\$+R\$(I)+"/LR"+D\$,6144 :EXECX(I):NEXT 7ØØ PRINT#-2:GOTO61Ø 71 $\emptyset$  X=&H63 $\emptyset$  $\emptyset$ :X(1)=X+183:X(2)=X+2  $\emptyset\emptyset:X(3)=X+254:X(4)=X+3\emptyset9$ 72Ø IFK=3THENPOKEX+92,31:POKEX+1 24,57:POKEX+175,3:POKEX+179,3Ø:P OKEX+195,33:POKEX+288,88:PRINT#-2, CHR\$(27); CHR\$(19); ELSEPRINT#-2 ,CHR\$(27);CHR\$(31);CHR\$(27);CHR\$ (23);73Ø FORI=1TOK:LOADM F\$+L\$(I)+"/L R"+D\$:LOADM F\$+R\$(I)+"/LR"+D\$,6144:EXECX(I):NEXT 74Ø PRINT#-2:GOTO61Ø 75ø CLS:PRINT@198,"1 LOAD FOR DU MP":PRINT@23Ø,"2 RETURN TO DESKT OPL":PRINT@262,"3 EXIT PROGRAM": 76Ø CLS:PRINT@194,"DO YOU NEED T O REVIEW FILE AND FILENAME FOR EXECUTING REQUIREMENTS THIS SCREEN DUMP? (Y/N) ";:RETURN 77Ø CLS:PRINT@66, "YOU SHOULD HAV E READY "; W\$ (Ø): PRINT@98, "FILES LOADIN (SCREEN IMAGES) FOR G. THE IMAGES OF ONE ";W\$(1 );" OF FILES SHOULD CORRE-POND TO THE TOP "; W\$(2);" OF THE PRINTOUT. "; 78Ø PRINT"ANOTHER "; W\$(1);" SHOULD CORRESPOND TO THE NEXT ";W\$(2);" OF THE PRINTOUT, ETC. ":PRINT@453,M\$;:RETURN

79Ø CLS:PRINT@34,"THE LAST 2 CHA
RACTERS OF EACH FILENAME MUST
INDICATE WHERE THE SCREEN IMA
GE IS TO BE PRINTED. FOR
EXAMPLE, L1"; W\$(3);" AND R1 EN
DING THE FILENAMES": RETURN

110 ... 186 520 ... 71 200 ... 234 610 ... 16 330 ... 91 END ... 85 420 ... 109

Listing 2: DRIVERLE

5 'POKE15Ø,? 1Ø GOTO3Ø 2Ø CLEAR2ØØ, &H66FF: GOTO4Ø 3Ø PCLEAR8: GOTO2Ø 4Ø CLS: PRINT@67, "HIGH CAPACITY S CREEN DUMPS": PRINT@98, "FOR EPSON COMPATIBLE PRINTERS": PRINT@134, "BY H. ALLEN CURTIS": PRINT@167," FOR FALSOFT, INC": PRINT@233, "COPY RIGHT 1989" 5Ø PRINT@321,"TYPE 2 OR 3 DEPEND ING ON WHETHER YOU WANT A 2 OR 3 COLUMN PRINTOUT, R ESPECTIVELY.  $6\emptyset C = \emptyset : X = \&H67\emptyset\emptyset : W$(\emptyset) = "12" : W$(1)$ ="TRIO": W\$(2) ="1/4": W\$(3) =", M1" :M\$="PRESS SPACE TO CONTINUE 7Ø L\$(1)="L1":L\$(2)="L2":L\$(3)=" L3":L\$(4)="L4":M\$(1)="M1":M\$(2)= "M2":M\$(3) = "M3":M\$(4) = "M4":R\$(1)="R1": R\$(2)="R2":R\$(3)="R3":R\$(4 ) = "R4" : K=18Ø S\$(Ø)="1F314F8D4Ø27Ø28A8Ø8D37 27ø28A4ø8D3127ø28A2ø8D2B27ø28A1ø 8D25":C(Ø)=2Ø68 9Ø S\$(1)="27Ø28AØ88D1F27Ø28AØ48D 1927Ø28AØ28D1327Ø28AØ1437EA285C6 8ØD7":C(1)=2258 100 S\$(2)="508DC3045026FA3930882 ØE684D45Ø39861897528D5A8D211Ø8E6  $7FA8D": C(2) = 322\emptyset$ 11Ø S\$(3)="ØD8DØB8DØ986ØD8DD4ØA5 226EA39EEA48DCE3341ØA5126F833Ø1E FA1C6": C(3) = 312812Ø S\$(4)="2ØD75139C6FED76F8D1B8 D238E67FACE68ØØEF81DEBCEF8133C91 8ØØEF":C(4)=3973 13Ø S\$(5)="818DB68D1BØF6F39341Ø3

ARIZONA SMALL COMPUTER PERIPHERALS
930 W. 23rd St. Suite 26
Tempe Az. 85282
(602)-829-8028
M - F 8:00am - 6:00pm MST

- 1) HARD DRIVE SYSTEMS

  30Meg SYSTEM......\$425.00

  20Meg SYSTEM......\$350.00

  System consists of a CMI 6000

  Series hard drive, WD1002-SHD

  controlier,DISTO HD Interface,
  power supply, case, and all
  necessary cables ready to plug in
  to an MPI and run. Drive is
  formatted with OS9 and contains
  1Meg+ of OS9 public domain
  software.

  2) HARD DRIVE KITS
- 2) HARD DRIVE KITS
  5, 8 & 10Meg Kits include a CMI
  5000 Series hard drive, WD1002-SHD
  controller, power supply and
  necessary cables.
  PRICED FROM......\$120.00

DISTO HARD DRIVE INTERFACE....\$50.00 (when ordered with kits above)

- 3) FLOPPY DRIVES FROM..... \$60.00
- 4) EAGLE KEYBOARD W/ADAPTER..\$100.00
  Use a 105 key IBM style keyboard
  with your CoCo 1, 2, or 3. 22 RS
  Basic Keywords and 22 OS9 Commands
  with only 2 keystrokes. Keyboard
  Reset.
  Hardware & firmware by Bob Puppo

Haldware a fillimate by bob tuppo

- 5) 512K MEMORY UPGRADES.....\$160.00
- 6) MODEMS 1200 BAUD.....\$40.00 2400 BAUD.....\$125.00
- 7) COMPLETE LINE OF DISTO PRODUCTS
- 8) COLOR COMPUTER & PERIPHERAL REPAIR
- 9) ASK ABOUT OUR TRADE-IN POLICY
- 10) WARRANTY
  All product sold with 180 day
  repair / replacement warranty.

Add \$8.00 S/H. All Prices US\$.

Ø8C278D18351Ø39341Ø3Ø8C252ØF4341 Ø3Ø8C":C(5)=2214 14Ø S\$(6)="262ØED341Ø3Ø8C292ØE6E 68Ø27Ø8A68ØBDA2855A26F839ØØØØØØØ  $\emptyset \emptyset \emptyset \emptyset \emptyset \emptyset$ ": C(6)=2482 15Ø K\$=1NKEY\$:IFK\$=""THEN15ØELSE IFK\$="2"THEN28ØELSEIFK\$<>"3"THEN SOUND6Ø,3:GOTO15Ø 16Ø CLS:PRINT@23Ø,"A FEW MOMENTS PLEASE" 17Ø FORI=ØTO6:FORJ=1TO29:A\$=MID\$ (S\$(I),2\*J-1,2):A=VAL("&H"+A\$):C=C+A:POKEX,A:X=X+1:NEXT:IFC<>C(I ) THENCLS: PRINT@226, "TYPING ERROR IN LINE";8Ø+1Ø\*I:ENDELSEC=Ø:NEX 18Ø FORT=1TO34:READA:NEXT:X=X-6: FORT=1T034:READA:POKEX,A:X=X+1:N EXT 19Ø GOSUB61Ø 200 KS=INKEYS:IFK\$=""THEN200ELSE IFK\$="N"THEN48Ø 21Ø GOSUB62Ø 22Ø K\$=INKEY\$:IFK\$=""THEN22Ø 23Ø GOSUB64Ø 24Ø PRINT" OF A TRIO OF FILES I THE LEFT, MIDDLE, AN NDICATE PARTS OF THE TOP 1/4 D RIGHT OF THE PRINTOUT. L2, M2, A INDICATE THE NEXT 1/ ND R2 EXCEPT FOR THE LAST 4, ETC. 11 7 2 25Ø PRINT"CHARACTERS, THE FILENA ME OF ALL FILES MUST BE THE SAME.":PRINT@485,M\$; 26Ø K\$=INKEY\$:IFK\$=""THEN26Ø 27Ø GOTO48Ø 28Ø K=2:W\$(Ø)="8":W\$(1)="PAIR":W ":CLS:PRINT@23Ø,"A FEW \$(3)=" MOMENTS PLEASE" 29Ø 5\$(Ø)="1F314F8D4Ø27Ø28A8Ø8D3 727ø28A4ø8D3127ø28A2ø8D2B**27**ø28A1  $\emptyset 8D2527 \emptyset 2^{"}: C(\emptyset) = 21 \emptyset 9$ 3ØØ S\$(1)="8AØ88D1F27Ø28AØ48D192 7Ø28AØ28D1327Ø28AØ1437EA285C68ØD 75Ø8DC3Ø4":C(1)=2637 31Ø S\$(2)="5Ø26FA393Ø882ØE684D45 Ø39861897528D4E8D218DE33341ØA512 6F88D138D":C(2)=3298 32Ø S\$(3)="D93341ØA5126F88DØ986Ø D8DCAØA5226EØ3933Ø11E32C62ØD7513 9C6FED76F":C(3)=325433Ø S\$(4)="8DØF8D17DEBC31C918ØØ8 DC28D1BØF6F39341Ø3Ø8C278D18351Ø3  $9341\emptyset3\emptyset8C":C(4)=2532$ 34Ø S\$(5)="252ØF4341Ø3Ø8C262ØED3 41Ø3Ø8C292ØE6E68Ø27Ø8A68ØBDA2855 A26F839ØØ":C(5)=3Ø5135Ø FORI=ØTO5:FORJ=1TO31:A\$=MID\$ (S\$(I), 2\*J-1, 2): A=VAL("&H"+A\$): C=C+A: POKEX, A: X=X+1: NEXT: IFC<>C(I )THENCLS:PRINT@226,"TYPING ERROR

IN LINE";29Ø+1Ø\*I:ENDELSEC=Ø:NE  $_{
m TT}$ 36Ø X=X-1:FORI=1TO34:READA:POKEX ,A:X=X+1:NEXT37Ø GOSUB61Ø 38Ø K\$=INKEY\$:IFK\$=""THEN38ØELSE IFK\$="N"THEN48Ø 39Ø CLS:PRINT@66,"YOU SHOULD HAV E READY 8 FILES (SCREEN IMAGES ) FOR LOADING. 4ØØ PRINT" THE SCREEN IMAGES OF ONE PAIR OF FILES SHOULD CORR ESPOND TO THE TOP FOURTH PART OF THE PRINTED PAGE. ANOTH ER PAIR SHOULD CORRESPOND TO 41Ø PRINT" THE NEXT FOURTH PART OF THE P AGE, ETC.":PRINT@453,M\$; 420 K\$=INKEY\$:IFK\$=""THEN420 43Ø CLS:PRINT@34,"THE LAST 2 CHA RACTERS OF EACH FILENAME MUST INDICATE WHERE THE SCREEN IMA PRINTED. FOR GE IS TO BE INSTANCE, L1 AND R1 ENDING THE FILENAMES 44Ø PRINT" OF A PAIR OF FILES I NDICATE THE LEFT AND RIGHT P ORTIONS OF THE TOP FOURTH OF THE L2 AND R2 IND PAGE. ICATE THE NEXT FOURTH, ETC EXCEPT 45Ø PRINT" FOR THE LAST 2 CHARA CTERS, THE FILENAMES OF ALL MUST BE THE SAME." 46Ø PRINT@485,M\$; 47Ø K\$=INKEY\$:IFK\$=""THEN47Ø 48Ø GOSUB56Ø 49Ø K\$=INKEY\$:IFK\$=""THEN49Ø 5ØØ IFK\$="3"THENCLEAR2ØØ,&H7FFF: PCLEAR4: ENDELSEIFK\$="2"THENCLEAR 200, &H7FFF: PCLEAR4: RUN"DL"ELSEIF K\$<>"1"THEN49Ø 510 CLS:PRINT@98,"ENTER PART OF FILENAME COMMON TO ALL FILES. (IF YOU HAVE MORE THAN 1 DR IVE, YOU MAY ADDRESS A DRIV E BY APPENDING A COLON FOLLOW ED BY THE DRIVE NUMBER TO THE FILENAME PART.) ";:LINEINPUT 52Ø PRINT@324,">>> F\$ 53Ø A=INSTR(1,F\$,":"):IFA>ØTHEND \$=RIGHT\$(F\$, LEN(F\$)=A+1):F\$=LEFT\$(F\$,A-1)ELSED\$="" 54Ø IFK=1THENFORI=1TO4:LOADM F\$+ L\$(I)+"/LR"+D\$,&H5AØØ:LOADM F\$+M\$(I)+"/LR"+D\$:LOADM F\$+R\$(I)+"/L R"+D\$,6144:EXEC&H6778:NEXTELSEFO RI=1TO4:LOADM F\$+L\$(I)+"/LR"+D\$:LOADM F\$+R\$(I)+"/LR"+D\$,6144:EXE C&H6778: NEXT 55Ø GOTO48Ø

56Ø CLS:PRINT@198,"1 LOAD FOR DU MP": PRINT@23Ø, "2 RETURN TO DESKT OPL":PRINT@262, "3 EXIT PROGRAM": 57ø DATA 2,27,49,ø,ø,ø,ø,ø 58Ø DATA 3,27,1Ø8,5,Ø,Ø,Ø,Ø 59Ø DATA 5,27,42,5,Ø,2,Ø,Ø,Ø,Ø 6ØØ DATA 2,27,5Ø,Ø,Ø,Ø,Ø,Ø 61Ø CLS:PRINT@194,"DO YOU NEED T O REVIEW FILE AND FILENAME FOR EXECUTING REQUIREMENTS DUMP? (Y/N) THIS SCREEN ";:RETURN 62Ø CLS:PRINT@66, "YOU SHOULD HAV E READY "; W\$ (Ø): PRINT@98, "FILES (SCREEN IMAGES) FOR LOADIN G. THE IMAGES OF ONE ";W\$(l );" OF FILES SHOULD CORRE-POND TO THE TOP "; W\$(2); " OF

#### Listing 3: LALTER

24Ø IFK\$="O" OR K\$="o"THENCLS:PR INT@196,"1: HI C SCREEN DUMP":PR 2: SAVE SCREEN ON DISK": 3: DIR":GOTO645 PRINT 33Ø INPUT#1, D, S:CLOSE#1:IFD>7 AN D D<11THEND=11ELSEIFD>11 AND D<1 5THEND=15ELSEIFD>15THEND=23 645 K\$=INKEY\$:IFK\$=""THEN645ELSE IFK\$="1"THENRUN"DRIVERLT"ELSEIFK \$="2"THENGOSUB15:GOTO2ØØELSEIFK\$ ="3"THENCLS:DIR:PRINT" SPACE TO CONTINUE"ELSESOUND60,10 :GOTO200 646 K\$=INKEY\$:IFK\$=""THEN646ELSE 2ØØ

#### Listing 4: LALTERD

24Ø IFK\$="O" OR K\$="o"THENCLS:PR INT@196,"1: SCREEN DUMP":PRINT" 2: SAVE SCREEN ON DISK":PRINT 3: HI C SCREEN DUMP":PRINT" 4: DIR":GOTO645 33Ø INPUT#1, D,S:CLOSE#1:IFD>7 AN D D<11THEND=11ELSEIFD>11 AND D<1 5THEND=15ELSEIFD>15THEND=23 645 K\$=INKEY\$:IFK\$=""THEN645ELSE IFK\$="3"THENRUN"DRIVERLT"ELSEIFK \$="l"THEN65ØELSEIFK\$="2"THENGOSU B15:GOTO2ØØELSEIFK\$="4"THENCLS:D IR: PRINT" PRESS SPACE TO CONT INUE"ELSESOUND6Ø, 1Ø:GOTO2ØØ 646 K\$=INKEY\$:IFK\$=""THEN646ELSE 2ØØ

THE PRINTOUT. "; 63Ø PRINT"ANOTHER ";W\$(1);" SHOULD CORRESPOND TO THE NEXT "; W\$(2); " OF THE PRINTOUT, ETC. ":PRINT@453,M\$;:RETURN 64Ø CLS:PRINT@34,"THE LAST 2 CHA RACTERS OF EACH FILENAME MUST INDICATE WHERE THE SCREEN IMA GE IS TO BE PRINTED. FOR EXAMPLE, Ll"; W\$(3);" AND R1 EN DING THE FILENAMES": RETURN 65ø DATA 2,27,49,Ø,Ø,Ø,Ø,Ø 66Ø DATA 3,27,1Ø8,9,Ø,Ø,Ø,Ø 67Ø DATA 5,27,42,1,Ø,3,Ø,Ø,Ø,Ø 68ø DATA 2,27,5ø,ø,ø,ø,ø,ø

#### Listing 5: LALTERE

24Ø IFK\$="O" OR K\$="o"THENCLS:PR INT@196,"1: HI C SCREEN DUMP":PR 2: SAVE SCREEN ON DISK": PRINT" 3: DIR":GOTO645 33ø INPUT#1,D,S:CLOSE#1:IFD>7 AN D D<11THEND=11ELSEIFD>11 AND D<1 5THEND=15ELSEIFD>15THEND=23 331 D=SF\*D:S=SF\*S: $M(\emptyset)$ =SF\*(D(CD) +2)-2645 K\$=INKEY\$:IFK\$=""THEN645ELSE IFKS="1"THENRUN"DRIVERLT"ELSEIFK S="2"THENGOSUBL5:GOTO2ØØELSEIFK\$ ="3"THENCLS:DIR:PRINT" PRESS SPACE TO CONTINUE"ELSESOUND60,10 :GOTO2ØØ 646 K\$=INKEY\$:IFK\$=""THEN646ELSE 2ØØ

#### Listing 6: LALTERDE

24Ø IFK\$="O" OR K\$="o"THENCLS:PR INT@196,"1: SCREEN DUMP":PRINT" 2: SAVE SCREEN ON DISK": PRINT 3: HI C SCREEN DUMP":PRINT" 4: DIR":GOTO645 33Ø INPUT#1,D,S:CLOSE#1:IFD>7 AN D D<11THEND=11ELSEIFD>11 AND D<1 5THEND=15ELSEIFD>15THEND=23 331 D=SF\*D:S=SF\*S: $M(\emptyset)$ =SF\*(D(CD) +2)-2 645 K\$=INKEY\$:IFK\$=""THEN645ELSE IFK\$="3"THENRUN"DRIVERLT"ELSEIFK \$="1"THEN65ØELSEIFK\$="2"THENGOSU B15:GOTO2ØØELSEIFK\$="4"THENCLS:D PRESS SPACE TO CONT IR: PRINT" INUE"ELSESOUND6Ø,1Ø:GOTO2ØØ 646 K\$=INKEY\$:IFK\$=""THEN646ELSE 2øø



#### Software

CoCo 1, 2 & 3

#### CoCo Graphics Designer Plus— Signs of the Times

Every Thesday is "Computer Day" at my young son's school, and he regularly brings home output from the day's session at the keyboard. Not too many Tuesdays ago, I walked into his room after work to find a prominent addition to his decor; a computer-generated banner hanging on the wall, proudly announcing "JASON LOVES MOMMY." A bit-image teddy bear rounded out the proclamation, apparently serving as the necessary link between human sentiment and hi-tech wizardry. My wife, who helps out at the school regularly, assured me that Jason had come up with the text of his banner without any maternal coaching. Obviously pleased with the day's lesson, though, she wondered aloud why

we didn't have such a program for our computer.

I'm happy to report that there is a delightful program available for the CoCo that does banners and much more. CoCo Graphics Designer Plus, from Zebra Systems, Inc., provides the capability for producing banners, signs and greeting cards via an elegant point-and-click interface,

This program runs on any Color Computer with at least 64K of memory. Yes, that is correct: any Color Computer 1, 2 or 3. When I read the system requirements page in the manual, I was amazed to see that the program could also run on my old silver 64K CoCo I as well as my CoCo 3. It worked perfectly.

Upon running CoCo Graphics Designer Plus, the user arrives at the main menu, which is clear and simple (as main menus should be), Your choices are Make Sign, Make Banner, Make Card, Set Up Printer and Set Up Data Drives.

A selection is made from among these by directing an onscreen arrow with either a joystick or mouse, and then clicking the button. If you have never used this type of interface before, you needn't worry: After working with it for 15 seconds you'll know everything you need.

Selecting Set Up Printer allows you to configure your program disk for the type of printer you have and the band rate you are using. This needs to be done only once (assuming you don't change printers or baud rates). The array of printers supported by CoCo Graphics Designer Plus is nothing short of astounding. The list would never fit on a single screen; it is accessed by scrolling through a window and clicking on the appropriate printer.

Having established that bit of trivia, the other setup command enables you to specify which disk drives you will use to hold collections of pictures, fonts (a font is a particular way of shaping letters and numbers) and border patterns. If you have only one disk drive, you can completely skip this step, and the program will assume all of the above will be stored on Drive 0. The program disk as purchased has six different fonts, a collection of 32 pictures and 16 font borders, all of which fit on the program disk. However, the company sells additional disks of fonts, pictures and borders.

Once the setup procedures are taken carc of, you can proceed to any of the three creative functions. Make Sign enables you to create a one-page (8½-hy-11-inch) sign, consisting of a combination of up to 14 lines of text, up to two pictures and an optional border. For this function, the screen is oriented around two activities. The right side of the screen displays the current horder and the pictures being used for the sign. The left side of the screen contains menu items (or "buttons"), which can be clicked on to do specific actions.

Buttons on the Make Sign screen include Select Picture, Place Picture, Select Border, Edit Text and Preview Sign. Each of these leads to an additional screen display, Also, there are buttons for Print Sign, Save Sign and Load Sign.

Select Picture asks which of the allowed two pictures you are selecting (Number I or 2), and which set of pictures you want to select it from. (Unless you purchase additional picture disks, there is only one set. See the sidebar "Clip Art for Your Creations" for more information on the picture disks.) It then loads the picture set and allows you to scroll through it and click on the picture you want.



Once you have selected a picture, you can place it on the sign using Place Picture. You have a choice of small, medium or large pictures on the sign, although choos-

ing large limits you to one nearly full-page picture. If you select small or medium, you can use both of the allowable two pictures, but both must be the same size.

The Place Picture function displays a three-by-three grid for medium-sized pictures, or a six-by-six grid for small pictures. By clicking on a grid location, you can place or erase either of the two pictures at that location. You also have buttons for filling the whole grid with one picture, staggering them in every other location or clearing the entire sign.

In addition to pictures, a sign can have one of 16 borders around the edge. (Many more borders are available on the optional border disk.) The Select Border function enables you to specify which collection of horders you want to select from, loads that collection, and lets you scroll through them and select.

Select Picture, Place Picture and Select

Border are all implemented very smoothly, and the commands and buttons function intuitively. The pictures and borders are shown onscreen as you select and place them, which is a major improvement over many programs of this type, which merely name them, without letting you see what they look like until print time.

The next function for making a sign is Edit Text. The implementation here is not quite as smooth as the picture and border functions, although my outlook may be biased by my extensive use over the last few years of several point-and-click word processing programs. CaCo Graphics Designer Plus is not intended to be a word processor, and thus only the most basic capability is provided within the Edit Text option.

Text editing is done in a 14-line window on the right side of the screen; buttons on the left side allow you to specify posi-

#### In the Zebra Zone

When the CoCo 3 was released, there was a sudden flurry of activity among Color Computer enthusiasts. It was quite interesting to watch. Photocopied technical manuats were in hot demand, hardware backers were dissecting circuit boards, and software developers were serambling to crank out products that would take advantage of all the new features. It's only natural, of course, to want to investigate the new and exciting.

For satisfied CoCo 2 owners, however, there was understandable concern over the fate of their faithfut machine. Would anyone continue to develop new products capable of running on the CoCo 2?

The answer, fortunately, is an iniqualified "Yes!" and Zebra Systems, Inc., is one such company. The philosophy at Zebra Systems, according to founder Stewart Newfeld, is not to write for the most powerful machine, but to take popular concepts and make them available in a quality package to the entire CnCo Community.

"We feel we can introduce half a dozen products a year which will not require an upgrate to the CoCo 3," said Newfettl. "We will continue to support the CoCo 2,"

Incorporated in February 1983, Zebra Systems has a history of providing high-enit capability to computers on the low end of the price scale. Their original product line brasted a 48-page catalog, including juysticks, light pens and voice synthesizers, all for the Timex Sinelair.

As the Sinclair market dwindled, the company probed the tBM software market but found it difficult to get distribution.

Retrenehing, Newleld investigated many microcomputers before settling on the Color Computer. Zebra Systems remains in the surplus market, as well, buying peripheral devices in bulk and adapting them to run on various computers. It even has an inventory of Timex Sinclair kits, sold primarily to schools for training in soldering skills and basic electronics.

Zebra Systems uses a variety of micros in its business and has seen many changes in the personal computer market over the years, "People's expectations have changed," Newleld explained, "A light pentoday has to be really extraordinary or people don't have much interest in it." The interaction between man and machine has changed, too, and the current trend is toward easy-to-use, point-and-click graphic interfaces. The original CoCo Graphics Designer, released several years ago, was entirely keyboard-driven. It took Newfeld and programmer Jeff Street over a year to rewrite it to provide the type of interface and flexibility users are growing to expect.

The key to making future graphic interlaces more responsive, says Newfeld, with his electrical engineering background, is "supporting a precision mouse and generating sound without slowing flown the CoCo," To that end, he is working on a CoCo peripheral that contains its own incroprocessor, and is tentatively dubbed the Turbo-Port.

"We want the CoCo2 to really sing," he says. If CoCo Graphics Designer Plus is any indication, the music has already begun.

#### **Clip Art for Your Creations**

lam one of those people with absolutely no artistic talent whatsoever. You know the type—can't draw a straight line with a ruler, I was absolutely delighted, therefore, when graphics editors began proliferating. With a good graphics program, I can not only draw straight lines, that squares, circles and all sorts of things that always chided me in the past.

If or a time I was elated. Eventually, though, it became apparent that I still had a problem. Although I could now draw the basic shapes, putting them all together into something that looked like more than just a jumble of shapes was still beyond me.

Clip art to the rescue! Clip art enables a non-artist such as myself (or anyone else, for that matter) to take advantage of pictures already created by someone who really knows how to draw.

Zebra Systems offers three different picture disks (sold separately), each containing four collections of pictures. The pictures are stored on disk in a format compatible with Zebra's CoCo Graphics Designer program.

Now, it certainly makes sense for a company to sell a product that's compatible with other of its offerings; and it is not surprising that Zebra has included a simple conversion program that enables you to convert the pictures for use with another Zebra product — CoCo Graphics Designer Plus, Flowever, Zebra has also included conversion programs to make the pictures compatible with Colorware's CoCo Max, CoCo Max II, CoCo Max III and Max-10 programs.

All of the conversion programs are extremely easy to use and are well-documented in the interest and onsoreen. The converted pictures to a

new disk; Zebra includes preprinted disk labels, which are immensely helpful in keeping track of your clip art collection.

Each Picture Disk contains collections of pictures in four categories. Each collection has 32 pictures in it, for a total of 128 pictures nor disk.

Piemre Disk 2 (Pieture Disk 1 has been discontinued) includes "Sports," "America," "Party" and "Office" collections. The wide variety includes atbletes and sports equipment; patriotic symbols, cowboys, Native Americans and space vehicles; wedding cakes, halloons and party hats; and pencils, phones and paper clips.

Picture Disk 3 contains "Religion," "Animuls," "Nature" and "Travel" categories. You can choose from an amazing array of religious artifacts, elergymen and buildings; animals from frogs to rhinos, cows to vultures; nuts, trees, sunsets and flowers: ships, campfires, trains, planes and automobiles.

Picture Disk 4 is a holiday disk. Collection I is filled with seenes of Christmas, including Santa, reindeer, snowmen, Wise Men and elves. Collection 2 covers Jewish holidays, with pictures of menorahs, latke, torah and the Star of David. Collection 3 covers Easter, Thanksgiving, St. Patrick's Day and Valentine's Day. Collection 4 has pictures for New Year's Day, Independence Day, Halloween and parades.

All of the pictures were created by professional graphic artists, and are remarkably detailed yet simple and elegant. The assortment of pictures is sure to provide for every taste — even if your favorite animal isn't there, your second at mind choice almost certainly will be!

I used a variety of pictures from the disks with CoCo Graphics Designer Plux, CoCo Max III and Max-10. The conversion programs gave me no trouble at all, and the labels provided with the picture disks kept me from getting disorganized. Once converted, the pictures can be pulled into any of those programs with incredible ease. The documentation includes sections on each of the programs the pictures can be used with, explaining precisely how to import the pictures into each program. Also included in the manual with each disk is a reference sheet that illustrates the pictures in each collection.

I have only two minor complaints with Zebra's *Picture Disks*. First, the reference sheets illustrate only 30 pictures in each collection. It was quite by accident that I discovered that there are actually 32. I don't know if this was intentional, or if the additional pictures were an afterthought, subsequent to the completion of the documentation. It certainly doesn't hurt anything, but I have a tendency to get nervous when write-ups don't accurately reflect reality.

My other minor gripe is that the conversion programs require disk swapping, even if you have two disk drives, as I do. I realize I can't expect much sympathy for this one, but I do find it annoying.

Regardless of whether you are a total nonartist as I am, or an accomplished graphics designer, if you own any of the supported graphics programs you should consider purchasing one or more of these ctip art collections. They represent high-quality work at an excellent price.

tioning (left, right or centered), size (one of four) and font (any from the designated collection) for each line of text. It takes a bit of practice to feel comfortable with this editor, but all you're editing are 14 lines, so it is not a major problem.

The Preview Sign function enables you to see, either actual size or reduced, precisely what your finished product will look like when printed. This can save lots of time and paper if you haven't properly aligned the text and pictures, or if the desired effect isn't what materialized.

The Print, Save and Load functions are totally straightforward. The only draw-hack is that the Save must be made to Drive 0. No provision was made in the Set Up Data Drives function at the main menu for specifying which drive should hold your finished product. This is rather annoying, since the program disk must reside in Drive 0 and it is very close to being full when you get it. There isn't room for much more, so you have to resort to swapping

disks. I always get snippy when I am forced to swap disks after I spent good money on a second disk drive specifically to avoid swapping!



The Make Card function works almost identically to Make Sign. The basic difference is that you create two different pages — one for the front of the card and one for the inside. There is an additional button, Select Page, that allows you to toggle between the two while preparing the end result. When printing a card, the first page

is printed upside-down in the upper-left quarter of the paper, and the second page is printed normally in the bottom right quarter. By folding the paper in half twice, a 41/4-by-51/2 inch card is produced.

The Make Banner function is considerably simpler than the other two. The available buttons are Select Picture, Edit Text and Print. You can have one leading picture and another picture to follow the text. The Edit Text function is identical to that in Make Sign and Make Card, and the Print function has no hidden complexity. There is no provision for saving banners to disk, which is reasonable since they are so easy to create.

I made a number of signs, cards and banners with CoCo Graphics Designer Plus and was thrilled with them all. I was also fortunate to be able to try the additional font, picture and border disks. The variety is awesome, and programs are included that will convert the pictures to CoCo Max I, II, III and Max-10 formats.

CoCo Graphics Designer Plus comes with a 63-page users manual, which includes extensive appendices, a thorough tutorial and a quick reference guide. It is clear, easy to follow and complete. It is also lavishly illustrated with sample screens and contains a glossary that defines terms such as "point" and "click."

CoCo Graphics Designer Plus is a topnotch program. The graphics are superb; the documentation excellent; the user interface simple, easy to use and efficient; and the price makes it a steal. I thoroughly despise reviews that end with "Your software library won't be complete without it," but this really is one program that everyone can use.

(Zebra Systems, Inc., 78-06 Jamaica Ave., Woodhaven, NY 11421, 718-296-2385; \$29,95 plus \$3 S/H; picture disks available at \$14,95 each)

-Jim 1ssel

CoCo 1, 2 & 3

## Software Math Tutor— Math Practice

Math Practice and Educational Arcade Action

Why should students give their teachers Apples when they can give them a CoCo and some educational software to go along with it? Tandy's new educational program on a ROM pack, Math Tutor, is not only great for home use but could also enhance an elementary math class.

Thappen to be a serious person and like to see computers used for serious purposes. Education ranks high with me as a reason for purchasing and using a computer. Unfortunately, it ranks low with my children. It's hard to tear them away from the excitement of *Color Baseball* and the shoot-'em-up action of games like *Space Assault* in order to play some mundane educational game.

I'm not of the opinion that all education should be tremendously exciting, but when made exciting learning becomes that much easier. Most educational math programs tend to be monotonous: The user is presented with a math problem; he gives the answer; the computer rewards him with a cheer or a raspberry; the user moves on to the next question. The programmers of *Math Tutor* have pretty much stuck to this formula, but they have added something more exciting called The Math Gallery.

The Math Gallery combines the action of a video game with an educational drill. The player stands at a shooting gallery in

the midway of a carnival. A balloon travels across the top of a booth while a math problem is presented. At the bottom of the screen, the player has a gun that follows the movement of the halloon. If the player answers the question correctly before the balloon reaches the other side of the screen, the gun fires and the balloon pops. While the game is going on, carnival music plays in the background. If you haven't been to a fair or carnival in years, the music is guaranteed to bring on nostalgia.

Math Tutor not only covers addition, subtraction, multiplication and division, but it also covers fractions and algebra, thus making it more extensive than other math programs I've seen. In all of the areas, with the exception of algebra, the user has the option of choosing comparison problems. These problems require the user to determine if two whole numbers or fractions are less than, greater than or equal to each other.

There is no multiplication or division in either of the fraction or algebra problems. However, in order to make the algebra problems more difficult, you can choose problems that mix addition and subtraction.

Within Math Tutor you can get help in two ways. If you are absolutely stimped on a problem you can press the? key and the answer will he given to you. There is also a built-in scratch pad; you can access this at any time by pressing the S key. This is especially useful it you are doing difficult problems that involve carrying or more than one operation.

There are five levels of play. The higher levels increase the range of numbers and include negative numbers. In the higher levels of division, the answers may have remainders; and in the higher levels of fractions, the fractions may have different denominators. Things can be made even more difficult in the shooting gallery by increasing the speed at which the balloon travels across the screen.



The user not only has control over the levels of difficulty but can set the lesson size to 10, 20, 30, 40 or 50 problems. You can also choose to have the problems presented in either a vertical or a horizontal

#### WARGAME DESIGNER II

Introducing this NEW enhanced version of our most popular COCO 3 product!

Here are just a few of the new features; Choose from keyboard or joystick control. Now you can control every phase of design and play by joystick! We've added a new enhanced icon design system. Work on new icons at 5 times actual size. No more eye strain! There's a new terrain modifier menu with default values to speed up input. New menus, more visual and audio enhancements & a super fast screen loader & more!

Wargaming & game design have never been so much fun. If you haven't tried it, NOW is your chance!

#### WARGAME DESIGNER II

Introductory sale priced at ONLY \$25

WGD ICON DtSK #1 528 ready made, easy to use WGD II compatible unit and terrain icons. Just \$15

WGD STAND ALONE SCENARIOS ONLY \$15 each

INVASION NORTH ROBOT COMMAND GHOST HUNTERS ZULU REVENGE ISLAND DOMINATION TECH WARS ATTACK ON MOSCOW DUNGEON WARRIOR ORC AMBUSH DESERT RATS FORT APACHE ROTC

GRIDIRON STRATEGY Sate price at \$18 100% ML footbalt strategy for 1 or 2 players. The first & stilt the best!

WEEKLY WINNER 2.0 just \$15
The only lotto program we know of that has produced winning numbers. 100% ML COCO 2 & 3 disk or tape. A proven winner

CATALOG ON DISK A good investment \$3 Skeptical? See before you buy. Then deduct \$3.00 Irom your lirst order.

CC3FLAGS A "risky" game, only \$21 Graphics oriented and definately addictive! A game of world conquest for 1 to 6 players. COCO 3 disk only.

BLACK GRID \$21 An intriguing graphics puzzel for the COCO 3. Find the hidden boxes inside the black grid, 3 play modes.

MAIL MASTER Sale priced at just \$10 Get your mailing lists organized. All ML

CC3CRAM Introductory sate \$12.00 Stop wasting valuable disk space with COCO 3 graphic pages. Cut most liles to just 4 granules! A reat space saver.

\* \* \* \* MAY SPECIAL \* \* \* \*
Order any product listed above & get the
WGD stand alone game of your choice FREE
Catalog orders excluded.

#### **SPORTSware**

1251 S. Reynolds Road, Suite 414 Toledo, Ohio 43615 (419) 389-1515 format. If you want you can choose both: Some of the problems will appear in a horizontal format and some in a vertical format. At the end of each lesson, you can decide whether to repeat the lesson, repeat your errors only or go on to the Math Gallery.

Math Tutor is very easy to use. I was able to run most of the program without using the manual. When I did have to consult the manual, I found it very easy to understand. For those who have used other programs licensed by ZCT Systems to Tandy, Math Tutor will be even easier because it uses menus and formats that you have used in other programs. For example, the BREAK key always takes you back to the last step.

An additional feature of *Math Tutor* is the homework option. This is especially useful for parents or teachers who want their child or student to concentrate on certain problems. The adult can create a homework assignment and then save it to tape for future use. I only wish it were possible to print out the homework assignments.

Other than the lack of a printer option, Math Tutor is a fairly complete program, and I have few complaints with it. All single-digit numbers have leading zeros, which may confuse children at first, but my boys quickly adapted to it. One of my sons wished that the program could time him on his math problems and give the percentage of correctly answered problems at the end of each lesson. Following the Math Gallery you are given the percentage of correct answers given for questions asked in the Gallery, but you are not given percentages on the questions answered in your regular lesson. One other problem is that there are no answers greater than 99. This means that there is no threeor four-column math, which my kids are already doing in school. However, this doesn't mean that *Math Tutor* is easy. Try the Math Gallery in Level 5; I guarantee that you won't pop too many balloons especially if you have chosen the highspeed option.

On a scale of 1 to 10, one son rated this program a 10, while my wife, my other son and I each gave it a 9. If you have elementary school-age children and a CoCo with at least 16K of RAM (a cassette recorder is optional), then you should consider purchasing Math Tutor.

(ZCT Systems, dist. by Tandy Corporation, 1700 One Tandy Center, Fort Worth, TX 76102; \$24,95; Available in Radio Shack stores nationwide.)

-Dan Weaver

#### Software

#### Orc Ambush— A Fight to the Death

CoCo 3

Visit a bookstore and you'll probably find a section devoted to novels about heroes and heroines battling for good in a land of soreery. On other shelves you might find role-playing games that let players experience such adventures first-hand. Through the magic of computers, the pads of paper, charts and dice needed to play these games have been eliminated.

SPORTSware, makers of Wangame Designer, also produce many different seenarios to complement their program. One of these is Orc Ambush, a wargame set in the Forest of Lynn, home of evil Ores, good humans and elves. The goal is to conquer the Ores, who have stolen the chest of herbs belonging to the wizard Shanndar. Exiting the forest, crossing the river, entering the fort and defeating the Ores are a few of the many challenges to surmount in this game. The program does not require the Wargame Designer to run, as Orc Ambush is self-contained, However, those who own Wargame Designer or Wangame Designer II can modify all of the existing characteristics of this sce-

Orc Ambush requires a CoCo 3 and one disk drive. Like numerous high-resolution graphics-oriented programs for the CoCo 3, an RGB monitor is required to enjoy Orc Ambush to the fullest. Many different modules for various portions of the game are loaded separately from disk. As no copy protection is employed, making a backup copy of the original is a must,

Loading the program is simple, requiring the user only to type RUN"M". The main menu then appears with six available choices. If you don't own Wargame Designer, you will be able to invoke only two of the options: Playing Orc Ambush and Exiting to BASIC. The other selections are obtained after copying certain modules from the Wargame Designer master disk to the Orc Ambush disk.

Play commences after the player designates the number of players (one or two) and whether the game is new or previously saved. The two main modes for the participants are movement and comhat. The four arrow keys as well as the P, O, K and L keys control direction. Different terrain squares have varying movement costs. Each character in the scenario has a certain range of movement and attack. This attack is not necessarily successful and, as in real battle, conditions can hurt the cause in-

stead of helping. Each turn ends after the attack damage has been calculated for each piece. If a unit does not attack for two turns, a "resting" message flashes on the screen, and the strength counter increases in value for that character.

The Orcs are normally invisible in the one-player mode, but pressing SHIFT-3 during the human attack mode will put the green and black monsters on the screen. The l'irst few times you play, you'll find this mode very helpful in preventing an embarrassing defeat. Selecting a two-player game allows only one side's fighters to be displayed at a time, with the other player knowing the location but not the identity of each character. The manual states that *Orc Anibush* was designed to be a one-player game. Novices may find it more fun to play against a person of similar skill, for the computer is a challenging opponent.

Game play ends when either side has all of its units destroyed, the human side occupies the treasure chest, or the player presses Q to quit playing. The goal is to occupy the representation of the treasure chest in the upper-right corner of the screen. Killing all the Ores is next to impossible, and this kind of victory will take much more time than usual. At any rate, destroying the monsters is not the way to run a successful war.



Even expert gamers will find that the computer-controlled Orcs can be very tricky, so don't count on winning until after you've had some practice. The game save l'eature is a necessity because one full game can run into many hours (depending on your skill).

The manual to *Orc Ambush* is relatively short and requires only a brief amount of study to understand. Hints and tips are provided, although only experience will allow the player to determine the best strategies for victory. Also included is a step-by-step process allowing *Wargame Designer* to modify the maps, characters and graphics.

At \$15, Orc Antbush is inexpensive for a stand-alone game with such attention to detail. The RGB graphics are very good, with a fair amount of detail and razor sharpness. The composite screen, on the

# Premium Printer Systems CoCo I, II & III Compatible



for Your CoCo

The NX-1000 gives you plenty of print options for attractive printing. Four typestyles. Four pitch sizes, in standard and italics for a total of 32 NLO modes. The NX-1000 Rainbow

gives you all these leatures plus

online access to 7 color printing and graphics. Black, blue, red, yellow, green, violet, and orange. Both models have a 1 year warranty and a 30 day online trial.

NX-1009 SPECS: 144 cps Drait, 36 cps NLQ (18 x 23 det matrix). 4 NLO Fonts, flatics, Sub & Superscripts, Emphasized, Daublestrike, Proportional, Condensed, Injernational, Downleadable, Quad Tall, Double Tall, Underline, 9+ Pilons, Forward and Reverse n/216' Line Feeds, Absolute or Relative Vert. & Horz. Tabs, Left, Center or Right Justification, 8 Graphics Modes to 1920 dpf, Macra Instruction, Bidirection, Adjustable Tractor Feed, 200+ Printable Characters, Semi Auto Sheet Feed, Front Panel Soft Touch Centrel, Epson and IBM Emulete, 4k Data Butler, Hex Dump

#### NX-1000 SYSTEM INCLUDES:

- Star NX-1000 Printer
- · Blue Streak Ultima

· Software Support Trio +\$10 Shipping & Ins.

COMPLETE

#### **NX-1000 RAINBOW SYSTEM**

INCLUDES:

- Star NX-1000 Colour Printer
  - +\$10 Shipping & Ins.
- · Blue Streak Ultima COMPLETE
- Software Trio
- Color Super Gemprint

#### The Smallest, Sleekest, **Fastest Serial To Parallel** Converter You Can Buy!

7 Switchabel Baud Rates

300 • 600 • 1200 • 2400 •

4800 • 9600 • 19200

Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your

> current printer. The cables are long-life, high quality shielded cables with moulded plugs for extra durability.

Try a Blue Streak Ultima on your system for 30 days RISK FREE. One year warranty.

#### The Blue Streak Ultima

Powered version. add \$6.00.

+\$2 Shipping

#### Software Support Trio

Type Selection/Tutorial

Online instructional program that will select 24 special features of your printer or display methods to incorporate them into your programs.

#### Super Gemprint

Will transfer Pmode 0, 1, 2, 3, or 4 picture screen to printer 8"x11" hardcopy. Black/white, white/ black or grey level shading for color.

#### Hi-Res Super Gemprint

Disk software that will transfer a Hiscreen 1, 2, 3, or 4 picture screen to printer. Grey level shading



All Three **Programs** 

#### Color Super Gemprint

Print your Graphics Screen in Color on your NX-1000 Rainbow!



Use your favorite program to create a pmode or hi-res graphic image, but don't stop there! Run our color graphics software and print a color image using a palette of 81+ colors on your NX-1000 Rainbow from a CoCo 1, 2, or 3. Requires 32k ECB Disk.

with purchase of any

Price, availability and specifications subject to change without notice.

#### Order Your System Today... Call (513)

#### DAYTON ASSOCIATES of W.R., INC.

9644 Quailwood Trail . Spring Valley, Ohio 45370 (513) 885-5999

Visa & Master accepted within the continental U.S. Ohio residents add 6% sales tax COD add \$3.00

Shipping charges to Canada, P.R., HI, AK, APO, FPO are double. Triple charge to all other countries.

#### Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome Irom everyone. We like to run a variety ol programs that are uselul/helplul/lun for other CoCo owners.

WHAT TO WRITE: We are interested in what you may wish to tell our readers. We accept for consideration anything that is wellwritten and has a practical application for the Tandy Color Computer. If it interests you, it will probably interest lots of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more the appeal. We have a continuing need lor short articles with short listings. These are especially appealing to our many beginners.

FORMAT: Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs and debug our typing errors. All programs should be supported by some e. itorial commentary explaining how the program works. We also prefer that editorial copy be included on the tape or disk using any of the word processors currently available for the Color Computer. Also, please include a double-spaced printout of your editorial material and program listing. Do not send text in all capital letters; use upper- and lowercase.

COMPENSATION: We do pay for submissions, based on a number ol criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submission Guidelines, THE BAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit material currently submitted to another publication.

other hand, does not do justice to the game. My only complaints are with the speed in loading and operation. It seems to take forever for your turn to come up.

SPORTSware deserves congratulations for filling a demand in the CoCo Community. Ore Ambush is a program that will provide many hours of entertainment, and it won't each dust on the shelf.

(SPORTSware, 1251 S. Reynolds Road, Suite 414, Toledo, OH 43615, 419-389-1515; \$15)

-Fred A. Miller

#### Software

CoCo 1, 2 & 3

#### Revenge of the Germs— What Your Mother Never Told You!

Do you remember your mother telling you to wash your hands, leave the candy on the sidewalk, and to wipe your nose on a tissue, not your sleeve, so you wouldn't "get germs"? And didn't you think that germs spread by sort of cloning themselves? And I bet you thought germs were little microscopic things, right?

Revenge of the Germs is a graphics Adventure game (although when I saw the title I figured it for an areade game or antivirus program for sure) that will change how you look at germs from now on.

After my precautionary backup, I booted the game. I got to the part where it asked "Read the objective?" (the background info on the game) and got strick. I pushed every key on the keyboard and got no response. Hmminm. OK, I can't review a game I can't get into, can I? I sent off a note to the author, who called me with the fix, and he promised to fix his master copies also, I found this author to be like most, willing to go the extra mile with support. Now, onto the game!

I seem to be in a hospital bed, I can see my feet sticking out, anyway. What in Sam Hill happened? The door to my room is trushed. Guess I'd better get up and see what happened here.

Wandering through the hospital, I didn't find anybody around and the doors were locked. What I did find was this gigantic blob, with hands, feet and head. That's a germ, and it's too big to fit through the door, but it seems to keep finding me—asually if I happen to stay in a room too long. It's definitely out to get me. The germ is a random feature, and, oh yes, it

can kill you! I have to get out of here, but I have to kill some of them on my way. (Trust me! Hitting them does not work!)

The graphics are well done, with detail. The objects disappear as you take them and reappear if you drop them. This hospital comes complete with lobby, lab, waiting room and operating room, along with some rooms a hospital patient normally doesn't see. Did I mention that the elevator disappears as soon as you step off?

The game accepts most standard commands, except for the USE and HELP commands. It also incorporates a few words that weren't in my first-grade reading book, Since you won't be able to finish this game in one sitting, you'll be able to use the SAVE and LOAD features that are included,

When I play Adventure games, I have this habit of picking up every object I can, and I absolutely hate to drop anything because you never know if you're going to need it later. This game accommodates my habit. You should see how much stuff you can carry! And for those who don't know which way is north, the directions in this game are left, right, forward and hack. The only thing I really found lacking in it was a SCORE command. I like to gauge my progress by the points I have accumulated. For those of you who like to be surprised, the lack of a score won't bother you.

Included with Revenge of the Germs are three pages of very complete instructions. The instructions cover startup of the game, making backups, sample text, and the conditional guarantee from The Software Systems. It's recommended for ages 10 and up, and 1 suspect that's because it requires some logical thought and creativity to solve. If you happen to get stuck while playing the game, just grab a couple of friends or family members. You'll get plenty of suggestions.



Revenge of the Germs will work on your Color Computer 1, 2 or 3, A single disk drive is also required. The game fits on one disk, so there is no disk-swapping. If your original disk doesn't work for some reason, send it with \$1 for handling charges back to The Software Systems for a replacement.

I really enjoyed this game. I'm a sucker

for graphics, and I always get anxions to see "the next scene." This game didn't disappoint me in that respect. Once I remembered a few basic rules about adventuring, I was able to solve it. At \$9.95, it's a real bargain, affordable even on a paper carrier's salary. Also, while you're killing germs, you'll be saving not only yourself but also real beasties, because 25 percent of all profits from the game will be donated to the Nature Conservancy. I commend the author for this concern. And his donations.

(The Software Systems, 5576 Oak Vista Drive, Cincinnati, OH 45227, 513-561-1272; \$9.95: First product review for this company appearing in THE RAINBOW.)

-Gail Allore

#### Software

CoCo 3

# Printer Drivers for Home Publisher— More Support for the OS-9 Desktop Publisher

Did you buy the Home Publisher OS-9 desktop publishing program from Radio Shack only to find that you would have to purchase a new printer just to get a hard copy of your efforts — Tandy did not privide drivers for many of its own printers. And isn't that the whole point of desktop publishing — making printouts?

Fortunately, Tandy later provided drivers for the DMP printers free for the asking to registered *Home Publisher* users.

Hoved Home Publisher so much that I went out and bought a new Star NX1000 Rainbow color printer, which mas compatible. Having purchased three printers over the years from Radio Shack, I too was disappointed that Home Publisher did not support the CGP-220 color printer. Well, wish no more, for Home Publisher has new drivers for seven popular printers. Please note that the disk of add-on drivers is an Express Order item and may not be stocked by your local Radio Shack store. (Also, note that Home Publisher is for the CoCo 3 with a disk drive and a compatible printer.)

While I have only one printer supported by this package of printer drivers, I will note for youthe special considerations you should be aware of from the instructions included. Although the documentation is only three pages of information, it seems to be complete and all that is needed. The Home Publisher add-on diskette includes drivers for these printers: Tandy CGP-220 and DMP-110, C.Itoh 8510, Epson MX-80, Okidata 20, Panasonic KX-P1090 and Star SG-10

The instructions indicate that no special considerations need to be made for the C.Itoh 8510, Okidata 20 and the Panasonic KX-P1090. If you are using the Epson MX-80, the printout will be only 5½ inches wide. The reason for the narrow printout is the 960-dot line of this printer. For the Star SG-10, DIP switch settings are noted.

Two drivers are included for the DMP-110 because a full-screen printout is 1 inch longer than will fit on standard paper. *DMP-110N* is the full-screen version, and several options are available to you. You could have it overlap two pages of standard paper, use continuous paper or load your printer with a sheet of 14-inch paper to avoid using two sheets. The second driver for the DMP-110 is the *DMP-110S*, which will truncate the bottom 10 percent of the page so that it will fit entirely on a single page of standard paper.

The only special consideration for the CGP-220 is that if you want to use the printed borders you should set the left and right margins to .09. This allows eight dots plus one blank dot for the horder pattern on each side. If you think I saved the best for last, you are right! If you read the first line of info for the CGP-220 where it says "will only print in black and white," don't believe it! If you want the page to print in other than black, even in untit-color — you one!

#### How to Get Color on the CGP-220

To print in a color other than black, just send the color commands to the printer using the OS-9 display command (yes, it is in there and available for you to use) before starting Home Publisher for printing; the software will not reset the printer to black,

To print the page using green, enter display 1B 54 32 >/P from the OS-9 prompt and press ENTER. Then start up Home Publisher as usual, When you print the page it will be printed in green and white. To print in another color just change the 32 in the display command to the Hex value of the color you want. For a multi-color page you will have to do a little more work and planning.


If you only want the border a different color, this is how it's done. First, set the printer with the border color from OS-9 using the display command. Next, print a blank page from *Home Publisher*, selecting the desired border pattern. Then exit to OS-9 and set the color for the rest of the document. Bring up *Home Publisher* again, then load/create the page; reset the paper

#### About Your Subscription

Your copy of THE RAINBOW is sent second class mail. You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an account number and line subscription expiration dale. Please indicate this account number when renewing or corresponding with us. It will help us help you better and taster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.



117

in the printer back to the top of the page before printing the second color.

The easiest way for me to realign the paper for the second color was to tear the roll paper off even with the tear bar on the printer. When I said multi-color that's just what I meant!

To print a page in more colors you would create a separate page for each color, saving each of them in a separate file. To print the page you have to set the print color from OS-9, restart Home Publisher, and load and print the color, repeating this for each color until your masterpiece is done. It's a lot easier than it sounds try it! If you have a color printer other. than the CGP-220, you could do it the same way: just send the color commands for the printer you are using to get the same results (using the proper printer driver for the printer you are using). For those of you who do not have a color printer but have different color ribbons, you could merely change the ribbon for the printing of each

I hope this information will be of help to you even if you do not need the drivers on this disk. *Home Publisher* is a very good system made even better with this add-on set of printer drivers. Personally, I feel that users should not have to pay 20 bucks extra to get drivers that should have been in the original package. But it's nice that Tandy got around to providing them.

(Tandy Corporation, 1700 One Tandy Center, Fort Worth, TX 76102; \$19.95: Available in Radio Shack stores nationwide, Cat. No. 90:0911)

-J.D.Walker

# Hardware HAWKSoft's Keyboard Extender— Expand Your CoCo's Horizons

I'm extremely fortunate to have my CoCo on its own table. I have almost enough room for everything, and I'm able to type pretty much as my typing instructor in high school taught me.

I also know that not everyone is as fortunate as I am. Your computer table may be too small or cluttered. If it is, I het that you've wished you could arrange your equipment more comfortably for the times when you type in those long BASIC listings from THE RAINBOW. There may be some hope for you.

HAWKSoft can provide you with a keyboard cable that allows you to remove the keyboard from the CoCo case and use it within a 5-foot radius. You could put the keyboard in your lap, or you could put it on the computer table, leaving the CoCo on the floor. Or you could try another arrangement. Of course, all this freedom comes at a price, and I don't mean money—you have to open your CoCo. The dreaded warranty seal needs to be violated!

Fortunately, the procedure to install the keyboard cable is fairly straightforward. If you are familiar with the operation of a screwdriver, you probably won't have too much trouble. And if you do, you can give the company a call. They were friendly when I called for a little advice. The single sheet of instructions was a little confusing. I talked to Chris Hawks of HAWKSoft and he assured me he would try to make them a little clearer, maybe even adding a diagram or two.

Opening the case is simple; Remove six screws from the bottom of the computer case (the sixth screw is *under* the warranty label, which means you have to poke a hole through it to get this screw out). After you lift the lid from the CoCo and its innards are exposed, you unplug the keyboard cable. Then you carefully insert the leading edge of the dual in-line plug into the keyboard connector. Stretch out the 5-foot extender cable and plug the keyboard into the card edge connector. Put everything back together on the CoCo and extend your reach.

If you are worried about damaging your keyboard, don't be. With a little care, the keyboard should last just as long out of the computer case as in it. Tandy enclosed it in a protective case. The cable itself is a llat ribhon cable that, with a little care, should last a long time. In fact, the whole keyboard cable assembly is made from industrial-grade parts. There is gold plating on the connectors, which means reliability. This cable can be used on any CoCo 2 or 3, and the sample I received was 5½ feet long.

A few things need to be considered before installing this product. Once the keyboard is removed from the CoCo<sub>e</sub> all its guts are exposed, and they are very fragile. The parts are especially sensitive to static electricity and loose paper clips, etc. It would be wise to cover the hole with something or to buy a spare keyboard to use with the extender cable. The mylar connector on the keyboard scratches easily, a fact that's mentioned in the manual but cannot be emphasized enough: You should be extremely careful not to damage this cable, or you will be buying yourself a new keyboard.

One complaint I have with HAWKSoft's

Keyboard Extender is an innised row of pins on the plug that goes into the keyboard connector. This makes the plug sit at an angle on top of several other components near the connector. I think cutting off the innised row of pins would eliminate any potential problems. Another complaint I had was with the instructions, but Mr. Hawks assured me he will work on them. They were adequate for a hardware hacker, but I think they would have confused the neophyte. [Chris Hawkes reported that he has rewritten the instructions, and also that he has cut off the inused row of pins on the plug of his unsold cables.]

Should you buy this product? If you have a need to move your keyboard around, this well-made extender cable will do the job nicely for you.

(HAWKSoft, P.O. Box 7112, Elgin, 1L 60121, 312-742-3084; \$25)

-C.L. Pitipauskas

#### -Book--

#### BASIC Unravelled Series— Learning the Ropes

Imagine having complete control over the BASIC in your Color Computer, knowing the intricacies of its operation at every point as it runs your programs. Now imagine being able to change BASIC to work as you want it to, adding and improving commands as you desire, and being able to easily interface your own machine language routines with BASIC to perform special functions.

With the BASIC Unravelled series these things don't have to be limited to your imagination. BASIC Unravelled is a three-part series containing commented source code (assembly language code used to create machine language programs) of all of the ROMs in the Color Computers 1, 2 and 3. This is a disassembly of all the instructions the CoCo uses to operate Color BASIC, Extended Color BASIC and Super Extended BASIC. These disassemblies are extremely well-commented and include meaningful labels.

The three books in the series are 8½ by 11 inches, softbound and average 162 pages each. I was sent the newest versions of each of the books, and they look great, These latest publications contain some additional information not available in the older ones and have crisp tables and a typeface I really like.



## Fill out your CoCo library with these selections

#### The Complete Rainbow Guide to OS-9

Authors Dale Puckett and Peter Dibble show how to take advantage of OS-9's multitasking and multiuser features. An easy-to-read, step-by-step guide packed with hints, tips, tutorials and free software in the form of program listings.

Book \$19.95, Disk Package \$31 (2 disks, book not included)

#### The Complete Rainbow Guide to OS-9 Level II Vol. I: A Beginners Guide to Windows

Puckett and Dibble have done it againt They uncover the mysterles of the new windowing environment and demonstrate clever new applications. More hints, tips and plenty of program listings. Book \$19.95, Disk \$19.95

#### The Rainbow Introductory Guide to Statistics

Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes and thinking for both the beginner and the professional. (80-column printer required.) Book \$6.95, Tape or Disk \$5.95, Package \$11.95

#### The First Rainbow Book of Adventures

Contains 14 winning programs from our first Adventure contest. Includes Sir Randolph of the Moors, Horror House, One Room, Dr. Avaloe and more. Plus hints, tips on solving Adventures. Book \$3.50, Tape \$3.50

#### The Second Rainbow Book of Adventures

Featuring 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, lind a hidden tortune, or win the heart of a mysterious princess. Ring Quest, Secret Agent Man, Dark Castle, Curse of Karos and morel Book \$13.95, Tape \$13.95

#### The Third Rainbow Book of Adventures

The excitement continues with 19 new Adventures. Discover backstage intrigue at the London Theatre, attempt a daring space rescue, or deteat evil in the year 2091 as a genetic android. Evil Crypt, Spymaster, Time Machine, The Amulet, and that's only the beginning! Book \$11.95, Tape \$9.95, Two-Disk Set \$14.95

#### The Fourth Rainbow Book of Adventures

Fourteen fascinating new Adventures from the winners of our fourth Adventure competition. Rely on your wits to escape a hostile military installation, try to stop the Nazi plan to invade Great Britain, manage to reinstate our defense system before the enemy launches a massive missile attack, and more!

Book \$10.95, Tape \$9.95, Two-Disk Set \$14.95

#### The Rainbow Book of Simulations

20 award-winning entries from THE RAINBOW's tirst Simulations contest. You are a Civil War Commander, an air traffic controller, a civil defense coordinator, or a scientist on Mars . . . your wits are on the line.

Book \$9.95, Tape \$9.95

#### The Second Rainbow Book of Simulations

The 16 winners from our second Simulations contest. Fly through dense African jungle, bull your way down Wall Street, lead a bomb squad, or try your hand at Olympic events. Test your skills and talents. Book \$9.95, Tape \$9.95, Disk \$10.95

I want to start my own Rainbow	Bookshelf!
Name	
Address	
City	710
State	ZIP
☐ Payment Enclosed, or ☐ Charge to:	
☐ VISA ☐ MasterCard ☐ Ame	erican Express
Account Number	
Card Expiration Date	
Signature	
Please send me:	
☐ The Rainbow Book of Simulations	\$ 9.95
☐ Rainbow Simulations Tape	\$ 9.95
☐ The Second Rainbow Book of Simulations	\$ 9.95
☐ Second Rainbow Simulations Tape	\$ 9.95
□ Second Rainbow Simulations Disk	\$10.95
☐ The Complete Rainbow Guide to OS-9 (book only)	\$19,95
☐ Rainbow Guide to OS-9 Disk Package (2 disks)	\$31.00
☐ The Windows & Applications Disk tor	****
The Complete Rainbow Guide to OS-9 Level II, Vol. I	\$19.95
☐ The Rainbow Book of Adventures (first)	\$ 7.95
☐ Rainbow Adventures Tape (first)	\$ 7,95
☐ The Second Rainbow Book of Adventures	\$13.95
☐ Second Rainbow Adventures Tape	\$13.95
☐ The Third Rainbow Book of Adventures	\$11.95
☐ Third Adventures Tape	\$ 9.95
☐ Third Adventures Disk Set (2 disks)	\$14.95
☐ The Fourth Rainbow Book of Adventures	\$10.95 \$ 9.95
☐ Fourth Adventures Tape	\$ 9.95 \$14.95
☐ Fourth Adventures Disk Set (2 disks)	\$ 14.95 \$ 6.95
☐ Introductory Guide to Statistics ☐ Guide to Statistics Tape or Disk (indicate choice)	\$ 5.95
Guide to Statistics Package (indicate choice)  Guide to Statistics Package (indicate choice of tape or disk)	\$11,95
'Add \$2 per book Shipping and Handling in U.S.	a11,50
'Outside U.S., add \$4 per book	
Kentucky residents add 5% sales tax	
(Allow 6 to 8 weeks for delivery)	ota1
Mail to Deinberg Beatrahalf The Colorft Civil	

Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.

Please note; The tapes and disks offered by The Rainbow Bookshell are not stand-alone products.

That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book. OS-9° is a registered trademark of the Microward Systems Corporation.

#### The excitement continues!

#### The Fourth Rainbow Book of Adventures

Fourteen fascinating new Adventures from the winners of our fourth Adventure competition. Rely on your wits to escape a hostile military installation, try to stop the Nazi plan to invade Great Britain, or manage to reinstate our defense system before the enemy launches a massive missile attack — and that's only the beginning!

The Park of Mystery — You overhear a gang of robbers discussing where they've hidden their loot. Can you find it — and battle greed and confusion at the same time?

Superspy — You awaken from a horrifying nightmare of chases, inexplicable scenery changes and sickening treefalls into space. Or was it a dream? You be the judge — and determine your own fate!

**Term Paper** — A real nightmare: Someone's stolen your freshman midterm paper and hidden its pages all over CoCo State's campus. Are you smart enough to find them before you miss the due date and flunk the course?

House Adventure — Try to find your way out of a mysterious abandoned house that keeps sprouting new rooms just as you think you've found an exit.

Life: An Everyday Adventure — Just getting up in the morning in time to do last-minute chores before catching a plane to a family reunion proves you don't have to leave home to find adventure.

The Earth's Foundations — A mysterious maze inside a deep crevice near your village is having a devastating effect on the entire area. You've been chosen to investigate, and promised great riches — if you survive!

Experience other traditional and contemporary challenges from these winning authors: Mike Anderson, Tio Babich, David Bartmess, Stephen Berry, Eugene Carver, Charles Farris, Jeff Hillison, Jeff Johnson, Richard Kottke, Ken Lie, Andre Needham, Fred Provoncha, Paul Ruby Jr. and Eric Santanen.

#### The Fourth Rainbow Book of Adventures is only \$10.95!

Tape \$9.95, Two-Disk Set \$14.95

The lape and disks are adjuncts and complements to the book: the book is necessary for introductory material and loading instructions.

Please send me: The Fourth Rainbow Book of Adventures \$10.95' The Fourth Rainbow Adventures Tape \$9.95 The Fourth Rainbow Adventures Disk Set \$14.95
Name
Address
City State ZIP
☐ My check in the amount of is enclosed' Please charge to my: ☐ VISA ☐ MasterCard
☐ American Express
Acet, No
Exp. Date
Signature
Mail to: The Fourth Rainbow Book of Adventures, The Falsoft Building, P.O. Box 385, Prospect, KY 40059
Add \$2.00 per book for shipping and handling in the U.S. Outside the U.S. add \$4 per book (U.S. currency only). Kentucky residents add 5% sales lay in order in hold down costs, we do not bill. Please allow 6.8

To order by phone (credit card orders only), call (800) 847-0309, 8 a.m., to 5 p.m. EST. For other inquiries, call (502) 228-4492.

weeks for delivery



Before I go any further, let me mention that these books are not for everyone. The best use of them can be made by someone who understands assembly language on the CoCo. I would recommend at least a general knowledge of assembly, but it isn't necessary for you to actually be a hard-core assembly language programmer. These books are not instruction manuals for programming, but rather are reference manuals. And they are extremely useful reference manuals.

Each of the books contains not only the disassemblies but also specific information dealing with certain leatures of BA-SIC that the particular book covers. The first book, Extended Color BASIC Unravelled, covers both Color BASIC and Extended Color BASIC (which were joined into one chip on the CoCo 3). It contains the source listings for both of those BA-SICs. Also covered are the various "Equates" and BASIC's direct page, interrupt vector tables, command interpretation tables, RAM vectors, and variables that BASIC uses. In the beginning of the book is a general description of how the BASIC interpreter works and how variables are stored, Several ROM routine entry points are listed, along with the registers that are affected by them. Also shown are the changes made to Color BASIC 1.2 and Extended BASIC 1.1 when the CoCo 3 powers up. Some things the new version doesn't have are the differences among Cofor BASIC 1.0, 1.1 and 1.2, and also the differences between Extended Color BASIC. 1.0 and 1.1. Those with the older versions will find some anomalies in this new book.

The second book is Disk BASIC Unravelled. It covers Disk BASIC for all versions of the CoCo and even has separate disassemblies for Disk BASIC 1.0 and 1.1, making it much easier to follow them than to check a listing of the differences. This book also explains how the FCB (File Control Block) of Disk BASIC is set up, and it offers details of the FAT (File Allocation Table), the way the directory is organized, and on communication with the floppy disk controller. It also contains a listing of the direct page and variables.

The last book, Super Extended BASIC Umarelled, deals with the new BASIC of the CoCo 3. The disassembly in this book is especially well-communicated and was very understandable. Some of the additional information in this book deals with the hardware differences between the CoCo 3 and the earlier CoCos, the Memory Management Unit, super high-resolution graphies (including color generation and palette use), new CoCo 3 interrupts, and a chart showing the equivalent colors between composite and RGB monitors.

The possibilities these books present are almost limitless. Just by looking at the direct-page variables, you can see hundreds of neeks and pokes to monitor and alter BASIC. Knowing what BASIC is doing and when it is doing it can open all kinds of areas in your programs. When I was working on a remote terminal driver. program (which is similar to REMOTE2 but uses the RS 232 pack) for my BBS, I was able to incorporate many extremely useful features into it by referring to these books. Assembly language programmers have a huge source for information on how certain functions can be performed, and this programming information can be invaluable.

The books are available separately for \$39.95, \$19.95 and \$24.95 for Extended Color BASIC Unravelled, Disk BASIC Unravelled and Super Extended BASIC Unravelled, respectively. Or, you can buy the first two for \$49.95 or all three for \$59.95.

These books have been called "definitive" by a well-known CoCo programmer. I say they are that and more.

(Microcom Software, 2900 Monroe Ave., Rochester, NY 14618, 716-383-8830; \$59.95 for the set)

-Michael G. Toepke

#### Hardware

#### DS-69B Digisector— Capture Video Images

The Miero Works DS-69 Digisector was first introduced in 1984, making it one of the first video digitizers to become available for the Color Computer. In the nearly live years that the Digisector has been on the market it has been updated twice, first to the DS-69A and then to the current DS-69B; the software has been updated several times, and is now at Version 3.3 — Micro Works ealls it III, III! By any standard, the Digisector is still holding its end up and remains one of the best choices in its field.

The Digisector itself is a cartridge that goes in one slot of the Multi-Pak Interface or a PBJ C-C Bus. The only control is for width; all other adjustments are handled by the C-See software. The video input takes the signals put out by TV cameras (black-and-white or color, including most camcorders), VCRs, videodise players and other video sources. There is a filter to remove the color "subcarrier" signal so

that it won't interfere with the digitizer's operation.

Once you've run the setup program to specilly your system (a CoCo 1, 2 or 3 can be used), printer and expansion bus, you just RUN"C-SEE" to start the program, From this point you can run the program two ways — either using the keyboard, or with a joystick or Color Mouse. Each option on the main menu has a letter; each option on the submenus is numbered. So, to print a 16-level image you'd press P (Printer menu) and then 2. With the joystick you'd move a black bar to the printer entry, press the Firebutton, then go to the Print 16 level entry and fire again. The joystick lets you work the Digisector from behind the TV camera, which should save quite a bit of running back and forth.

Pressing G will start the last five-level scan, which uses the 256-by-192 graphics mode but scans a 128-by-128 image; you'll see the output of your camera (or whatever) on the CoCo screen. At this point there are two ways to adjust the picture; you can either adjust brightness and contrast individually, or you can adjust contrast (with *C-See* taking care of the brightness) and then play with the vertical and horizontal dithering to get the best results before saving the picture file,

The DS-69B's major attraction tomany users (including me) is its 16-level capability; you can grab an image at either 128-by-128 or 256-by-256 resolution, save it to disk and print it on a variety of printers. These include Tandy's DMP- 100, 105, 120, 200, 400 and 500 as well as Epson, Star Micronics and other dot-matrix printers.

The 16-level mode is almost as easy to use as the live-level; you get a fast scan screen and set the brightness and contrast, then press the ENTER key or firebutton to start the scan. On the CoCo I or 2 you'll then see a five-level dithered picture; on the CoCo 3 you'll get a much better display using the 3's gray-scale capabilities along with some dithering. (This display will be quite a hit taller than usual; an RGB monitor should be able to handle it with no difficulty, but some TV sets may cut it off at the top or bottom.) There's also a 16color mode available, which produces a rather hizarre effect but is actually useful for gray-scale differentiation; similar techniques are used for weather radar, satellite photos and medical imaging systems,

There's a catch to the 16-level capture modes; they're slow. The 256-by-256 mode takes 15 seconds to scan the image; the 128-by-128 mode takes three seconds, and your subject must be absolutely motionless during this period. This makes the Digisector more suited to use with a cam-

era than for grabbing frames from TV programs. If you want to use a VCR to display still frames, it has to be eapable of doing it without any noise or sync problems; if your still picture jiggles up and down the screen, or if you see noise bars, the Digisector will be unable to handle it because it deals with the video signal much differently than a TV set does. (If you have a LaserVision player, the "CAV" discs that play for 30 minutes on a side will provide good freeze frames.)

The 16-level pictures print very nicely on most printers; the 256-by-256 mode provides especially good results. The only difficulty here (a common one with programs that print graphics) is that you will need a fresh ribbon to get a good result in dark areas; if the ribbon is somewhat worn you'll get a washed-out picture. The heavy printing load also wears out ribbons rather quickly, simply because of the high density involved.

Overall, the DS-69B Digisector is a winner in its field and still the champion in the CoCo frame-grabber business.

(The Micro Works, P.O. Box 1110, Del Mar, CA 92014, 619-942-2400; \$149.95)

-Ed Ellers

#### Software

CoCo 3

#### Dino DataBase— Yabba Dabba Doo, Fred and Dino, Too

Well, maybe only Dino and a few of his buddies, eousins, aunts and uncles, etc. Dino DataBase is a disk-based database containing all the classified types of dinosaurs (193) and information on how each name is pronounced (like a dictionary listing, and it includes the Latin meaning of the name), the dinosaur's order and family, the time period in which it lived, two or three places where it was discovered (shown on a graphic world map), its length from head to tail, and to top it off, a "picture" of the animal.

Dino DataBase is a static database in that you cannot add or delete entries, but since it covers all the known classifications of dinosaurs it should not become outdated — barring some new discovery. It works on the Color Computer 3 with at least one disk drive.

Getting started is as easy as turning on the machine, slipping the disk into Drive 0 and typing RUN"D". You will be asked if you are using an RGB or composite monitor or TV, and the introductory screen will appear.

The screen is divided into four "windows," each of which holds some type of information on the current dinosaur. The upper-left window lists the name of the dinosaur and its correct pronunciation, followed by the Latin meaning of its name, This is interesting because many times you can look at the picture and see how the dinosaur got its name. For example, Hadrosaurus means "big lizard," It looks like a lizard and is 30 feet long (that's big in my book).

Following next are the animal's order and family. The manual devotes two pages to talking about how classifications are made, making it as educational as the program itself. Next, the listing gives the time period in which the animal lived, such as the Late Triassic. A simple timeline would help immensely. (I had a chance to talk to the programmer of *Dino Data-Base*, and he said he is considering adding a timeline to the manual.)

The last two pieces of information tell two places the dinosaur was discovered and its length in feet. The upper-right window shows a line drawing of the dinosaur.

The lower-left window lists other dinosaurs related (in the same family) to the current dinosaur. The "main" dinosaur of the family is highlighted. Through experimentation it seems that the "main" dinosaurs are the only graphic entries in the database. The lower-right window displays a world map with crosses to indicate the two locations where the dinosaurs were found. The layout of the windows is pleasing and consistent, so younger users will always know where to find specific information.

The commands are listed onscreen in a pull-down menu. Pressing any key will page a cursor through the seven commands. You can "Shut" the pull-down menu off to see the full screen. "Next" and "Back" page through the database, forward and backward, respectively. "Help" explains the commands in the pull-down window, and "Quit" exits to BASIC.

The meat of the program lies in the "Find" and "View" commands. Find searches for a specific dinosaur. If the correct spelling is not known, the first two or three letters will get you close. If you don't get the desired dinosaur right away, you can type in the first four letters and search the database again. After finding the dinosaur you want, you can go to the View screen to see the entry's information. My only suggestion here is that I would like to see the database alphabetized. This would allow me to type in the

first three letters, then page forward or backward, alphabetically, to find the specific dinosaur I am looking for rather than struggling with a fourth letter. For those of us who have trouble spelling, the manual provides a list of all dinosaurs in the database.

The View eommand works like Find,

"... Not only does Dino DataBase teach students about dinosaurs, it will also introduce many of them to online searching and the necessary skills for finding information within a database structure."

allowing you to type in the name, or as many letters as you know, to locate a specific dinosaur. This is called "rapid view" because it involves no graphics. By paging through the database you can dump any entry you want to your printer. Each entry is five lines long, allowing about 11 entries per page. When exiting the View function, you return to the main screen, but not the entry located with the view command. You return to the same entry you left when entering View, (View is a faster search, containing text information on all dinosaurs in the database - but no graphics. Search allows you to view only the main members of a family, but it does show graphic information.)

The manual, 11 pages long, is educational. The introduction briefly describes what happens when a dinosaur is discovered. The manual also goes briefly into how dinosaurs are classified. The remainder tells how to use the program. The manual is easy to read, and getting up and running takes only about 20 minutes.

Overall, my only suggestion is that the user be informed of how the database is ordered. If I know how a database is ordered I can determine how to find an entry. As it stands, I have no idea as to why one dinosaur follows another in the graphics window. The reason I mention this is because not only does *Dino Data-Base* teach students about dinosaurs, it will also introduce many of them to online searching and the necessary skills for finding information within a database structure.

l give Dino DataBase a big Yabba Dabba Doo! It's educational and has a very impressive user interface. It's easy for youngsters to use and simple to learn. Dinosaurs are a hot item with kids today — just look around the malls. And if your child is crazy about them, this might be the best



#### 🖙 Sugar Software Annual White Sale 🖘

It's Spring, and time to put some fresh new software in your CoCo. Order anything and take off 15% from the total! Phone in your order and I will take off an additional dollar! Good through April 30, 1989.

#### CALLIGRAPHER

CoCo Calligrapher - Turn your CoCo and dot-matrix printer into a calligrapher's quill. Make beautiful invitations, flyers, certificates, labels and more. Includes three ½ inch high fonts. Works with many printers such as Epson, Gemini and Radio Shack. Over 135 additional fonts are available (see below). Tape/Disk; \$24.95.

OS9 Calligrapher - Prints all the same fonts as the CoCo Calligrapher. It reads a standard text file which contains text and formatting codes. You may specify the font to use, change fonts at any time, centering, left, right or full justify, line fill, margin, line width, page size, page break and indentation. Similar to troff on UNIX systems. Includes the same 3 fonts with additional fonts available below. Disk only; OS9 Level I or II; \$24.95.

Calligrapher Fonts - Requires Calligrapher above. Each set on tape or disk with 8 to 10 fonts; specify RSDOS or OS9 version; \$14.95 each:

Set #1 Reduced and reversed originals;

Set #2 Old Style and Broadway;

Set #3 Antique and Business;

Set #4 Wild West and Checkers;

Set #5 Stars, Hebrew and Victorian;

Set #6 Block and Computer;

Set #7 Small: Roman, Italies, Cubes, etc;

Set #8 Novelty fonts; NEW

Set #9 Gallant and Spartan; NEW

Set #10 Several Roman fonts;

Set #11 Gothic and Script;

Set #12 More Roman and Italic;

Set #13 Several Courier fonts; NEW

Set #14 Modern and Screen: NEW

Set #15 Tektron and Prestige, NEW

Economy Font Packages available on disk only, with 25 to 30 fonts; specify RSDOS or OS9; 29.95 for any one or save by buying two or more at \$19.95 each:

Pkg #1 - Above font sets 1, 2 and 3;

Pkg #2 - Above font sets 4, 5 and 6;

Pkg #3 · Above font sets 7, 8 and 9;

Pkg #4 - Above font sets 10, 11 and 12;

Pkg #5 - Above font sets 13, 14 and 15.

Calligrapher Combo Package - Includes the Calligrapher and any two Economy Font Packages (your choice) for only \$59.95. New Low Price! Specify RSDOS or OS9.

## Sample Calligrapher Fonts THE COLLIBBORNER!

The OS9 Font Massager - This OS9 utility program allows you to do many things to Calligrapher font files. You may create new fonts, modify existing fonts, invert fonts, compress fonts, double the height and/or width, halve the height and/or width and convert between OS9 and RSDOS formats. \$19.95.

#### INFORMATION MGT.

TIMS (The Information Management System) - Tape or disk, fast and simple general data base program. Create files of records that can be quickly sorted, searched, deleted and updated. Powerful printer formatting. Up to 8 user fields, sort on up to 3 fields. Tape/Disk; \$19.95.

TIMS Mail - Tape or Disk based mailing list management program. Files are compatible with TIMS. Fast and simple to use. Supports labels 1, 2 or 3 across, 2½ to 4 inches wide. Tape/Disk; \$19.95.

TIMS Utility - Utility companion for TIMS and TIMS Mail for multi-term search (AND and OR logic), global change and delete, split large files and more! Tape/Disk; \$14.95.

TIMS Combo Package - All three of the above programs: TIMS, TIMS Mail and TIMS Utility on one disk - \$34.95.

#### EDUCATIONAL

Trig Attack - Ages 9 and up. An educational arcade game where players learn important math concepts as they play. Sound effects, colorful graphics. Excelent manual includes an introduction to trigonometry. Tape/Disk; \$19.95.

The Educational Combo - The Combo includes these educational (and entertaining) games; Silly Syntax (ages 5 and up) story creation game with 2 stories

Galactic Hangman (ages 7 and up) animated graphics, with a 700 word vocabulary

The Presidents of the USA (ages 10 and up) a presidential trivia game

The Great USA (ages 9 and up) a trivia game of the states
Trig Attack (ages 9 and up)
Zap those Trigs

All five programs on one disk; \$49.95 (save \$50!).

#### SPECIAL INTEREST

Rental Property Income and Expense Management Package - Maintain rental property income and expense records and print reports, 28 expense categories. This program may be tax deductible. Disk only; \$29.95.

CoCo Knitter - Easy to use program to display or print instructions to knit a sweater: Cardigan or Pullover; Round or V-neck; Raglan or Set-in Sleeve: 3 weights of yarn; 8 sizes from baby to man. Tape/Disk; \$19.95.

For a complete eatalog of Sugar Software products and fonts, send a stamp and a label.







SUGAR SOFTWARE P.O. Box 7446

Hollywood, Florida 33081 (305) 981-1241 All programs run on the CoCo 1, 2 and 3, 83K Extended Basic, nates otherwise noted, Add \$1.50 per tape or disk for shipping and handling. Florida residents add 6% sales tax. COD orders add \$5. Dealer inquiries invited. Orders enerally shipped in 24-48 hours. No refunds or exchanges without prior authorization.

introduce them to computers and the concept of databases. It would also be a great program for science teachers who have access to the Color Computer in their classrooms.

(RAM Electronics, 814 Josephine St., Monmouth, OR 97361, 503-838-0139; \$19.95)

-Kay Cornwell

#### Software

CoCo 3

#### CoCo 3 Wheel— Out for a Spin

Well, I wonder what's in the of mailbox today? Bills, junk mail, newspaper, package from RAINBOW., "Hold on! What's this (rip, rip, tear)? Oh boy! My next review assignment! What did I get this time? CoCo3 Wheel—a Wheel of Fortune game? Yuck! I hate that game!

That was my initial reaction to CoCo 3 Wheel, I may be the only person alive who never really understood why anyone would want to buy a vowel — so to be honest, I wasn't immediately thrilled with the program in front of me.

Well, let's five it up anyway and see what happens. Where are the instructions? No instructions? Either someone fooled up or this is incredibly easy to run. Okay, I'll do a DIR. Hammun, one BASIC file, one uil file. RUN"WHEEL". Ah! A title page and some instructions, good. I guess I should have read the label where it says RUN"WHEEL".

As you may have guessed, from this point game play is very much like the TV version of the show. You are presented with a puzzle consisting of blanks instead of letters, and you must guess letters and eventually guess the puzzle. This version does not have Vanna walk over and turn the letters for you. I've seen a version with that feature: It's cute the first few times but gets old real quick and slows up the game. I did not miss her.


Wheel requires a CoCo 3 and a disk drive. The only disk-specific command I found in my listing was a LOADM command, but no indication was given as to whether or not a tape version is available. Because it uses the 3's Hi-Res screen, it will not run on CoCo I or 2, but a version is available for those machines. Two hundred puzzles are included in the program, 50 in each of the four categories of persons, places, things and phrases. That should keep you busy for a while. But if it doesn't, instructions are included in the listing of the program for adding your own.

After playing a round or two, Becky and Lori, my daughters, had discovered the new toy. The usual question came; "Daddy, can we play?" Not being a Wheel fan, after a few instructions, I willingly surrendered the keyboard and went to see what was happening on the ball game, An hour later I realized they were still playing the game. My team was losing, so I parked behind them to watch. They seemed to be stuck on a rather lengthy phrase and asked me for help. Since the used letter hoard showed that my two letters had already been guessed, we decided to buy a vowel. (I'm so ashamed.) The E's provided just enough of a clue for a correct guess. They wanted to play again, this time the two of them against me. They beat me! Twice!

Wait a minute! I thought I hated this game. Maybe it's just Pat and Vanna I don't like because this is Iun. And if you think I'm going to stop just because a 12-and a 9-year-old cleaned my clock for me, you're crazy! Seriously, as I stated, I am not a "Wheel Watcher." I don't like the show. But this is a fascinating game, and I enjoyed playing it. A friend and I plugged in some (how should I phrase this?) adults-only puzzles. That was a real riot. Now for the "howevers."

Game play is very impersonal, I prefer to be called Randy rather than Player 1 or Player 6. Since the program is written in BASIC, a short input statement can take care of that,

The game spins the wheel by using a palette-switching routine. It apparently uses 15 of the 16 available palettes, which makes for a colorful wheel but also causes the lettering on the screen to change colors as the wheel spins. Once it stops, the writing on the screen returns to a preset color except for the place holders for unrevealed letters. This sometimes creates eyestraining color combinations, like yellow on white. A better idea may have been to use only eight palettes for the wheel and reserve the other eight palettes to fancy up the text display.



A handy feature is the ability to give up on a puzzle. This is quite nice when the children play and have never heard of the person, phrase or whatever. This feature could have been enhanced by the addition of a "vowels only remaining" signal.

Also missing is the bonus round, I was able to plug in a routine that lets you select five consonants and a vowel, and gives you one guess at the puzzle.

Multiple-round play would have been a big plus. As is, if you elect to play again, all scores are reset to zero. A grand total score, at the end of, say, three rounds, would be great.

The program comes to us from SPORTSware and sells for \$21, which I feel is just a bit high for the game as presented. CoCo3 Wheel for the CoCo3 is fun and hahit-forming. With just a few minor improvements it would be an excellent addition to your games library, and at the current price, more than a bargain.

(SPORTSware, 1251 S. Reynolds Road, Suite 414, Toledo, OH 43615, 419-389-1515; \$21)

-Randy Cassel

#### Software

CoCo 1, 2 & 3

#### KJV on Disk— Books of the Bible on Your CoCo

KJV on Disk is for anyone who studies the Bible. The two disks I reviewed contain the text of the books of Luke and John in the King James Version of the Bible in ASCII code. One of the disks divides the 24 chapters of Luke into seven files. The author's intentions are, eventually, to have available the entire Bible on disk, starting with the New Testament, Matthew and Mark are also available.

A README file on each disk explains that the files were created with *Telewriter-64* and that a word processor is necessary to make any practical use of them. However, a file called TYPE allows the viewing of the files a line at a time, which can be really ugly on a CoCo 2 with no lower-case option.

Since a program review ought to help potential buyers judge how to utilize the program, I'll offer some thought about how this program might be used.

First, the obvious purpose is to read verses off the screen. Unless you are really into hi-tech, this doesn't seem to have any advantages over reading them out of your own Bible. I do see that this might be an application for the seeing-impaired. The larger screen letter sizes could be chosen. In this case, the TYPE program, which produces text on the 32-character CoCo screen, might find further utility.

But there are possibilities other than simply reading the file. Students of the Bible are often ministers and Bible teachers preparing sermons and lessons to be delivered orally or included in material for publication. A not-too-involved procedure can be used to import portions of these files for use in another word processing document. For *Telewriter-64*, first save the quotation under a unique name, then read in the file (under "Append") at the point in your own document where you want the quotation to appear. Many other CoCo word processors support block saves and reads.

Another application would be to find words and phrases using your word processor's search function, much the same way a concordance does. You are limited, however, by the portions of each book contained in memory at any one time. A similar idea is to gather such facts as how often the name "Jesus" or the word "savior" is used in any given portion of these books.

Another use that might not appear obvious is to print the text or portions of it to have scriptures you can read and annotate. Many people like to highlight and comment on the printed page when they read, It helps them concentrate on themes within the work or save flashes of ideas before they fade away. Writing all over one's persunal Bible, however, is not a good idea for a number of reasons. An easily made printont provides a good alternative.

l am sure that many of you are able to think of more inventive ways to employ these text files. Other word processors, especially those available on a CoCo 3, are also likely to increase the possibilities for these files.

One of the restrictions you may face is on the longer text files. The documentation says that 24K of huffer space is necessary. The unpatched version of *Telewriter-64* is able to handle this. However, if you must make a new patched version of *TW-64* that does not include the disk I/O menu routines in RAM. This frees 4K of RAM that is needed on five of the files on these two disks. No modifications are necessary if you're using *Ultra-Telepatch*.

Using TW-64, the 61-character screen offers the least problem with wordwrap, although there is an occasional blank line on the text screen.

If you purchase any of the programs in this series, I suggest you make a label for each disk jacket that tells the chapters contained in each disk file. This information is found on the disks in a README file.

Each disk in the KJV on Disk series

costs \$3, a quite reasonable sum if you feel that these Bible hooks would be at all useful to you.

(BDS Software, PO Box 485, Glenview, IL 60025, 312-998-1656; \$3 each)

-Dennis Church

#### Software

CoCo 1, 2 & 3

#### Vehicle Cost Printout— Time for a Trade-In?

Have you ever wondered how much it really costs to operate your ear? Is it really running the same after all these years? Would you be better off keeping the family "klunker" or bnying a new ear? Vehicle Cost Printout can help you determine the answers.

"Vehicle Cost
Printout is intended
mainly to provide an
annual report
printout, but it can
also be used to
obtain monthly
and/or quarterly
printouts if you so
desire."

Vehicle Cost Printont will run on any Color Computer 1, 2 or 3 with Extended BASIC and 64K of memory. This program is available for either a cassette- or diskbased system. You also need a "smart" printer capable of underlined, condensed and clongated printing in order to have a hard copy of your car's cost statistics, including cost per mile.

The first thing you should do after loading the program is to configure it to your printer (it comes configured for a C. Itoh 8510). Therefore, you should be familiar with your printer's baud rates, a few of its function codes and Extended BASIC's EDIT command. There are only a few lines to edit, and the manual gives you a complete description of the codes and line numbers, so this should be no problem for most people. Configure the program, make a backup for your own use, then put the original in a safe place.

The program itself is relatively easy to operate as it is menu-driven, and the menus are self-explanatory. Vehicle Cost Printout allows you to input data, save/load data files, scan/modify or insert/delete entries, and, of course, send data to your printer for a hard copy. There is enough room in the program's database for an average of about 20 entries per month, which should be plenty for anyone. You have to make a separate data file for each vehicle. Categories of data include date, cost of fuel (per gallon), total cost of fuel (full tank), mileage, other expenses and milenge at the time you incur these expenses. There is even a line for invoice

Vehicle Cost Printout is intended mainly to provide an annual report printout, but it can also be used to obtain monthly and/or quarterly printouts if you so desire. The program allows you to decide if you want a grand total for any of these time periods. If you want to carry the annual total over into another year, as you have to keep a separate data lile for each year, you must change a lew variables in the program itself. The manual provides adequate documentation in order for you to accomplish this

There's one problem I encountered while using this program. The manual states that "The first entry is for setup only and will not give a full printont, nor will the dollar amount for fuel be added to any totals," Simple enough, right? Well, I had input my first entry (the setup screen), then entered my second entry using the same mileage figure as in the first entry. Example: For the first entry, the odometer mileage equalled 100 miles; the second odometer entry had mileage at 100 miles also, Anxious to see the printout on paper, I directed the program to begin printing, but before it could finish the program was stopped by a "/0" Error (can't divide by zero). This happened because the program calculates that 100-100=0, which is correct, but when it goes on to divide total costs by mileage to get the cost per mile it can't because, as stated before, the computer cannot divide by zero.

This is a minor problem, I'll admit, because most people will not use the program in this fashion. But I was a bit confused until I looked at the program and found out how it carried out its calculations. Therefore, I think the manual should go a little further in explaining the purpose or function of the setup entry. Other than this one exception, the program performed flawlessly in all areas.

The manual is well-written in that it is straightforward, takes the user through each function step-by-step and offers some good



#### <<< GIMMESOFT >>>



A new generation of Color Computer products

#### **MAXSOUND**



#### A High Quality Digital Audio Sampler and Sequencer

Turn your CoCo fff into a REAL digital audio sampler with HIGH quality audio reproduction. Easily add exotic effects, ECHO, stuttering, speed shifting, sequencing, and reverse audio to BASIC or ML programs or GRAPHfCS! Now includes Data Compression. fmagine recording any Voice, Music, or Sound effect and being able to use these DIGITAL recordings in your own programs! 3 disk sides includes: INTERFACT/BIN · ML driver for sound effects. G&M/BAS · Adds sound effects to Graphics. SHOWTIME and DEMO disks. SCOPE/BAS · Turns CRT into a Digital Oscilloscope to look at MAXSOUND waveforms. Version 3.0 upgrade (Includes improved ECHO and the ability to print NAMETAGS and locations to the screen and/or printer) ..... \$6.95 + Shipping & Handling

"Maxsound...bringing a new era to the CoCo Community"
-Cray Augsburg, June '88 Rainbow Review

#### Maxsound Soundtracks & Graphics

These exciting disks are samples of what can be created with MAXSOUND and CoCo Max Iff! These unbelievable soundstracks w/graphics DO NOT require the MAXSOUND program to run.

Airwolf Knight Rider	128k\$5.95 128k\$5.95	NEW	War of the Worlds Warrior King Demo	512k\$5.95 512k\$5.95
Startrek	128k\$5.95	-	Probe	512k\$5.95
5 in 1 Demo	(Airwolf, Startrek,	Knight Rider, Probe,	Other World)	512k\$9.95

#### V-Term Terminal Emulator



#### Communicate with VAX, UNIX, Mainframe, and BBS Systems!

- -VT-100, VT-52, Vidtex (includes RLE graphics display), and standard CRT emulations.
- -Developed and tested on a UNIX system using the EMACS and VI full-screen editors.
- ·All 128 ASCII characters accessible from the keyboard.
- ·Uses a high-resolution graphics screen to implement a highly readable 80-column screen.
- -Menus can be operated concurrently with other terminal functions, (Disk Basic!)
- ·Full 28 line by 80 column screen, with 3 bottom lines protected for menus.
- Serial port up to 2400 baud, RS-232 Pak up to 9600 baud, DCModem Pak at 300 baud.
- ·XModem, XModem CRC, Y-Modem, and ASCII file transfers directly to disk or memory.
- -Prints disk or buffer files with settable margins, baud rate and word wrap,
- -Full 128k or 512k support with a RAMDISK like buffer. Monochrome monitor support.
- ·Capture buffer, Snapshot, Conference mode, 35/40/80 Tracks, and over 56 pages of docs!

"...one of the most versatile and full featured terminal emulators for the CoCo 3."

Bryan Gridley, November '88 Rainbow Review

Version 02.00.00 upgrade ..... \$6.95 + S&H Disk (128k or 512k CoCo III only) ..... \$39.95

#### **Toll Free**

#### 1-800-441-GIME

#### Order Line

Technical assistance: 7pm to 9pm Orders: 9am to 9pm Eastern time On-line orders and up to date information: Delphi's CoCo Sig GIMMESOFT P.O. Box 421 Perry Hall, MD 21128 301-256-7558 or 301-256-2953 Add \$3.00 for shipping and handling Add \$3.00 for COD (USA only) MD residents add 5% sales tax VISA/MC/Check/Money Order/COD



#### <<< GIMMESOFT >>>



A new generation of Color Computer products

TelePak + (CoCo 1/11/11)

A TRULY COMPATIBLE RS-232 INTERFACE!

Now, from Orion Technologies, comes the answer to the continuing demand for an RS-232 interface. No compatibility hasslest Uses standard DB25 cable. Compatible with RS-DDS & OS-9 software. Baud rates up to 19,2001 Enhances the Multi-tasking capabilities of the V-Term Terminal Emulator lound on the opposite page. Only ...........\$49.95

CoCo Max III (CoCo III only)

THE BEST Graphics Package See April '88 review, Disk ... \$74,95 BOTH \$129.95 MAX-10+ (CoCo III only)

THE DAZZLING Desktop Publisher CM3 owners deduct \$10. Disk ... \$74.95

GRAPHICS-25 (512k CoCo III only) Great with MAXSOUND and/or CoCo Max III!

Up to 25 ONBOARD HIRES SCREENS! Six new BASIC commands. Fast & Smooth

Graphics animation, Save and Load graphics screens to and from disk, See September 1988 Rainbow review. Disk .. \$19.95

MULTI-LABEL III (CoCo III only) See July '87 review. An easy to use, versatile label creating program including many new CoCo III features. Print multiple fonts on each label! This one's a MUST for the CoCo IIIII Disk .... \$16.95

FKEYS III(CoCo 1/11/III) See April '87 review. A user friendly, programmable function key utility that creates up to 20 function keys. EDITOR, DDS mods, Single or Double sided, 35/40 tracks, DISABLE, and it's EPROMablel. Disk .. \$19.95

SDRIVE (CoCo I/II/III) This machine language utility modifies DECB 1.0, 1.1, FKEYS III, or ADOS to allow the use of 3 double-sided drives (or 2 D/S drives and J&R's RAMDISKS) as 6 S/S drives. Disk ............ \$16.95

AUTO DIM (CoCo III only) See Jan. '88 review. This hardware device protects your monitor, or TV from IMAGE BURN alter a few minutes of inactivity from your keyboard. Illustrated and easy to install. Hardware ........ \$29.95

MPI-CoCo Locking Plate (CoCo III only) See Sept '88 review. Protects your CoCo III and Multi Pak Interface from destroying each other! Please specify MPI number 26-3024 or 26-3124 when ordering! SALE ...... \$7.95

Warrior King (CoCo III only) Become Rastann, Warrior King, on the quest to regain his rightful crown hidden deep within a sinister land. Battle monsters, gain magic & weapons, and travel thru harsh wilderness & dark castle dungeons in this medieval realm. From the creator of Kung-Fu Dude cames this awesome arcade game for the CoCo IIII Uses the most detailed 320 x 200 16 color graphics & high speed ML code to vault you into a world of fantasy! Dare ye challange the many perils ahead to become Warrior King? Requires 128k CoCo III, Disk drive, and Joystick .... \$29.95

In Quest of the Star Lord (CoCo III only) See Aug '88 review. This is THE graphics adventure for the CoCo III Unparalleled 320 x 200 animated graphics will leave you gasping for morel You quest for the Phoenix Crossbow in this post-holocaust world of science and fantasy. Full 4 Disk sides of mind-numbing adventurel Requires 128k CoCo III and Disk drive. HINT SHEET ....... \$3.95 (+ \$1.00 S&H by itself) Disk ...... \$34.95

KUNG-FU DUDE(Co Co 1/11/111) See Feb. '88 review. An exciting arcade game. The <u>BEST</u> karate game ever for the CoCol Destroy opponents and evade obstacles as you grow ever closer to your ultimate objectivel Spectacular graphics, sound effects, and animatical Requires 64k, Disk drive, and Joystick. Now displays color on CM8. Disk ..... \$24.95

PYRAMIX (CoCo III only) See Dec. '87 review. Brilliant colors, sharp graphics, and hot action in this 100% ML arcade game. You'll enjoy hopping Kubix around the pyramid, avoiding Kaderf, Smack, Smuck, & the Death Squarel Disk .. \$19.95

AD&D Character's Companion (CoCo I/II/III) This great timesaving utility helps create compatible AD&D characters. Includes dice rolling routine, pick ability, race & class. Buy from the Players Handbook, magic items & spell materials. Save, load, and print character info. 3 Disk sides .... \$24.95

White Fire of Eternity(CoCo 1/11/111) See Dec '86 review. Enter the era of monsters & magic. Search for the legendary power of White Fire throughout the Forbidden Wood & Dark Caverns in this 64k animated adventurel Disk..\$19.95

Champion (CoCo 1/11/111) See May '87 review. Become a superhero in this action adventure! Disk..\$19.95

Draon Blade(CoCo 1/11/111) See Nov '86 review. Slay evil dragon in this 64k animated adventure! Disk..\$19.95

advice such as saving your data after you modify it, something I fail to do at times. This can save people from losing their data and having to recenter it. The author offers support for any problems you might encounter, and the program comes with a demonstration data file.

As an experienced programmer and user, I feel the price is a little high for this type of program. Don't get me wrong — this is a very, very useful program, especially with the way the economy is, and many people will feel the price is justified. But I also feel that the ambor could expand his potential market by dropping the price a few dollars.

All in all, if you wonder if your ear is costing you more now than it did, or if you just want to keep track of how much your car costs to operate, then take a look at Vehicle Cost Printont.

(Alan Hanusiak, 37 Grand Ave., Rockville, CT 06066, 203-875-2027; \$18; First product review from this company appearing in THE RAINBOW.)

-Richard L. McNabb

#### Software

CoCo 3

#### Fontgen— CoCo 3 Fonts, Icons and Borders

Hi-Res graphies been a little horing lately? Need some nice frilly horders to impress your significant other? Want to make a big bold statement to the world? Do DRAW statements make you break out in hives? Well then, maybe Fontgen from JR & JR Softstuff is what you need.

Fourgen is a collection of screen display fonts, icons and borders that can be used to replace or supplement the standard CoCo 3 BASIC Hi-Res graphic font. It comes packaged with a font editor, a machine language subroutine used to load four fonts at one time, BASIC subroutines to print the larger-than-standard fonts (including icons and borders) and a demo program.

The package takes advantage of the fact that the Hi-Res display font (and the rest of BASIC) resides in RAM. Standard size fonts replace the Tandy-provided font on a one-to-one basis. Larger fonts, icons and borders require multiple positions to store a character. For example, "Bigfont" requires nine characters in a three-by-three group to form one Bigfont letter. For this

reason, the Bigfont alphabet is stored across three font datasets, which makes the ability to have more than one font in memory important.


The supplied font editor allows you to create or edit standard fonts in an eight-by-eight matrix. The larger fonts require planning because only part of the character (eight-by-eight out of 24-by-24) is available for editing at a time and is thus harder to visualize. Except for overly sensitive cursor keys, the program works as it should. Functions are provided to aid in creating or modifying character fonts. While some of the functions may be a little confusing to those of its itsed to paint programs ("Rotate" shifts and "Mirror" flips), they are useful.

The font editor also has a function to allow you to manipulate the patette. It allows you to set the color in the 16 palette cells to any one of the 64 available colors. You can then save your selections as BASIC statements to be included in your own program. This feature is nice but seems to me to be only distantly related to fonts.

The standard size fonts can be used directly with HPRINT by loading them into memory, but the large fonts (including icons and borders) require special methods to display. JR & JR Softstuff provides BASIC subroutines that can be used to print these larger characters. You can also use them as examples to write your own routines, if you prefer.

For the large fonts, or if you want to use multiple fonts without a lot of disk access, a machine language program is provided to store up to four font datasets in memory at one time. Your BASIC program transfers the fonts back and forth in memory via DEFUSR calls.

All in all, the package is fairly easy to use and the program easy to follow. This is fortunate because the documentation is not, I received a dozen loose sheets of paper, printed on both sides. Except for the cover, there are no graphics or illustrations. Details that would have been easy to pick out in a table are huried in the text. Indentation is nonexistent, and no index is provided. The best that can be said is that most of the information you need is there, You just have to dig it out.



Even so, if you would like to spice up your Hi-Res displays, the package will save you some time, and the price won't break you. However, if you're just starting out in programming, some of the features may have to wait until you have a little more experience.

I had no major problems with Fontgen, but JR & JR Softstuff does provide a number for technical assistance. No hours are listed, but I did reach the order number Saturday afternoon. You pay for any calls you make.


Fontgen requires a Color Computer 3 with 128K and at least one disk drive. The package will work with a TV or a composite monitor, but you won't be pleased with the results. An RGB monitor is a much better choice.

(JR & JR Softstuff, P.O. Box 118, Lompoc, CA 93438, 805-735-3889; \$24.95 + \$3 S/H)

—Jesse R. Strawbridge

#### Maxwell Mouse

By Logan Ward





The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

Border Disk #1, a disk containing more than 175 borders, supplementing the CaCo Graphics Designer Plus desktop publishing package. Border graphics elements include floppy disks, dogs, musical notes, stars and more. For the CoCo 3 and Graphics Designer Plus, Zehra Systems, Inc., 78-06 Januarien Are., Woodhaven, NY 11421, (781) 297-2385; \$14.95 plus \$3 Still.

CoCo Calligrapher, a font package that printer owners can use to create invitations. Byers, newsletters and mure. Three ½-inch finus are included, and more than 135 additional fonts are available. Cumes on tape or disk for the CoCo 1, 2 and 3 and requires a dot-matrix printer capable of bit image printing. Sugar Sufurare, P.O. But 7466, Hollymund, FL 33081, (305) 981-1241; \$24.95 plus \$1.50 Still.

Fast Formatter, a machine language utility that formats fluppy disks in both Drive 0 and Drive I, For the CoCu 1, 2 or 3, requiring two disk drives. BDS Sufiniant, P.O. Box 485, Gleuview, IL 60025, (312) 998-1656; \$5.

Font Disks A & B, two funt collections to supplement CoCo Graphics Designer Plux. Funt Disk A contains Banner. Bold3. Digital, Shadow, Stencil, Stripes, Type, Variety, Western and two symbol fonts. Faut Disk B contains these fonts: Arcade, Alien, Baroque, Bardque 2, Black, Computer, Circle, Circle2, Cube, Cube2, Deco, Gray, Script and Script 2. Requires a CoCo 3 and CoCo Graphics Designer Plux. Zehm Systems, Inc., 78-06 Junnian Arc., Wandharen, NY 11421, (718) 296-2385; \$14.95 cach, plus \$3 SIII.

K<sub>i</sub>IV on Disk: Romans, I Curinthians and II Corinthians, three books of The King James version of the Bible on disk in ASCII files for the CoCo 1, 2 and 3, BDS Software, P.O. Box 485, Glenview, II, 60025, (312) 998-1656; \$3.

Lesson Planner, a program in help reachers of any grade level create and print lesson plans, covering materials, objectives, procedures and evaluation. Plans can be created neav or saved and edited. Requires a disk drive, a printer, and a CoCo 1, 2 or 3 with at least 32K, Tathium Suftren e, P.O. Bax 663, Künnersburg, PA 16248; \$24.95.

Lock Master, a utility that tooks normal Disk BASIC disks so that a "disk zapper" cannut break them. It locks the directory and the DOS track. Users unluck the disk with a password. For CoCos 1, 2 and 3. Right Brutherr Sufficiere, 1173 Niagam St., Denter, CO 80220, (303) 377-3409; \$14.95.

Master Code, a game of logic and luck in which users try to solve a code of four colors using clues provided by the computer. There are six colors possible. It works by "branching," a form of artificial intelligence. The program is written in BASIC, and a listing is included. Requires a CoCo 1, 2 or 3 with a minimum

nf 16K, High Altitude Softseure, 339-32-112 Road, Pullsade, CO 81526, (303) 434-7825; \$19.95.

Max Fint Set, a four-tlisk assortment of more than 100 type styles for use with Colorware's graphics programs CoCo Max I, II and III. Colorware, 242-W West Arc., Durien, CT 06820, (203) 656-1806; \$49,95 plus \$3 SIII.

Max-10 Funt Set, a collection of 36 fonts for use with the Max-10 word processor/desktop publisher, Fonts include Frontier, Swan Song, Memphis, Futura and San Francisco. Requires a CoCo 3 and Max-10. Culnovary, 242-W Wext Are., Durien, CT 06820. (203) 656-1806; \$39.95 plur \$3 8/11.

MulanI Miners, a machine language areade game in which your character is trapped in a manium mine deep within the earth. To reach the surface, you must battle your way up through the ranks of those who have suffered a similar fate, but over time have mutated into monsters. For the Color Computer 1, 2 or 3, JR & JR Suffring, P.O. Bur 118, Languar, CA 93438, (805) 735-3889; \$19.95 plus \$3.8/H.

NewsArt A Ihrn Z, a collection of 26 clip art disks for the Newspaper Plus CoCo 3 desktup publisher. Each disk contains an assortment of graphics. Images range from sports to religious depictions. Second City Softmans, P.O. Box 72956, Ruselle, IL 60172, 312-653-5610; \$9.95 cardodisk, or complete set for \$100 plus \$2.50 SH1.

Newspaper Plus, a CnCu 3 desktop publishing package that includes a first disk with 22 first and a graphics disk with 50 clip art pictures. Users can create banners, newsletters and signs, Requires a CuCo 3 and a disk thive, Owners of The Newtynger can upgrade by sending in their original system disk and \$19.95 plus \$2.50 shipping; those who purchased The Newtynger directly from Second City Software can upgrade free of charge. Second City Software, P.O. Bur 72956, Rasville, IL, 60172, 112-653-5610; \$48.95 plus \$2.50 Still.

Newspaper Plus Graphics Disk I, a supplement for Newspaper Plus, this disk contains 50 clip art files, three fauts and 10 fill patterns. Second Cup Signrons, P.O. Bur 72956, Roselle, II, 60172, 312-653-5610; \$19.95 plus \$2.50 SIII.

NX-1000 Rainbow Printer Driver Kit, a printer thriver for the NX-1000 Rainbow calor printer. It prints on CuCu Max III or other HSCREEN 2 pictures, Up to 125 colors can be reproduced in a palette of 64 at a time. Requires a CuCu 3, an NX-1000 Rainbow and CuCu Max III, Colonicary, 242-IV IV va. Arc., Darren, CT 06820, (203) 656-1806; \$19.95 plux \$3 Stit.

OS-9 Calligrapher, a program similar to the Disk BASIC CuCu Calligrapher, but swritten for OS-9 Level I ar II, It comes with three finits to allow users to print newsletters, flyers and direct. Standard text can be read in and printed out in the user's cluice of finits. Requires a dot-matrix printer capable of bit image printing. Other fonts are available. Sugar Safnoars, P.O. Bur 7466, Hullpurod, FL 33081, (305) 981-1241; \$24.95 plus \$1.50 SH.

PertASCII, a une-player or multimser word game for OS-9 levels 1 and II. Up to 35 people can play at unce when accessing a 512K machine via nurdem or remote terminal. On 64K or 128K machines, two people can play. The goal is to outscore apponents in making words out of random letters. Includes a brill-in dictionary. Requires a CuCo 1, 2 or 3 with at least 64K memory. OS-9 Level 1 or II. and a disk drive. Burke & Burke, P.O. Bax 58342, Rentan, IVA 90058, (206) 235-0917; \$19.95 plur \$1.50 Stit.

Ultra-Merge, a program that lets users create persunalized letters, forms, etc., using database files created by *Ultra-Buse* and any word processor that can save files in ASCII format. Contes on thisk only for 64K CoCus 1, 2 and 3. *Tothical Software*, Inc., P.O. Bar 663, Rimersburg, PA 16248; \$24.95; \$39.95 for both Ultra-Base and Ultra-Merge.

The Seal of Certification is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the program does *exist* — that we have examined it and have a sample copy — but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

-Lauren Willoughhy

May 1989

Get your modem to work with OS-9 Level II for under \$20

### The Forgotten Chip

#### **By Carl Austin Bennett**

hile a Serial I/O port appears on the back of every CoCo, it appears to be unusable in any OS-9 communication program. It is suited only to use with a serial printer; a modem connected to it is not even usable with Radio Shack's own Desk-Mate 3 software.

Radio Shack suggested a Multi-Pak interface and a Deluxe RS-232 Pak as a suitable replacement for the "bitbanger." Although this entailed a cost quite a bit higher than the CoCo 3 modifications I am about to describe, it did offer a second serial port. Unfortunately, both of these items have been discontinued. Some alternatives to the RS-232 Pak are offered by CRC Computers in Montreal, but these require either a Multi-Pak or a Disto Super Controller.

Unless you need two serial ports, it may be more economical to upgrade the existing serial interface for OS-9 operation. Only one chip, a crystal, two

Carl A. Bennett is an electrical engineering student from Kingston, Ontario. He owns a 512K CoCo 3 with a 1200-band modem, a modified electronic typewriter as a printer, and OS-9 Level II. He also once had the misfortune of having to write a terminal program using the infamous "bit-banger" serial port.

diodes and a resistor are required. You must make 22 connections to the CoCo 3 printed circuit board. Some electronics experience helps, and the project can be completed in one weekend for under \$20. Only one byte of the OS-9 Boot file needs to be changed to make this chip operate with any OS-9 program, and existing commands such as PRINT #-2 (in Disk BASIC) are not affected in any way.

All of these upgrades use a special chip to convert the information being sent from the parallel format (eight bits at a time) used by the 6809 to a serial format (in which all bits are sent, one at a time on a single wire). This chip is the Rockwell R6551 Asynchronous Communication Interface Adapter, described in more detail in Turn of the Screw — All About Serial Packs by Tony DeStefano (RAINBOW, August '88) or in data sheets published by the manufacturer. It is capable of sending and receiving data at up to 19,200 bits per second (19,200 bits of transmitted data is equivalent to one full 80-by-24 text screen).

OS-9 already contains the instructions needed to make this chip work (the ACIAPAK driver and /t2 descriptor). It need only be told where the chip is located. This is done by using the Modpatch command to change one byte of /t2. At the OS-9 prompt, type:

modpatch /t2 c 10 68 30 v Press CTRL BREAK to end the process. The change can then be saved to a new disk using Cobbler (described in the OS-9 Level 11 manual).

That's the easy part — now something more difficult: the task of adding the 6551 chip to the computer. All of the usual warnings apply here: Precautions must be taken against damage due to static electricity; any modification to the computer will void the Radio Shack warranty; some errors in construction may damage your computer or cause the system to crash; all connections should be verified before applying power; and an ohmmeter should be used to check for short circuits.

Also, all connections and measurements must be made with the power disconnected. Reversal of the power leads or connection of any lead to voltages less than zero or more than five volts will destroy the chip. While this modification has been tested in a CoCo 3 and works fine, there is no guarantee if you choose to use information contained in the article.

The 6551 works best placed in a 28-pin socket on a small circuit-board of its own. The crystal should be placed near 6551 pins 6 and 7; the diodes and resistor are best placed near Pin 10. The board may be hidden in the space underneath the CoCo 3 keyboard. It may be best to wait until all connections are made (and correct operation of the CoCo 3 observed) before plugging in the 6551.

Sixteen connections are made to the

underside of the expansion connector (at the right-hand side of the computer). These are shown in Figure 1.

As these connection points are spaced relatively closely, it may be best to make the connections using a 4- or 8-conductor ribbon cable of relatively small size, to make the connections to the expansion connector before making the connections to the 6551, and to deal with all connections to odd-numbered pins first. After making the first eight connections, verify proper operation (i.e., no short circuits and the computer working normally) before proceeding with the remaining eight. This makes location of any mistakes much easier.

Once these 16 connections have been made and verified, there are six more connections to make to the computer. These arc:


- 1) from Pin 4 (Receive Data) on IC8 (the 77527 SALT chip, on the lower left corner of the CoCo 3 circuit board) to Pin 12 of the 6551.
- 2) from Pin 5 (Carrier Detect) on IC8 (SALT) to Pin I6 of the 6551.
- 3) from Pin 6 (Transmit Data) on 1C8 (SALT) to the anodes of the two diodes (1N4148) and to one side of the 10K resistor connected to +5 volts.
- 4) the previously-existing connection from IC4 (68B21 PIA) Pin 3 to IC8 (SALT) Pin 6 must be removed connect IC4 Pin 3 to the cathode of one of the diodes, Connect the cathode of the other diode to Pin 10 (Transmit Data) of the 651.
- 5) from Pin 12 (\*Chip Select) of IC9 (74LS138 Address Decoder located near the ACVC [Advanced Color Video Chip]) to Pin 3 of the 6551.
- 6) from Pin 3 (\*Int) of the CPU (IC1 68B09E, or Pin 37 or 38 of the LSC81001 PIA [1C5]) to Pin 26 (\*Interrupt Request) of the 6551.

A 1.8432 MHz crystal is to be connected directly to pins 6 and 7 of the 6551 chip. At this point, the circuit is ready to be tested.

#### Making a Serial Cable for the CoCo 3

To connect the serial port of your computer to a modem, a four-wire cable is needed. This cable may be made from several feet of telephone wire with a 4-pin DIN connector (Radio Shack Cat. No. 274-007) on one end and a DB25 connector (Radio Shack Cat. No. 256-1547) on the other.

Note that the cable for use with modem may not be the same as that used with a serial printer. For a modem,



on 1 is the 40-pin expansion connector SALT is IC8 (77527) CPU is IC1 (68B09E) PIA is IC4 (68B21)

The existing trace between PIA pin 3, SALT pin 6 must be removed.

Expansion Connector	6551	Signal
Pin 5	Pin 4	*Reset
Pin 6	Pin 27	E (enable) clock
Pin 9	Pin 15	+5 volts
Pin 10	Pin 18	Data bit d0
Pin 11	Pin 19	Data bit d1
Pin 12	Pin 20	Data bit d2
Pin 13	Pin 21	Data bit d3
Pin 14	Pin 22	Data bit d4
Pin 15	Pin 23	Data bit d5
Pin 16	Pin 24	Data bit d6
Pin 17	Pin 25	Data bit d7
Pin 18	Pin 28	Rcad/*write
Pin 19	Pin 13	Address bit a0
Pin 20	Pin 14	Address bit al
Pin 24	Pin 2	Address bit a5
Pin 33	Pin 1	Ground
	Pin 9	Clear to send
	Pin 17	Data set ready

Figure 1: Connecting the 6551

# Protect and highlight your important magazine collection with sturdy RAINBOW binders



#### Distinctive, Durable RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THERAINBOW safe in our quality, distinctive binders that provide complete protection.

These attractive red vinyl binders showcase your collection and ensure your RAINBOWS are in mint condition for future use. Each binder is richly embossed with line magazine's name in gold on the front and spine. They make a handsome addition to any room.

#### Put an End to Clutler

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two binders, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

#### Special Discounts on Past Issues

To help you complete your collection of THE RAINBOW, we're offering a special discount on past issues of the magazine.

When you place an order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" page in this issue.

#### **Know Where to Look**

You may purchase the "Official And Compleat Index To THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.

A Committee of the comm	through the
YES. Please send me set(s) of RAINBOW	binders Coco Significant
Take advantage of these special offers with your binder purchase:	The same of
Save \$1 off the single issue cover price for back issues. Minimum o enclose a back issue order form from a recent issue indicating maga-	
Purchase the "Official and Compleat Index to THE RAINBOW" for \$1	1. (Regular price \$2.50.)
(These offers good only with the purchase of a RAINBOW binder set)	
Name	
Address	
City State	ZIP
☐ My check in the amount of is enclosed. (In order to hold down	costs, we do not bill.)
Charge to: ☐ VISA ☐ MasterCard ☐ American Express	
Account Number Expirat	tion Date

#### Mail to: Rainbow Binders, The Falsott Building, P.O. Box 385, Prospect, KY 40059.

Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling. If your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST All other inquiries call (502) 228-4492.

#### Color Computer Software from Cer-Comp Ltd.

#### Window Master V2.2

The hottest new program available for the Color Computer IIII. Now you can have Windows, Icons, Buttons, Pull-Down Menus, Edit Fields and Mouse Functions bailt into your Basic or Machine Language Programs easily and quickly, without the need for OS9.

It supports up to 31 Windows on the display, multiple fonts in 54 possible sizes and styles, Enhanced Basic Editing and much more. It adds over 50 Commands and Functions to Basic to fully support the Point & Click Window System. In fact it has so many features it would take several pages to to describe them all.

It is completely compatible with existing Basic programs and takes absolutely no memory away from Basic. It contains a built in Ram Disk which is completely transparent to Basic (512k version) for enhanced operation.

It requires 1 Disk Drive, R.S. III Res Interface & Joystick or Mouse. Includes both the 128k & 512k versions for only \$69,95

#### Window-Ware

Window Writer - A Point & Click Word Processor, features both Mouse & Keyboard type editing, proportional printer support, powerful formatting capability, works with any printer. Requires Window Master & 512k-\$59.95

Window Basic Compiler - A Basic Compiler similar to CBASIC only it compiles all the Window Basic statements to create super fast M.L. programs & Desk Accessory programs for Window Master \$99.00

Window EDT/ASM: A full featored Editor/Assembler and Debagger for the Window Master System \$49.95

Funt/Ican Editors A utility disk with the Font & Ican Editors so you can edit or create you own includes Basic & M.L. versions \$19.95 Advanced Programmers Guide A nianual for the Advanced Basic & M.L. Programmer with information on interfacing to Window Masters complete system including System Calls, Memory Map, Interrupt handling & Extended Memory access, \$24.95

#### 512K RAM UPGRADE

Give your COCO 3 all the power it deserves with this easy to install (no soldering/plog in) 100%. Tandy compatible 512K memory opgrade. Completely assembled and tested. Includes Rantdisk & Memory Test software described below. \$159.95, Upgrade + Window Master \$199

#### 512K RAMDISK & TESTER

RAMDISK is an ALL Machine Language program that will give you 2 ULTRA High Speed Ram Disks in you CoCo-3. It does not need or require the OS-9 operating system. It works with R.S. DOS V1.0 or V1.1 and it is completely comparible with Enhanced Color Disk Basiel Plus it allows your CoCo-3 to run at double speed all the time even for floppy disk access!!! It will not disappear when you press reset like some other randisk programs. The MEMORY tester is a fast ML program to test the 512K ram. It performs several bit tests as well as an address test so you know that your 512K of memory is working perfectly.

Requires 512K & Disk \$19.95

#### CBASIC Editor/Compiler The ULTIMATE Color Computer BASIC COMPILER!!!

If you want to write fast efficient machine language programs and you don't want to spend the next few years trying to learn how to write them to Assembly language or with a cheap compiler, then CBASIC is the answer!!!

CBASIC is the only fully integrated Basic Compiler and Program Editing System available for the Color Computer. It will allow you to take full advantage of all the capabilities available in your CoCo without having to strend years trying to learn assembly language programming. CBASIC allows you to create, edit and conveil programs from a language you are already familiar with Enlanced Disk Color Basic,

into fast efficient inachine language programs easily and quickly.

CBASIC supports all the enhanced hardware available in the CoCo 2 & 3, including 11i-Res Graphics, & Sereen displays, Extended Memory and Interrupts. We even added advanced commands not available in Basic 10 give you a level of control only available to very advanced Machine Language Programmers. Plus we made it exceptionally easy to use, not like some other compilers. CBASIC is the friendliest and easiest compiler available for the Color Compoter.

CBASIC is a powerful tool for the Begioner as well as the Advanced Basic or Machine Language programmer. CBASIC feutures well over 150 Compiled Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. It supports ALL the High and Low Resolution Graphics, Soond, Play and String Operations available in Enhanced Color Basic, including Graphics 11/GET, II/Put, II/Play and 11/DRAW, all with 99,9% syntax compatibility.

CBASIC makes full ose of the powerful and flexible GIMI chip in the Color Computer 3. It will fully utilize the 128K of RAM available and install 2 Ultra Fast Ramdisks if 512K is available, for program Creation, Editing and Compilation. You can easily access all 512K of menory in a Compiled program thru several exteoded themory commands that can necess it 10 32K or 8K blocks and single or double bytes.

CBASIC has its own completely integrated Basic Program Editor which allows you to load, edit or create programs for the compiler. It is a full featored editor designed specifically for writing Basic programs. It has block move and copy, program renumbering, automatic line nomber generation, sereen editing, printer control and much more.

Coco 1,2 or 3 Disk \$149.00

To order products by mail, send check or money order for the amount of purchase, plos \$3.00 for shipping & handling to the address below.

To order by VISA, MAS'IERCARD or COD call os at (702) 452-0632

(Monday thru Saturduy, 8ant to 5pm PST).

CER-COMP Ltd. 5566 Ricochet Avenue Las Vegas, Nevada 89110 702-452-0632

#### DataPack III Plus V1.1

SUPER SMART TERMINAL PROGRAM
AUTOPILOTAND AUTO-LOG Command Processors
X-MODEM DIRECT DISK FILE TRANSFER
YT-100 & YT-52 TERMINAL EMULATION

- · No lost data even at 2400 Baud on the Serial port.
- 8 Selectable Display Formats, 32/40/64/80 columns ASCII & BINARY disk file transfer via XMODEM.
- · Directly record receive data (Data Logging).
- · VT-100 emulation for VAX, UNIX and other systems.
- VT-100/52 cursor keys position, PF & Alt. Kbd, keys.
- · Programmable Word Length, Parity, Stop Bits .
- Complete Full and Half Duplex operation,
- · Send full 128 character set from Keyboard
- Complete Editor, Insert, Delete, Change of Add.
- 9 Variable length, Programmable Macro Key buffers.
   Programmable Printer rates from 110 to 9600 Band,
- Send Files from the Buffer, Macro Keys or Disk.
- · Display or Print the contents of the 50k Buffer.
- · Freeze Display & Review information On liac.
- Built in Command Mena (Help) Display.
- Built in 2 Drive RAMDISK for 512K RAM.
- Supports: R. S. Modem-Pak & Deluxe RS-232 Pak.

Coco 1, 2 or 3 Disk - \$59.95

#### "The SOURCE" DISASSEMBLER & SOURCE CODE GENERATOR

The SOURCE will allow you to easily & qoickly Disassemble Color Compoter machine language programs Directly from Disk and generate beautiful, Assembler Sporce code.

- · Automatic label generation.
  - Allows specifying FCB, FDB and FCC areas.
- Disassemble programs Directly from disk.
- Automatically locates address.
- · Ociput listings to the Printer, Screen or both.
- Generales Assembler soorce directly to disk.
- · Built In Hex/Ascii domp/display.
- · 8 Selectable Display formats 32/40/64/80 .
- · Selectable Foreground & Background colors.
- · Boilt in Disk Directory an Kill file commands.
- · Meno display with single key commands.
- Written in Ultra Fast Machine Language.

  Coco 1, 2 or 3 Disk \$49.95

#### EDT/ASM III DISK EDITOR ASSEMBLER

EDT/ASM III is a Disk based co-resident Text Editor & Assembler, it is designed to take advantage of the new featores available in the CoCo-3 with either 128K or 512K of memory. It has 8 display formats from 32/40/64/80 colorns, 'There is also a free standing ML Debog Monitor,

EDT/ASM III has the most powerful, easy to use "lext Editor available in any Editor/Assembler package for the Color Computer.

- · Local and Global string search and/or replace.
- · Foll Screen line editing .
- · Easy to use Single key editing commands,
- · Load & Save standard ASCII formatted files.
- · Block Move & Copy, Insert, Delete, Overtype.
- Creute and Edit files larger than memory. The Assembler features include:
- · Supports Conditional IF/THEN/ELSE assembly.
- · Supports Disk Library file op to 9 levels deep.
- · Supports standard Motorola directives.
- Allows moltiple values in FCB & FDB directives
   Allows assembly from the Buffer, Disk or both.

Coco 1, 2 or 3 Disk \$59,95

the following connections must be made:

- 1) Connect Pin 1 (Carrier Detect) on the computer to Pin 8 on the modem.
- 2) Connect Pin 2 (Receive Data) on the computer to Pin 3 on the modem
- 3) Connect Pin 3 (Signal Ground) on the computer to Pin 7 on the modem.
- 4) Connect Pin 4 (Transmit Data) on the computer to Pin 2 on the modem.

#### Testing This Circuit

Due to the risk of ereating a short circuit hetween neighboring data or address lines, it is best to check for such errors at various intervals during the construction of this circuit. An ohmmeter will quickly detect any pairs of adjacent pins that may be shorted to each other. Any short circuit in the system bus lines will also cause a screenful of garbage to appear instead of the Super Extended Color BASIC message if you attempt to use the computer. The 6551 need not be plugged in to check for either shorts or continued system operation — the computer will start without it, If you are unable to obtain normal operation with the 6551 socket empty, recheck your connections (a good idea in any case) and cheek for short circuits.

If all connections are in place and verified (with the system operating normally), you are ready to plug in the 6551. The pins of a new chip will generally need to be bent slightly inward before the chip can be plugged into its soeket. The edge of a tabletop works well for this. Once the 6551 is in place, software may be use to cheek for proper operation.

If OS-9 is able to use the serial port at this point, the project is complete. If not (with the computer working), there are some simple tests that may be run under Disk BASIC.

The simplest (if your modem has "send data" and "receive data" indicators) is to turn on these indicators using POKE 65330,12. Use POKE 65330,0 to turn them off. If this does not give consistent results, one of the connections to the address, data or control lines may be at fault. (See Figure 2.)

If this works, the eight connections to the data bus may be verified by running a program such as FOR I=0 TO 255: POKE 65331, I: PRINT PEEK (65331): NEXT, which will print numbers 0 through 255 if the 6551 is connected.

If the 6551 will transmit but will not receive, check both the receive data and carrier detect signals. If currier detect is not active, all received data is ignored.

Address	Bits	Contents
"bit-banger:"	2,141,	
65312	1	Transmit data
65313	7	Carrier detect
65314	0	Receive data
6551 AC1A:		
65328	0-7	data
65329	0	l if parity error
(status)	]	l if framing error
	2	l if overrun
	2 3 4	l if receive buffer full
		l if transmit buffer empty
	5 6 7	0 if carrier detected
	6	0 if data set ready (not used)
		I if interrupt occurred
65330	0	1 enables DTR output (not used)
(comniand)	- 1	0 enables interrupt
	3,2	01 enables transmit interrupt, else 10
	4	1 for echo
	7-5	parity (000=none 011=even 001=odd)
65331	3-0	Speed (0110=300 bps 1000 =1200 bps
(control)		1010=200 bps)
	4	l l'or internal clock
	6,5	Word length (00=8 bits 01=7 bits)
	7	0 if one stop bit

Figure 2: Communication Addresses

#### Useful References:

- 1) All About Serial Paks (Turn of the Screw, Tony DiStefano, August '88 RAINBOW')
- 2) Color Computer Service Manual (Radio Shaek #26-3334)
- 3) Inside OS-9 Level II (Kevin Darling, Frank Hogg Lab, Syracuse, NY, 1987).

If the 6551 registers (as displayed by PRINT PEEK(65328); PEEK(65329); PEEK(65330); PEEK(65331)) all appear to contain 255, then recheck the chip select inputs (pins 2 and 3 on the 6551).

#### Theory of Operation

Assume that a user, while running a computer communication program, presses the A key. What happens?

The computer, after scanning the keyboard, finds a key pressed and represents this by a number (A becomes 97, or 01100001 in binary). It must then send this information to another computer, A telephone line (or any serial link) cannot send eight 1s or 0s simultaneously — but it can send one bit of information at a time — a one or a zero.

When there is information to send, it sends a zero to indicate the start of one character of transmitted information. It then must send eight 1s or 0s represent-

ing the information being sent, one at a time, with the far right one being sent first. Each of these must be present for a constant and minimum length of time, as modems can only go so quickly. It then sends a 1 to indicate that it has finished sending this character. For a 2400-baud modem, all of this must occur within 1/240 of a second. But the computer has more to do than simply send information.

If your CoCo is sending data to another computer, it is very likely that the other computer is immediately sending this information back, so that it will appear on your screen. You must therefore be able to transmit and receive information at the same time, and (as if that weren't enough) il you're using OS-9, you may want to run other programs while you're sending and receiving characters. The "bit-banger" Serial 1/O port requires that the program

individually wait for and handle each one or zero being sent or received — at some point, it just doesn't have time to do all of this.

This is where a chip like the 6551 comes in. A program need only tell it how many bits of information to send (and at which speed), check to see that it's ready, then give it all eight Is and 0s at the same time. The 6551 takes care of the rest. It can send and receive information at the same times, and it leaves the computer free to do other things while a character is being sent. When nothing is available to be sent, it simply sends 1s.

The 6551 looks like four locations of memory to the computer, but which four? The computer can find this out by looking in the /t2 module, which it reads from disk when you type DOS. The 6551 also needs a signal (Chip Select) to tell it that information is intended for it and not for another part of memory. A Multi-Pak Interface can provide a circuit to separate information intended for the disk-drive controller from that intended for the RS-232 Pak or some other cartridge. In the CoCo 3, however, there already exists a signal (not currently used for anything) that can be used to serve much the same purpose. By using this signal (and by putting the 6551 inside the computer itself), no Multi-Pak is required, reducing costs considerably.

Also, the RS-232 standard requires that  $\pm 5$  or  $\pm 12$  volts be used to represent a zero, and -5 or -12 volts be used to represent a one. These voltages cannot be connected directly to the 6551 without damaging it. They must instead be changed to levels that the 6551 can use directly: 0 volts for a 0, 5 volts for a 1, Any serial port that plugs into the expansion slot must contain extra chips to convert between these two sets of voltages. In the CoCo 3, the SALT (Supply And Level Translator) chip already performs this function, along with other functions related to the cassette recorder and the power supply. SALT is already being used by the existing bit-banger port, but it is quite possible to upgrade to the 6551 chip while leaving the existing port in operating condition. The inputs to the 6551 can be directly connected to their counterparts in the existing circuit without any problems. The output (Transmit Data) must be treated a little differently, so that no harm occurs if the 6551 tries

to send a zero while the bit-banger is trying to send a one. This is the purpose of the resistor and diodes. A zero from the 6551 causes a diode to conduct, sending a zero to the SALT chip, A zero from the existing output has the same effect. If neither chip is active, the resistor pulls the input to the SALT chip high, causing ones to be sent. The operation is the same as that of an AND gate.

By using these existing circuits, this modification provides access to a higher-speed serial port with one chip (the 6551 itself) at a cost of under \$20. Software written for the existing bitbanger serial port (such as Disk BASIC) operates as if the modification were not even present, while this does not provide a system with two serial ports, it offers most (if not all) of the other benefits of an improved serial interface for OS-9.

(Questions or comments regarding this article may be directed to the author at 493 Princess St., Apt. 604, Kingston, Outario K7L 1C3. Please enclose an SASE when requesting a reply.)



#### COLOR RIBBONS & PAPER

COL	OR.	RIB	BO	NS
-----	-----	-----	----	----

RED . BLUE . GREEN . BROWN . PURPLE . YELLOW

Ribbans	Piice Each:	8lank	Calai	Heat Transfer
Radio Shack ~	- DMP 100	6.00	9.00	
-	- DMP 110	4.15	4.75	5.75
-	- DMP 120	6.75	8.50	-
_	- DMP 130	5.25	6.50	7.95
-	- DMP 200	6.75	8.50	_
-	- DMP 230/520	4.00	5.25	_
-	- DMP 2100	5.75		_
-	- DMP 410/510	5.00	7.00	_
-	- DMP 430	12.00	_	_
Apple Imagew	riter I/II	3.75	4.50	6.50
Citizen 120 D		5.00	6.00	7.95
Epson MXB0/L	.X800	3.75	4.25	6.75
Okidara 182/19	32	6.50	7,50	
Panasonic K-X	P 1090	6.75	7.75	_
Seikosha SP 8	00/1000	5.25	6,50	7.95
Star NX10/NL1	0	5.00	6.00	7.95
Star NX 1000		Call	For F	rice

#### COLOR PAPER

BRIGHT PACK-200 Sheets/50 each color: Red, Blue, Green, Yellow, 9 1/2 × 11 \$10.90/pk.

PASTEL PACK - 200 Sheets/50 each color: Pink,

Yellow, Blue, Ivory, 9 1/2 x 11 - \$10.90/pk.

T-SHIRT RIBBONS (Heat Transfer) — Call For Price.

#### COLOR DISKETTES

5 1/4" DS/DD Rainbow Pack, 10/pack - \$12,50

For libbons & paper not listed above, coll for place & evad. Pune & spec subject to inhange w/o notice. Min order \$25.00. Min S & H \$3.50. Add \$2.25 C O.D. add'l IL es. add 6.25% tax MC & Vesa anneptind

#### RENCO COMPUTER SUPPLIES P.O. Box 475, Manteno, IL 60950 U.S.A

135

Mini-Phono Jacks

I own a CoCo 3 and would like to connect it to a composite monitor. It was used with my IBM PC, for which I now have an EGA monitor. Is there a way to do that?

Robert Dagenais Quebec

The CoCo 3 has two female miniphono jacks at its back. One is labeled audio and the other video. Use a cable with male miniphono jacks (such as the one that comes with the CoCo 3 to make the video connection). If your monitor also supports audio, you will need a second cable.

BASIC Trouble

I got the back issue of RAINBOW, us recommended by Bill Barden on Page 157 of the September '88 issue, and have successfully gotten EDTASM+ to work on my 128K CoCo 3 except for one thing; I can't go to BASIC. It seems to go, but locks up as soon as I press ENTER. I think the trouble is that Line 227 of Roger Schrag's original article sends it to \$A027, which is Disk Extended Color BASIC I.I. And I have a CaCa 3 that is Disk Extended Calor BASIC 2.I. Can you give me the correct address for 2.1?

W.E. Veenschoten Birmingham, Alabama

A soft boot of the CoCo 3 requires a jump to \$E010.

Mikeyterm to the Rescue

I received a modem DCM-6 and I need to know if it is possible to use the CoCo3 without the RS-232 Pak. If so, can I use my disk drive with the modem and use a Y cable with the CoCo3? I heard that the CaCo3 will get too hot with this cable. Can you tell me if there is saftware for a modem?

George Leal Victoria, Texas

Richard Esposito is the principal engineer for BDM Corporation. He holds backelor's, master's and doctorate degrees from Polyteclanic Justitute of Brooklyn. He has been writing about microcomputers since 1980.

Richard Libra is a simulator test operator for Singer Link Simulation Systems Division.



By Richard E. Esposito Rainbow Contributing Editor with Richard W. Libra

The hardware in the Tandy Deluxe RS-232 Pak is of poor quality and unsuitable for downloading software from BBSs and services like Delphi. One such product that has the capabilities you desire is *Mikeyterm*. It is available from its author, Michael Ward, at 1807 Cortez, Coral Gables, FL 33134 for \$10. Also, it is not wise to use a Y cable with the CoCo since it can cause too much current draw and overheat the power supply

Using Hardware, Bypassing Software

∩ Luwn a CoCa 3. Multi-Pak, two

Luwn a CoCo 3, Multi-Pak, two drives, CM-8 monitor, two printers 🗍 and an RS-232 Pak. Therein lies the problem: I like the ability to use a modem and a printer at the same time, but the 32-character screen width used by the RS-232 Pak is less than adequate for most host systems, especially with the 40- mil 80-character screen availahle with the CoCo 3 software. Is there communications software available that uses the 40- and 80-character screens and the RS-232's hardware while bypussing its software, or is there a way to hurn a software package into an EPROM and replace the Pak's software chip? I have also had a problem while attempting to download using the Pak. Most BBSs Thave used require n carriage return to start the download, but when I set the Pak for downloading nutl press the BREAK key, I can no longer give the host its carriage return. Can you suggest a solution?

Kerry L. Moline Denver

The 300-band DCM-6 connects to a serial port, not the cartridge expansion port. It can be connected with a 4-pin DIN to DB25 cable. The pin connections for the serial port on the back of the color computer (clockwise from the notch) are:

Pin 1 CD Pin 2 RS-232 In Pin 3 Ground Pin 4 RS-232 Out

To make the four-wire cable, connect Pin 1 to Pin 1 on the DB25, Pin 2 to Pin 2 on the DB25, Pin 3 to Pin 7 on the DB25, and Pin 4 to Pin 3 on the DB25. On the DB25 end, also wire pins 4, 5 and 8 together and wire pins 6 and 20 together. There are many communications programs for the CoCo. Mikeyterm is available in both tape and disk versions and supports 80 columns on the CoCo 3.

Scattered Pokes and Patches

Recently I bought the program ED-TASM+ and would like to switch it over to disk but find that the pokes and putches necessary seem to be scattered over a number of different RAIN-BOW issues that I unfortunately don't have. I wonder if you could reprint those pokes with detailed instructions on how to implement them. Having a CaCo 3, I would also like to use the patch for an 80-column screen in your column of January '88 by Roger Krupski, providing it is compatible with EDTASM+ as well as Disk EDTASM.

Also, in trying to copy the program TPTODSK in the February '87 issue, Page 73, using EDTASM+, I get a missing operand error in Line 277, which is a vontine for checking for the version (either 1.0 or 1.1) of ROM, Because of the CoCo 3 version I suspect this may be the problem. Being a novice in assembly language, I wonder if you could suggest a way around this if you also believe it may be the cause.

M. Houper Outario When the CoCo 3 copies the ROM code to RAM on boot up, one of the things it does is change the 1 on the sign-on screen of the Disk BASIC ROM 1.0 or 1.1 to a 2. These are the only ROMs ever sold hy Tandy. The patches you desire are too extensive for a column of this type. THE RAINBOW offers article reprints for \$2 each, even if the magazine is out of print. RAINBOW-ON-TAPE/DISK is also available.

#### Out of Characters

I have a CoCo 3 with 512K, one DSDD drive, CM-8 monitor, a CGP-220 printer, OS-9 and Multi-Vue. I also own an Anniga 500 with a VT100 emulation package. This setup works well and I have used it successfully with many host systems. My problem is that I cannot receive characters through the RS-232's port from the Anriga; the moment I type Esmon / tl, my CoCo aborts and responds to nothing except the Ct.EAR key, which still changes me between windows (if I have any open), I can output data at any speed (300 to 9600 Band) with no problem by typing diret1. This works fine at any speed, but I read in the Complete OS-9 Guide that the terminals accessing OS-9 through the internal RS-232 port should have a band of 300. I have tried it at 300 hand but it still doesn't work. If I type build afile </tl>
 the CoCo
 also stops. And when the CoCo stops, even on the previous command where only the input is redirected, periods are sent out the RS-232 and are displayed on the Amiga screen. All the above still happens even if I have no cable connected to the CoCo's RS-232 port. I have also tried this on my brother's CoCa 3 (128K) with the rest of the system configuration the same, with the same results. Is there a problem with my hardware setup, the serial driver or what? Also, I purchased Multi-Vue hecause it advertised that Multi-Vue can be used to create user-friendly interfaces for your developed programs, but ofter opening the package (and therefore voiding any chance of returning it), I find that this is not the case because there are no tools for creating ICONs. Can you suggest a way I can create my own "user-friendly" interface ICONs?

> Walter Zambotti Perth, Australia

R The port <t1 in OS-9 Level II is insuitable for two-way communication since it accesses the CoCo 3's bitbanger serial port, which was designed for printers. To connect two computers for communication, you need a hardware serial port like the one supplied in Tandy's Deluxe RS-232 Pak or one of its clones. A number of mouse-based icon editors have been posted on the Delphi OS-9 SIG. To date, none of the authors have volunteered a deal whereby one can be purchased by mail.

Mods on Delphi

I own a CoCo 3, FD-500 disk drive and OS-9 Level II. I am planning to purchase an ingraded Multi-Pak interface and an Owl-Ware 3½-inch drive. Do yon know where I could get a driver for the 3½-inch drive to run it under OS-9? Will OS-9 know if I have my FD-500 drive in one slot of the Multi-Pak and the other drive in another slot? How can I use my Radio Shack Speech Sound Pak under OS-9?

Don Vaillancourt Mississanga, Ontario

A 720K 3½-inch drive is electrically equivalent to a 720K 80-track DSDD 5¼-inch drive, for which OS-9 Level II includes a device descriptor in the modules directory. Both 3½-inch drives and 5¼-inch drives can share a common controller, so only one Multi-Pak slot would be used. To enable a Speech/Sound Pak to work with OS-9 Level II requires replacement of one transistor. You will also need new software drivers. Both the drivers and the hardware mods are posted on Delphi. At the moment, 1 know of no other source.

#### Unfamiliar Codes

How can I send codes to my printer with OS-9 to tell my printer to print in condensed-character mode? It is very easy in BASIC. I tried to build a startup and a patch file with those codes, and OS-9 doesn't want to recognize the codes. What can I do?

Pierre Lortie La Tugue, Quebec

Use the DISPLAY command. For example, DISPLAY xx xx xx >>P would send the three hexadecimal codes xx xx xx to your printer.

#### CoCo del Artiste

Is there a paint set for the CoCo 2 that has a plug-in pen so that when you put it on your color monitor screen, it draws on the screen like

drawing on paper without using the joystick or keyboard? Is there a program that would allow me to use a mouse to draw and save to tape in BASIC format? Can you use the text graphics (CHR\$, etc.) instead of the regular PMODE screen to enter in the CoCo Gallery contest entry?

James Ruth Newark, New Jersey

While there were a few companies marketing light pens for the CoCo I and 2 a few years back, I know of no one doing so now. On a CoCo I or 2, simply DSAVEM the 6144 bytes from &H600 to &H1DFF to tape to save a PMDDE3 or 4 screen. CLDADM can be used to restore a graphic to the screen.

#### DC to 1200

Is it possible to modify Radio Shack's DC Modem Pak to operate at 1200 band?

William F. Irwin Toledo, Ohio

While nothing can be done with the built-in modem, some electronics hackers have managed to convert it to an RS-232 Pak via its ACIA. The resulting RS-232 Pak is then used with an external modem with band rates up to 9600.

#### Using Telcom With DeskMate

Is there any way to use Telecom in Deskmate 3? I also have OS-9 Level II. I am trying to use the I/O port in the back of my computer.

Thomas R. Moody Mt. Morris, Michig<mark>an</mark>

The /tl device descriptor and
associated device driver is unsuitable for two-way communication. The
ways to use Telecom in Deskinate 3 are
either with /t2 and a RS-232 Pak or
with /ml and a Modem Pak.

For a quieker response, your questions may also be submitted through RAINBOW'S CoCo SIG on Delphi. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK for "Ask the Experts" to arrive at the EXPERTS> prompt, where you can select the "Doctor ASCII" online form which has complete instructions.



#### Using Syscall to enhance BASIC09

# Tools for Programming BASIC09

#### By Philip Brown

It's time to overcome the great weakness of BASIC09 — we will pass variables both ways between simultaneously running programs. In the process, this article has become a tutorial in how to use Syscal1.

While working this method out, I discovered an error in the Technical Section of Level II's manual: The function SS.MpGPB is not a function of GetStt(syscall(\$80)), but a function of SetStt. Correct this before proceding with this article's instructions,

Before we go any further, here's what SS. MpGPB does: It passes variables through what are commonly called Get/Put buffers, using the BAStC09 routine Syscall. What does that mean? Well, for starters, Get/Put buffers are areas in memory that OS-9 Level II usually uses for defining fonts and graphics pointers patterns and getting areas of a graphics screen. For example, with Gf×2, to use GET like the BASIC command GET, you have to give a group and buffer number. The group number can be anything

Philip Brown is 17 years old, and has been programming for seven years. He has learned LOGO and has taught himself OS-9 Level II, BASIC, BASIC09 and Assembly language.

from 1 to 199. The operating system itself uses the others. The group number puts aside an 8K block for your use, which you then have to give a buffer number. This buffer is a subdivision of that block. It can be any size, from one to two bytes, to almost the entire 8K.

The reason I say almost is because the system uses 32 bytes per buffer in the 8K block to define size. There are only sixty-four 8K blocks in 512K of memory. The system brings one into existence and permanently determines the size of the buffer(s) whenever you load a font, pattern or an area of a graphics screen. That means, if you want to store a greater amount of material, you have to kill the buffer (Gfx2["killbuff")) before attempting to get anything bigger. Alternately, you can define the size of the buffer before you start to do anything with Gfx2("defbuff"). Remember also that this is system-wide. If you continually do this and don't kill them afterwards, you will lose memory (8K block per group) without realizing

An alternate method is using Display with the codes listed in the windowing section in the Level II manual. Most of it is very comprehensible. For a detailed look at Get/Put buffers, read pages 3-

7 to 3-8, DfnGPBuf(define Get/Put buffer).

Now the hard part - Syscall, Syscall is an incredibly useful function. I advise merging it with BASIC09, if you haven't already (then attr basic09 E PE). You can do things in Level II that you cannot do any other way. It calls for various OS-9 machine language subroutines, but don't worry: The procedure is simple once you understand it.

There are about 90 system calls listed in the technical reference under System Calls (Chapter 8). Most of them are too technical for easy use — two that can be used often are Get Status and Set Status (GetStt and SetStt). They are really a compilation of smaller subroutines, listed on pages 8-112 through 8-150. All these subroutines are listed with 55. --, the -- being the actual name of the subroutine.

The line of demarcation between GetStt and SetStt routines is 8-131. As noted above, the subroutine SS. MpGPB(map Get/Put buffer) is on the wrong side of that line. When you are looking through them, it is important to note which side you are on because some of the function codes are the same but do different things under GetStt

and SetStt. For instance, Function #0 under GetStt reads 32 bytes of information from a "path descriptor," whereas Function #0, under SetStt, writes 32 bytes of information. Therefore, SetStt Function #0 could crash a window, a disk drive, a hard drive, or the whole system. I lost count of the times I was experimenting, and suddenly the screen went haywire while everything locked up system-wide,

Get Status generally only reads the status of something, whereas Set Status changes it. So SetSt t is the one to watch out for. As long as you are careful, you should be all right. But save everything you are working on at least once every half hour.

In using Syscall, first define a special variable type. Syscall is expecting information in that format. The standard way to use it, according to the section in BASIC09's manual is: Type registers=cc,a,b,dp:byte; x,y,u: integer DIM regs: registers.

The cc, a, b, . ., etc., stand for some of the different data registers in the 6809 chip. Once you have defined the variable type, load it with the data asked for by the system call you wish to make, e.g.: regs.a=1\regs.b=\$83. How do

549.99

you know what to put in? Here's a specific example (F\$SUser Page 8-39, technical reference): If you want a user ID of 4, use:


> reas.y=4 RUN Syscall (\$1c, regs)

The \$10 tells Syscat1 to execute F\$SUser, The \$10 comes from F\$SUser 103f 1c at the top of page 8-39. The 103f is a machine language SWI2 instruction you can ignore since you are using Syscall, After running Syscall, regs.b gives the code of any errors. negs, co is the Condition Code register, which involves a knowledge of machine language.

To get to Get Status, or I\$GetStt (page 8-54), requires a path number to be in Register A and the function code in Register B. Because of using SS.MpGPB, regs.a can be zero and regs.b=\$84. Additional entry conditions are given by SS.MpGPB (Page 8-122): x must have the group number and buffer number of a G/P buffer, and y must have I or 0, telling whether we want to map or unmap, If mapping it, regs.x will have a memory location as the start of the buffer, and regs. y tells

REVIEWED.

#### MJK & MJK3 DOS WHY BUY ADOS 3 WHEN YOU CAN HAVE THIS!



MJK DOS Int COCO 1 & 2 \$29.95 MOST POWERFUL OPERATING SYSTEM FOR THE COCO EVER! Allows up to 3 DS-80 track drives or 35740Y drives.

"" Standard Rudio Shack! 35T format"

Wildeard DJR, COPY, & KILL in one run or one at a time upon user prompt. All the files can be displayed alphabetically, including the date that the file was saved. Use the powerful CHAIN enumand to use programs of any length, FULL SCREEN EDITOR & PULLY SPELLED OUT ERRITE NAMES. His ove key to repeat the last command.

40 NEW COMMANDS & EUNCTIONS: CHAIN, AUTO, DATE, CAT, WAIT RUNM, BAUD, FIND, OLD, DATES, LCOPY, REPE, TYPE, SPLIT of JOIN basic lines. SAY for real spirker fext, word peck & poke and many more

'ALLOWS YOU TO READ! WRITE! FOR MAT 35,40 DISKS ON AN 80T DRIVE: FREL UPDATES FOR LYEAR ...

MJK517 DOS(CDC03-51) K)

BUILT IN RAM DISK & RAM TEST COMMANDS + 5 MORE

MONITOR-DISASSEMBLER (COCO 1, 2 & 3) 519.95 SOURCE-CODE/LABEL GENERATOR (COCO 1, 2 & 3) \$39.95 JR REMOTE RS-232 PACK DRIVER FOR RBS etc. [COCO 1, 2 & 3). \$19.95 NEWKLY (COCO 3) NEW KEY SCAN -- gives you true ALT & CTRL \$15.00 NLWKEY 232 (COCO 5) — JB REMOTE and NEWKEY in one package RTC — REAL TIML HARDWARE CLOCK [a] the COCO 1, 2 & 3 \$25.00 \$35.00 ROM PACK - FOR RTC CLOCK

LIMITED TIME OFFER! RETURN YOUR OLD ADOS OR ADOS) DISK AND DOC'S AND GET \$15.00 OFF YOUR MJK5)2 DOS, I GIVE YOU CREDIT FOR THEIR DOS, DO THEY DO THE SAME! (mighal disks & dock only "no enpies")

> CALL OR WRITE (COD ORDERS OK) COCO CONNECTION OF PHILA, PA. 5003 B ST. PHD.A., PA. 19120-3929 PHONE: 215-457-1809 VOICE BBS PHONE= 215-457-7478 [300/1700] [8,N,1] COMPLISERVE ID: 72317-437 (LEAVE PHONE I) OULPHI ID = COCOCONNECT

#### PURITAS SPRINGS SOFTWARE

DELUXE ICON EDITOR

Rumbriay Magazine (alled it "A Might lot Night-Vine", Il you have a 5 [28 Color Comparer II and use Level II OS 9 with Multi-Vor , you'll leve our Deline Icon Editor. The Editor manager the application uthermation life IAID and the bit mapped it out life. Pure the pure over each by posturing and clicking out an enlarged god which deposit the initional alternity self. By clicking on the meno baryou can gull down a Files mi uii hom which yni i atrense n ble te meinore. An e thi Alf amb con bli tei thik koad blei hom duk, os delete blei inn disk. The Alf section of the serien driptay. Bi reght clementi alongside the map gold. To content i on be charged he thicking on the element and typing in the new information up a dialogue window. All the elements are perioded with exor (papping tropine) for endu determine of fatal error. Poer \$10.95.

#### CALENDAR PRINTER

Habi Viri's Calcular is a soutested memory with one make disubside. I from thing! Colonian Printer does just that I I loader alendar likes resited by Molit Viria. Calendar and aftern you to profit a day, mainth or year of emiter on your creek our in your points. You can also search the librarily point enture on the receip or pointer based on keywords. "Colendar Printer regules in 5128 Coller Com poter Land Level II OS 9 with Multi-Vice - Price 5 III 19-

#### softWAR Technologies IRONSIDES & CRIMSON SAILS

A two player naval game for the 512K CuCoJ imming DS9 Level 2. It getter the 640x 198 tools sestitation sensen for hollowing captile display in 11 contres on a stegle disks to w namil habber, therefore, I&CS is really \$1 completely separate games in other Different game maps with different set ups requiring different aspects of play. I&CS also has a game sace or load feature. dition to the martin game system dark, 5 other collections car be untrinting 4 other inclinidual birtle

I&CS is effected as a mestal rate of only \$8.05. Response Tod Paul called it a creat at this rate of ne of the nurt for centus programs for size from a third porty weeder ... a for example of which Third party yeardour can product to lake attractings of the CoCo's project cabilities to conjuncting with the OS9 Operating System." Computer Shopper 11 8

> Puniar Spingi Sultware sultSVAR Technologic Amentust Building 17140 Lorain Arenui Clerrland Ohro (HTT) 1216L951 8885

how long it is. You can then poke it to your heart's content.

In mapping the system makes a copy of the actual buffer into an area your program can access. Then whatever you do to that area will be done to the original until you unmap it.

This sample program is simple, its purpose being only to show that the method works. The "core" either prints, modifies and prints, or just modifies the appropriate buffer, This procedure is ideal for forking one main program with another and exchanging data. Shell basic09 prog(#)& is one way. where # is the group buffer number and prog is a packed program in the execution directory.

As a reminder, the workhorse for these programs is SS. MpGPB, of SetStt. The value of regs. x before the call is the group number (anything from I to 200) \*256 +, the actual buffer number. After the call, the value of regs. x tells where the buffer has been copied to. You can then peek and poke those locations

An interesting point on how powerful the procedure is as a tool is that after I perfected this method, I came across a reference stating that the system itself uses Buffer Group #0 to keep track of error messages (you cannot map the same buffer into the user space twice). This means that if the program has an error in the middle, you have to run unmap before trying it again. Then run kitt\_buff when you've finished with the buffer (8K).

And now directions to the most powerful BAStC09 programming tool since Syscall:

Given are two listings, Core and Start, Type very carefully to avoid a total system crash of OS-9. Rebooting is a pain, so if you can spare the memory, keep the main /term window running to get out of minor messes and operate from windows I and 2. Forget about compiling your pet program at the same time, though.

First merge BAS1C09, Syscalt and Gfx2 into one file, attr spethe new file, and load it. Gf×2 isn't strictly necessary nsing Syscall, but it makes things simpler. Type in the first listing, Core, and save\* it. Then get back to the OS-9 level, build Listing 2, and start and execute it (or type it in directly). Get into BASIC09 and load Core. Then clear and load it on Window I, Run def-\_buff. Next, edit Core until it becomes Core 2. This involves deleting the line with run mod\_buff, You can do it on the other window since the buffer can be

modified by either program. Now run Core on both windows. The one without the run mod\_buff is now subordinate because all it does is simply read the other's information.

Switch to the one you left alone, and pause it. The numbers on the other window will not change because the mod\_buff program has been pansed on the dominant window, If you want, retype the line you erased in the subordinate window and delete it in the dominant window, then run both. The flow of information is reversed, but it doesn't have to be just one way. You can have each work on its own separate part of the buffer. Each can have different buffer numbers to work on, also but with the same group number.

This may sound like a lot of trouble, but it's not. Once going, it will never screw up again unless something else uses the same group and buffer number. A way around this is to use the original process's 1D number for a group number using Syscall, although it's

```
Listing 1: CORE
PROCEDURE Core
 gggg
           SHELL "tmode -pause"
 9919 1
           RUN print buff
           RUN mod buff
 ØØ17
 gg1B
            PRINT
 ØØ1D
           GOTO 1
 ØØ21
           END
PROCEDURE mod buff
 gggg
           DIM r:BYTE
 ggg7
            TYPE registers=cc,a,b,dp;BYTE; x,y,u:INTEGER
 gg2C
            DIM regs:registers
 ØØ35
            DIM d: INTEGER
 gg3C
            regs.a=Ø
 ØØ47
            regs.y=1
 ØØ52
            regs, b=$84
            regs.x=256@1 \REM group 1@@,buffer #1
 ØØ5E
 gg8g
            (* map buffer
 gg8D
            RUN syscall($8E,regs)
 gg9B
            IF regs.y=1 THEN
 ggaa
              PRINT "error with syscall"
 ggcg
              PRINT regs.b
 ggc8
              PAUSE
 gg ca
            ENDIF
 ggcc
            FOR d=\emptyset TO 9
 ØØDC.
              r=INT(RND(99))
 ØØE7
              POKE regs.x+d,r
 ØØF7
            NEXT d
 Ø1Ø2
            PRINT
 Ø1Ø4
            regs.y=Ø
 Ø1ØF
            regs.x=25601 \REM group 100,buffer #1
 Ø131
            (* Unmap
 g139
            RUN syscall($8E,regs)
            END
 Ø147
PROCEDURE def buff
            RUN gfx2("defbuff",100,1,10)
 gggg
 ØØ18
            (* define buffer as 10 bytes long
            RUN gfx2("get",100,1,1,1,1,10)
 ØØ39
            END
 ØØ56
PROCEDURE print_buff
 gggg
            TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
 ØØ25
            DIM regs:registers
 ØØ2E
            DIM d: INTEGER
 ØØ35
            regs.a=Ø
 ØØ4Ø
            regs, b=$84
```

```
ØØ4C
           regs.x=25601 \REM group 100, buffer #1
           regs.y=1
ØØ6E
ØØ79
           RUN syscall($8E,regs)
            (* if it has worked, y=10; length of buffer
ØØ87
ggB1
           IF regs.y=1 THEN
ggcg
             PRINT "error with syscall"
 ggD6
             PRINT regs.b
 ØØDE
             PAUSE
 ggeg
           ENDIF
           FOR d=Ø TO 9
 ggE2 1
             PRINT PEEK(regs.x+d);
 ØØF5
9193
           NEXT d
ØlØE
           PRINT
Ø11Ø
           regs.y=Ø
 Ø11B
           regs.x=256$1
Ø127
           RUN syscall($8E, regs)
 Ø135
PROCEDURE kill buff
           RUN gfx2("killbuff", 100,1)
 gggg
 ØØ16
           END
PROCEDURE unmap
 gggg
           TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
 ØØ25
           DIM regs:registers
 992E
           regs.a=Ø
 gg39
           regs.b=$84
 ØØ45
           regs.y=Ø
           regs.x=256Ø1
 ØØ5Ø
 ØØ50
           RUN syscall($8E,regs)
 ØØ6A
```

rather complex. You can get it with the information you have learned involving Syscatt, (F\$ID, Page 8-22), RUN Syscall(%0C,regs) will get it in regs.a.

The applications are limitless, I'm going to use it in a game to keep the character-handling routines separate from the monsters, so the player doesn't slow down when a lot of monsters are on the screen. Another use is for a splitscreen or multiterminal, real-time game so you don't have to wait while your opponent refuels or whatever. The buffer can be any length (to a little under 8K), It's a whole new super variable type. Work with it carefully, until the basics are down. See what you can come up with.

(Questions or comments concerning this article may be directed to the author at 199 Devon Drive, San Rafael, CA 94903. Please include an SASE when requesting a reply.)

Listing 2: START

iniz wl echo Hi>/wl basic@9<>>>/wl&

0

#### MLBASIC 2.0 - BASIC Compiler

If you want your BASIC programs to run up to 50 times faster, o programming features without learning another language, MLHASIC is for you. MLHASIC ie the most compatible BASIC compiler available for the Color Compnter. WHY? Because MLBASIC fully supports:

· Low- and high-resolution graphics All types of UO (disk, screen, printer, R\$232) All available commands offered with BASIC

· Floating point functions and expressions

Integer, floating point and etring type variables and arrays
 Use of all available 512K RAM in the COCO 3

80,40 or 32 column text displays

MLBASIC not only contains everything that you would expect a BASIC programming language should contain, MLBASIC has features that offer flexibility of other languages like C. Pascal, FORTRAN and even assembly language. These features will allow programmers to directly access the CPU registers on the COCO, produce modular program code with SUBROUTINES, manipulate memory in blocks, and even call ROM routines in other areas of memory.

MLBASIC revision 2.0 has incorporated all enhancements that were suggested by MLBASIC 1.0 users and more. Revision 2.0 did away with all the in-

compatibility problems that existed with revision 1.0.

MLBASIC allows for the first time user to quickly compile a program using default compiler settings. The advanced user has the capability of controlling over a dozen settings which control where the program is compiled, which medium to compile to (memory or disk), string space, compiler listings and

With all this going for MLBASIC, your might expect the cost to be a little out of your budget. After looking at prices of other BASIC compilers for the COCO 3  $\,$ you might be correct. But look again at this ad; for only \$59.95, you can have a programming language that will spark your Interest once again in the COCO.

Before you buy another BASIC compiler for the COCO, find out if it supports everything MLHASiC supports. Then look at the price tag. We feel that it won't be tong before you place an order for MLBASIC.

"MLBASIC is a line program for any serious programmer," said David Gerald in the December 1987 RAINBOW.



Check, Money Order or COD accepted Foreign orders use U.S. MONEY ORDERS only,

#### WASATCHWARE

7350 Nutree Drive Sali Lake City, Utah 84121 Phone (801) 943-1546

#### "Simply Better" Word Processor \*\*Setting New Standards...

\*RUN 2 INTERACTING WORD PROCESSORS SIMULTANEOUSLY \* PERFORM MAIL: MERGES \* CREATE INDEXES \* CREATE TABLE OF CONTENTS ' PRINT-FILL FORMS ' DISPLAYS FONTS IN SELECTED COLORS \* DISPLAYS UNDERLINING \* PRINT SPOOLING \* AUTO SAVES FILES \* SERIAL/PARALLEL OUTPUT \* PRINT/SAVE BLOCKS OF TEXT \* HEARING IMPAIRED MODE: UP TO 480K OF TEXT STORAGE: SORT SECTIONS OF TEXT \* MANY MORE FEATURES \*

\*\*Setting New Prices \$79%





RAINBOW Special Intro Price... \$2995

When It Comes To Word Processing, we're..."Simply Better"

> Call for a Free Brochure All Orders, Call... 1-800-248-8420 Please add \$3 S/H



Simply Better Software

P.O. Box 20726 Portland, OR 97220 TECHNICAL ASSISTANCE 9 AM - 5 PM (503) 254-7225

#### That's One Great Chip!

I have an old Multi-Pak (Cat No. 26-3024) and the upgrade PAL chip for it. I also own both CoCo Is and 3s. Can I upgrade the Multi-Pak in such a fashion that it will work with both the older and the newer Color Computers that I own?

Also, can you tell me what the jumpers on a Tandon TM-100 series drive do, so I can set them to use the drive with my CoCo?

David Johnstone Torrington, Connecticut

After you install the upgrade PAL chip in your Multi-Pak, it will work fine with the RS-232 pak, disk controller, and all other currently sold cards that plug into the Multi-Pak, regardless of what model CoCo you have. However, if you want to use CoCo Max II, the old PBJ Word Pak Model 1 or 11, or other older pieces of hardware, you need to buy a PAL switcher from Microcom to allow you to switch back to the older PAL chip.

As far as the jumpers on a Tandon TM-100, its 16-pin socket for drive select jumpers has an assignment of pins to functions as follows:

- 1 --- 16 HS (not used).
- 2 -- 15 Drive Select 0.
- 3 --- 14 Drive Select 1.
- 4 --- 13 Drive Select 2.
- 5 --- 12 Drive Select 3.
- 6 --- 11 Multiplex (don't use).
- 7 --- 10 Spare (don't use).
- 8 --- 9 HM (not used).

Only a single jumper in the correct drive select position is needed to make the drive work with a CoCo. Of course, you must also have one and only one terminator resistor pak in your drive system. That is, the other socket on the drive must have a terminator resistor pak in it if none of the other drives on that cable have one, or (if you are adding the drive to a system that already

Mattin H. Goodnan, M.D., a physician trained in anesthesiology, is a langtime electronics tinkerer and outspaken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marry is the SIGop of RAINBOW'S CoCo SIG and database manager of OS-9 Online.



#### By Marty Goodman Rainbow Contributing Editor

has drives on it) you must remove the terminator resistor pak from the other socket before adding the drive to the system.

#### Mount Fujitsu

Where can I get the screws used to mount Fujitsu half-height drives in an FD-501 case?

> Scott McCall Jacksonville, Florida

You need to specify what kind of screws are required, I will assume that the particular drive you are asking about uses metric screws, probably standard 3 millimeter type. Any decent hardware store stocks various sizes of metric screws.

As an alternative, you can use a tap to convert the holes in the drive which makes it possible to use American SAE type 6-32 screws.

#### Keep Plugging Away

I'm tired of plugging and unplugging ROM paks from my disk-based Color Computer. How can I copy them to disk and run them off my disk system?

Geoff Hall Casselberry, Florida

I have been asked this question literally hundreds of times. I have also helped fix literally dozens of computers that were burned out by folks who carelessly unplugged a disk controller or ROM pak while the power was on, So your question is certainly a pressing and legitimate one. The other side of the coin is that makers of ROM paks want to discourage privacy, and so use the fact that their program is in a ROM to try to physically prevent making copics. This is especially true of the most recent releases of ROM pak game software from Tandy, which tend to be heavily protected against running a RAM environment. The older ROM paks can be copied to and run from disk using a program called Multi-Pak Crack, plus added patches. The program may be available from Microcom or Second City Software. But the new version of the program cannot be effectively copied to and run from the disk.

#### Phone Home CoCo

I need to know the addresses used by various CoCo hardware paks to aid me in choosing an address for a hardware project.

Winston Pike Escanaba, Michigan

Currently I don't have a complete updated table of such addresses. The information is constantly changing as new paks are added and others become obsolete. I suggest making the project in such a way that you can, by moving jumpers or changing trace cuts, readdress the project's ports to accommodate a range of two or three ports. You can also design the device to use the SCS line to decode its addresses, placing it in the \$FF50 to \$FF5F range. This requires using a slot-dependent device with a Multi-Pak.

Consider whether or not the project is likely to be used on a system with, say, a Speech/Sound pak. If not, then don't worry about address conflicts. A partial list of addresses used by popularly available paks is as follows:

\$FF60 — \$FF63 Tandy X-Pad (obsolete and rare . . . con-

sider that space available!).

\$FF64 — \$FF67 Free (?).

\$FF68	Tandy and other RS-
— \$FF6B	232 paks (Do not use).
\$FF6B	Tandy DC Modem
- \$FF6F	Pak and some third
41.01	party RS-232 Pak sec-
	ond ports. (Do not
05554	use.)
\$FF70	Speech Systems stereo
— \$FF73	pak.
\$FF74	Owl-Ware, L&R Tech,
— \$FF77	RGB and Ken-Ton
	hard drive system
	ports, and Speech Sys-
	tems SC-01 voice pak.
SFF78	Speech System's
— \$FF7B	EARS.
\$FF7A,B	Orchestra 90.
\$FF7D,E	Radio Shack Speech/
	Sound Pak.
	COUNTY A TOTAL

Note that Disto's Mini Expansion Bus uses addressing in the range of \$FF50 through \$FF5E. Hope this helps!

#### Who Are Those Guys?

How do I save to disk pictures I have made on the Hi-Res Screen of the CoCo 3? And who are those guys that pop up on the Coco 3 screen when I hit CONTROL-ALT-RESET?

Eric Pike Gun Lake, Michigan

BASIC on the CoCo 3 does not provide any means of saving Hi-Res screens. You need to write, download from Delphi or buy utility programs to help you with this. Those gnys who pop up on the screen during cold starts wrote the patches to the old CoCo BASIC to make it work on the CoCo 3. Delphi users call them the Three Mugateers, among other things.

The story goes that a group of programmers put the picture in without Tandy knowing it until moments before the ROM was mass produced. Faced with the choice of either further delaying the release of CoCo 3 or leaving it in, Tandy chose to leave it in. The picture takes up a full 6K of space in the CoCo 3's Extended BASIC ROM, which is more than enough space for saving Hi-Res picture screens, a full screen editor in BASIC, and much more. Instead, we have a not-so-lovely picture.

#### An Ideal Picture

I'm thinking of marketing a product and service that will allow users to customize their CoCo 3 BASIC ROM by having their picture (not that of Microware) appear on the screen when they

hit CONTROL - ALT - RESET. However, as you know, this involves replacing the 28-pin ROM chip in the CoCo, which is soldered into the CoCo 3 circuit board. Is there any way to disable the chip without actually removing the mother board and desoldering the chip?

David Barnes
Second City Software

Chicago, Illinois

Yes! All you need do is have your customer clip Pin 20 of the ROM on the CoCo and solder to the stump of the pin as it enters the chip, a 1K pull-up resistor that goes to +5 volts. That will disable the ROM in the CoCo. Then, you simply piggy-back on the new EPROM, and carefully wire the pad previously used with Pin 20 of the old ROM to Pin 20 of the new one, which you have bent out. Now, while doing this is much easier and safer than desoldering the entire ROM chip, the task can still be difficult for some people. Good Luck!

#### A Printer of a Different Color

I have a Quadjet QJ-9000 color printer, which is similar to the Canon PJ-1080a and CGP-220 printer. But its colors appear to be set differently from the way the colors are set using the CGP-220. Can I set its DIP switches to make it work like a CGP-220?

Jahn H. Opheim Burlington, Kansas

There were almost a dozen varient printers made around the Canon four-color-ink jet printer mechanism. Unfortunately, all of them use slightly different on-board ROM software, and the codes for setting colors varies significantly among different printers in that family. You need to experiment with the codes to find correct ones for your printer. As for setting DIP switches, I have no way of knowing without the documentation for that printer. Do you have it?

#### Switching Switches Not Good

I am having trouble using a ROM switcher on DOS ROM chips. Is there a difference between Color BASIC and DOS ROMS?

> Robert Vernon College Station, Texas

The 24-pin ROMs used in older CoCo Is and 2s and in all disk controllers up until the FD-502 controller

system are electrically the same. These are 8K-by-8 chips compatible with the (now no longer made) Motorola 67866 and 68764 EPROMs. The 28-pin ROM used in the later model CoCo 2s and current CoCo 3s are electrically different. Actually, making a ROM switcher that switches between two different ROMs is not a good idea. Today, with 16K-by-8, 32K-by-8 and 64K-by-8 EPROMs so inexpensive and widely available, the best way to switch between two varient ROMs is to burn them into the same bigger EPROM, then send +5v or ground the high order address lines in a way that appropriately selects which 8K, 16K or 32K band on the ROM will be active. This approach costs less, takes up less space and uses less power, Old physical ROM switchers are now obsolete, previously used when big size EPROMs were either unavailable or too expensive.

#### Add, Supply and Remove

How can I use an IBM disk drive on my Color Computer?

Ron Ca<mark>nk</mark> Missonri City, Texas

With a 180K or 360K type drive, an 1BM disk drive works easily on a Color Computer, A 720K or 1.2 megabyte drive, however, would probably not work.

To add the drive to your existing cable, merely add a connector to the cable, and supply the drive with its required power (+5 volts at .3 amps and +12 volts at .6 amps) from any appropriate power supply. Also, be sure to remove the terminator resistor from the drive (if it has one) and select the jumpers to indicate what drive number you want. IBM's are used as Drive! by most CoCo users.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type RSK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form which has complete instructions.

9 000

Learn to share . . .

# Chown

## By Evan Robinson

he program Chown was modeled after a program on an Altos UNIX System V machine. It provides a way of giving other users on your system files. I found the need to write this when a number of my users wanted ownership to some test files I had downloaded from systems they had no accounts on (primarily because the boards I called were long-distance).

What this program does is simple. When you execute it, it searches the argo vector for two strings. If not found, the usage form is displayed. After this, it converts the User ID supplied in the first argument to an integer via the atol() function. Then it passes the filename and new User ID to the choun() call. If an error is detected for any reason (the file is a directory file or cannot be accessed), it aborts with a message.

The only real problems 1 have encountered is that only the superuser of the system (UID 0) can change ownership. Not a big problem, but it does differentiate from the UNIX equivalent that allows user-to-user chowning.

l recently received as gifts both OS-9 and a disk drive. I appraded the system with a second drive and was given my own telephone line (I made so

Evan Robinson is a 12-year-old, selftaught programmer who attended Duke University's program for verbally- and mathematically-gifted youth. many modem calls, my mom went crazy.). Now I am running a time sharing system, It's amazing how well a 6809 can handle concurrent processes. Give it a call if you have the time. The number is: (407)/686-4833. Login: 'GUEST' (no password), I started using UNIX in June and must say it is great.

For avid OS-9 users, Chown makes adaptation beautiful.

(Questions or comments concerning this article may be directed to the anthor at 1931 Embassy Drive, West Palm Beach, FL 33401. Please enclose an SASE when requesting a reply.)

```
The Listing: Chown
       Chown - Change Ownership of OS-9 Files (Not Directories)
                             Modeled after the UNIX equivalent : UNIX-TM(AT&T)
                                            OS9; chown UID FILESPEC
                  Compile with the Microware C Compiler: CC1 chown,c
                                                                    Evan Robinson
                                                                    1931 Embassy Drive
                                                                    West Palm Beach, FL 33491
 ,
/ interiorialistici distribuiria interiorialistici di interiorialistici di interiorialistici di interioria i
#include <stdio.h>
main(argc,argv)
int argc;
char #argv[];
                                                 char *fname:
                                                 int
                                                                             uid:
                                                 if (--argc (= 2) (
                                                                                                                                       help();
                                                uid = atoi(argv[1]);
                                                 fname = argv(2);
                                                 if (chown(fname, uid) 1= 9) {
                                                                                                                                                      error("chown: Can't access given file");
                                                                                                                                                      exit(0):
                                                 exit(#);
help()
                                     puts("Usage:\n");
                                                                              chown UID FILE");
                                     puts("Makes UID owner of FILE");
                                                                                                                                                                                                                                                                                                     (A)
```

# The Coco Graphics Designer Plus \$29.95



# HAPPY BIRTHDAY JOE



## Makes Signs, Banners, Greeting Cards

Super easy-touse point and click graphical interface, features windows, scroll bars, radio bullons, and joyslick or mouse control.




The CoCo Graphics Designer Plus (CGDP) is CoCo 2 and 3 Compatible. It allows pictures, and text in up to 4 sizes and 16 fonts, per page or banner. The cards & signs feature hi-resolution borders and complete on-screen previews. The CGDP comes with 16 borders, 5 fonts, and 32 pictures. It's 100% machine language for fast execution. Printer Support Radio Shack DMP105, 106, 110,120, 130, 132, 200, 400, 420, 430, 440, 500, Epson FX/RX/LX/EX, LQ, SIar 10X, SG10, NX10, NX1000, Panasonic KXP1080, 1090, 1091, 1092, Prowriter, C. IIoh 8510 & more.. Call for complete list.


Requirements: 64K CoCo II or III, disk drive with RSDOS, mouse or joystick.

# Picture Disks Now CoCo MAX & MAX-10 Compatible

In response to the many requests we received, our picture disks now include a simple format conversion utility making them easy to use with Colorware's MAX-10 and CoCo MAX II and III.







These two optional font collections supplement the fonts built into the CGDP. Font Disk A 10 fonts \$14.95 Font Disk B 10 fonts \$14.95

Font Disk A

BODDER

BOLD3

SISTITAL

ECIOCOU

STENCIL

STRIFES

TYPE

VARIETY

MESTERN

MESTERN

MESTERN

RRCADE
ALIEN
BARCADE
B


Font Disk B

GREAT COCO CLIP-ART! Picture disks 2, 3, and 4, supplement the pictures that come with the CGDP. Each disk has 120 pictures arranged by subject. A lew samples are shown above. Besides being compatible with Zebra's CGD and CGDP, each disk contains a utility to easily transform our pictures into CoCo Max pages, CoCo Max III clip book pages, CoCo Max III scrap books, and Max-10 clip art files. Order your picture disks today and use our great clip art with your favorite graphics programs!

Zebra's Picture disks 2, 3, and 4 are priced at \$14.95 each.

## New Product! Border Disk #1

Over 100 high-resolution borders for the CoCo Graphics Designer Plus. Includes geometric patterns and artistic graphics for making great signs and greeting cards. A few samples are shown here at the right. Order CGDP Borber Disk#1 \$14.95



Call, or n Name	nail us your address	for a copy	of our FRE	E CoCo C	atalog!
Name_ Address City			State	ZIP	

Ordering Instructions: All orders add \$3.00 Shipping & Handling. UPS COD add \$3.00. VISA/MC Accepted. NY residents add sales tax. Zebra Systems, Inc., 78-06 Jamaica Ave., Woodhaven, NY 11421 (718) 296-2385

# Accessible Applications

# More BASIC09 Programming

### By Richard A. White Rainbow Contributing Editor

ast issue, we began a discussion of a BASIC09 program to enter and analyze data from a small local survey. While the program is not something many people will have a use for, it does provide good illustrations of BASIC09 programming that will help people to write their own, Whether you use a programming language, spreadsheet program, a database manager or some more specialized piece of software, you need to give the computer exact details of what you want to do. This is programming.

For a general programming language, BASIC09 is particularly easy to work with. It is similar to conventional BASIC languages that many people already know. BASIC09 differs substantially, however, in how it deals with variables. Initially, this can be a problem to an inexperienced programmer. But, once one has developed an understanding of BASIC09 variables, the program is less difficult. There also comes a greater appreciation of the program's power.

Accordingly, a substantial portion of last month's column discussed defining

Richard White lives in Fairfield, Ohio, has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the co-author of the TIMS database management program.

variables used in a survey analysis program. Another major topic of the last month's column was setting up the disk files. If you have not read that article, it is a good idea to do so before proceeding with this article.

We will now move into the data entry part of the program. To reset the stage, I have 350 of 3500 survey response forms. Each form has a dozen items, one or more of which can be checked.

The simplest way from a programming standpoint is to write a series of INPUT statements, each of which asks a "yes" or "no" question. One problem is that I need to read each one each time to stay synchronized in choosing an appropriate keystroke.

Another is that this approach does not provide for corrections after a question is answered. The input screen has a menu showing each possible choice. A pointer can be moved up or down with the arrow keys. Choices are selected by moving the pointer and pressing ENTER.

REPEAT
(\* Input Screen \*)

PRINT CHR\$(12); SHELL "tmode .1 echo" SHELL "tmode .1 -pause"

Since the data-entry process takes quite a bit of time, the program needs

to loop through the code for each form until it receives a signal to quit. BASIC09 provides a number of control structures to facilitate this. REPEAT..UNTIL serves our purposes hest. When it gets to the end, the *condition* is tested and, if true, the loop is exited. If the condition is not true, program control is returned to the line below the REPEAT.

BASIC09 does not have a Cts command like Color BASIC. ASCII Character 12, at the top of the form, starts a new page on a printer, but also clears the screen and puts the cursor at the upper left corner.

BASIC09 makes full use of OS-9 services and expects the programmer to do so as well. One of these services is writing to the screen. When you boot OS-9, three standard, numbered, 1/O paths are opened. These are input from Keyhoard 0, normal output to Screen 1, and error output to Screen 2. These paths can be redirected so that errors can be sent to the printer or to a file.

After you have booted, OS-9 handles special characters sent along these paths. For example, the ASCII Character 12 clears the screen. The keyboard up arrow normally sends this character. When you are working at the OS-9 prompt, the ASCII 12 is trapped by She11 if you press the up arrow, and OS-9 displays a period instead. When you are in a BASIC09 program, She11 is not in use, and OS-9 will normally send

or echo all keystroke characters to the screen and program.

Sometimes there is a problem with this. Say, I want to move the up arrow up one line. If I don't do something when I press the up arrow, OS-9 clears the screen and the program prints the cursor at a line that has been erased, BAStC09 can send a message to OS-9 to turn the echo off so when I press the up arrow, the ASCII 12 character goes only to the program that does my bidding. This is fine until, for instance, I type in a ZIP code and want to see what I am typing. If echo is off, turn it back on by typing shell "tmode .1 echo". This line is in the program just before I start to use the arrow keys to move the cursor. Now when the program loops back for the next form's data, echo is off so I add sheII "tmode .1 echo" to turn it back on for the ZIP code entry.

OS-9 also prints the screen in pages and then stops for you to read what was printed. When you press a key, OS-9 continues with the next page. This feature is called *pause*. You can set this to however many lines you want using Xmode and then immediately make a new boot using Cobbler. The settings in your computer will be the settings when you boot again using the new boot disk. To manage paging with the program instead of OS-9, shell "tmode .1 pause" turns pause off. Note that under Level 11, Tmode only affects the window where it is used and not other active or future windows.

PRINT

PRINT TAB(I0); "CINCINNATI DIVISION SHOW SURVEY"

PRINT TAB(15); "FILENAME"; fname

PRINT

PRINT PRINT

PRINT TAB(IS); c(I)

PRINT TAB(15); c(2)

PRINT TAB(I5); c(3)

PRINT TAB(15); c(4)

PRINT TAB(15); c(5)

PRINT TAB(15); c(6)

PRINT TAB(15); c(7) PRINT TAB(15); c(8)

PRINT

PRINT TAB(15); c(10)

PRINT TAB(15); c(11)

PRINT TAB(15); c(12) PRINT TAB(15); c(13)

This section of code prints our screen to look like a menu. In last month's column, I explained setting up an array of strings, DIM c(13): STRING[20], and showed assigning text to each array member. Here we use that array to print the menu entries. I assume that most of you have used PRINT TAB(xx) under Color BASIC, It works the same under BASIC09.

PRINT

PRINT TAB(20); "Q to Quit"

PRINT TAB(15): "QUESTIONNAIRES EN-

TERED = "; count1

As a reminder, quit by pressing the Q key. Printing "QUESTIONNAIRE ENTERED = ";count1 is like Color BASIC except the delimiter, ;, between the string and variable is required, where it is optional in Color BASIC. If you forget, BASIC09 will remind you when you try to enter a line with this error in it.

## **Programs for Home or Classroom**

Educational Programs for Students Grade K-12 and Adult Self Studies

More than 500 programs on cassette for any Color Computer! At every level from kindergarten through adult. All have full-time narration!

Send for our FREE catalog of over 1,000 Dorsett educational programs for Atari, TRS 80, Apple, IBM PC Jr., Commodore, Tandy 1000, etc.

#### 16 Programs in each of the following

Children's Tales - Reading - Arithmetic Fractions — Algebra — Geometry Accounting — Psychology — MUCH MORE! New courses in Spanish and geography.

CASSETTES: \$59.50 tor an album containing a 16program course (8 cassettes with 2 programs each); \$9.95 for a 2-program cassette.

DISKS: \$14.95 for a one-program disk; \$28.95 for two disks; \$48.95 for four disks. All disks come in a vinytathum.



For more information, or to order call: TOLL FREE 1-800-654-3871 IN OKLAHOMA CALL (405) 288-2301





Dealer Inquiries Welcome

Four POWERPACKED OS9 programs!

SHELL - includes full pathlist wildcard processing, procedure file parameter passing, and more. Completely replaces existing shell!

CP - copies multiple files, sorts, copies by time.

MV - move files quickly and efficiently.

PRINT - sends neat, paginated output to printer.

4MOS1 - Only \$24.95 US

6PAK

Six GREAT 059 utilities!

Included are:
WHERE - find any file on your disk, in any directory.
CALC - a command line calculator at your fingertips.
- and FOUR MORE sure to please!

6PAR - 0mly \$12.95 US

SPECIAL OFFER

Send cheque or money order payable to:

MAGUS SYSTEMS ENGINEERING 33A Woodvale Green, Nepean, Ontario, CANADA K2G 4H3

Please add \$2 US to total order for shipping.

# About The One-Liner Contest ...

THE RAINBOW's One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.

Here are the guidelines: The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette or disk) to:

> THE RAINBOW One-Liner Contest P.O. Box 385 Prospect, KY 40059



```
RUN printat(15,4)
countl=count1+1
tNPUT "ZIP CODE: ",zip(count1)
```

Printat is a separate function that moves the cursor to a specific column and row in other columns. The INPUT statement is conventional. You can use, or; for the delimiter.

```
RUN printat(9,6)
PRINT ">;"
```

With the ZIP code entered, you can now enter the other data. The > is printed pointing to the top choice on the list.

```
(* Data Input *)

SHELL "tmode .1 -echo"

row=6

ftag=1
```

Now the echo is turned off so we avoid the CHR\$(12) screen-clearing problem. You will see why we set ftag=1 after the next code block.

```
WHILE Flag=1 OR answer<>CHR$(13) DD
GET #0.answer
RUN isupper(answer)
```

This loop cycles back until all choices have been made. Since WHILE..DO tests for specified condition at its beginning, I set flag=1 to assure entry, though on checking back I see the answer must be either I or L to have gotten this far. These things happen in quickly written programs where sometimes things are done locally to ensure power that may not be needed.

The command GET #0 works better than INKEY, It waits for a keystroke rather than making the programmer write a loop to keep checking for input. In this case, the answer was DIMensioned as STRING[1], so any keystroke, including ENTER, satisfies GET and allows the program to move on. If the answer had been DIMensioned for more than one character, you would have needed to either enter the number of characters or press ENTER to terminate the entry.

The keystroke Q can be entered to terminate data entry. This can come in lowercase so isopper (answer) is run to promote the character to caps if needed.

```
(* MOVE CURSOR UP *)

IF answer=CHR$(12) THEN

IF row>6 THEN

RUN printat(9,row)
```

```
PRINT " ";
row=row-l
RUN printat(9,row)
PRINT ">;"
flag=l
ENDIF
```

When you key an up arrow, the first IF.. THEN statement is satisfied and the cursor-up routine is entered. If the cursor is positioned below Row 6, there is room to move up and the second IF.. THEN statement is satisfied. The program then erases the cursor on the screen by printing a space on top of it and printing a new one on the row above. The flag is set to 1 to show that the last operation was a cursor move rather that a selection of a list item. Note that if the cursor is pointing to the top list entry, nothing happens.

```
(* JUMP EMPTY RGW *)

IF row=14 THEN

RUN printat(9,row)

PRINT ~ ";

row=row-1

RUN printat(9,row)

PRINT ">; "

ENDIF

ENDIF
```

We have to deal with a blank line in the list separating two types of data. If the cursor is moved to Line 14, the blank, this code simply moves it up to Line 13. The flag has already been set to get to Line 14 so it does not need to be reset. The final ENDIF statement terminates the cursor-up code.

```
(* MDVE CURSOR DOWN *)
IF answer=CHR$(10) THEN
  IF row<18 THEN
    RUN printat(9, row)
    PRINT " ";
    row=row+1
    RUN printat(9, row)
    PRINT ">;"
    flag=1
  ENDIF
  (* JUMP EMPTY ROW DOWN *)
  tF row=14 THEN
    RUN printat(9, row)
    PRINT " ";
    row=row+1
    RUN printat(9,row)
    PRINT ">; "
  ENDIF
ENDIF
```

The cursor-down code almost mirrors the cursor-up code.

```
(* RESET FLAG FOR ADDED SELECTION

*)

IF flag=0 AND answer<>CHR$(13)

THEN

flag=1

ENDIF
```

A situation can occur where the cursor is at the top or bottom of the list, and the user presses the arrow that moves the cursor beyond the list. In this case nothing happens, and the flag is not set to 1. The code above assumes the user wants to make another choice and sets the flag so that pressing ENTER will not terminate data input.

```
(* ADD SELECTION TD RECORD *)
IF flag=1 AND answer=CHR$(13) THEN
   ON row-5 GOSUB 6,7,8,9,10,11,12,
   13,14,15,16,17,18
   flag=0
   answer=""
   rec(countl).ar=1
ENDIF
```

To select or desclect a choice, move the cursor to the choice and press ENTER. Moving the cursor sets the flag to I and ENTER lets the program enter the code piece.

DN X GDSUB uses the value in X to count to a line number right of the GOSUB and then sends the program to that line. Counting starts with 1, while the first entry on the list is in Row 6. Subtracting 5 from the row gives us the needed item number in the list.

The line-numbered subroutines follow the ENO statement. Now the program can never get to them except by heing specifically sent by a GOSUB or GDTO. Lines 13 and 14 are given as an example:

13 RUN printat (11, row)

```
IF rec(countl).oth=0 THEN
rec(countl).oth=1
PRINT "O;"
ELSE
rec(countl).oth=0
PRINT " ";
ENDIF
RUN printat(9,row)
RETURN
14 REIURN
```

"A data selection subroutine must deal with both selection and deselection of a specific data point. The process is essentially binary for this program since the respondent either checks or does not check the item."

A data selection subroutine must deal with both selection and desclection of a specific data point. The process is essentially binary for this program since the respondent either checks or does not check the item. Also, a mark next to the item on the screen shows it was selected.

The printat process is run to locate the cursor for marking or unmarking. Next, the variable in the record pertaining to this choice, rec(count1).oth, is checked to see if it is zero (not selected). In that case, rec(count1).oth is set to 1, indicating selection, and an O is printed to mark selection on the screen. If the item had been previously selected,

the code after ELSE would be used to descleet the item and remove the selection mark from the screen. The printat(9,row) moves the cursor back where it was before the subroutine was entered.

Remember that Line 14 was blank. If you accidentally select it, simply press ENTER.

EXITIF answer="Q" THEN
ENDEXIT
ENDWHILE UNTIL answer="Q"

Right now the program sits at the end of a WHILE..DO., ENDWHILE loop that is inside a REPEAT, JUNTIL loop, Each time entry of a survey form's data is complete, the program exits the WHILE loop since flag=0 and answer=CHR\$(13), but it jumps right in to start the next form. Q to quit is not part of the loop exit conditions, but we can add this with the statement EXITIF . . THEN . . ENDEXIT. This is simply a special IF...THEN ..ELSE..ENDIF statement allowing the programmer certain actions only when exiting a loop and then getting out, When answer="Q" and the WHILE loop arc exited, the conditions are met to leave the REPEAT. . UNTIL loop exited as

(\* SAVE RECORDS TO FILE \*)

OPEN #path,fname:WRITE

PUT #path,rec

PUI #path,zip

CLOSE #path

Immediately on exit, the records are saved to a file and that file is closed.

Following this is the tabulation of data and a printed report of the results. I will not go into that now — you have enough to think about for one month,

### OS9: SOFTWARE <D P Johnson

SDISK - Standard disk driver module replacement allows full use of 40 or 80 track double sided drives with OS-9 Level I. Full compatibility with CoCo 35 track format and access all other OS-9 non-CoCo formats. Easy installation. \$29,95

SDISK+BOOTFIX · As above plus boot directly from a double sided diskette.\$35.95 LEVEL 1 OS-9 ONLY

LEVEL 2 OS-9 ONLY

SDISK3 - Level II version of SDISK driver. Same leatures as level I (except bootfix not required to bool from double sided). \$29.95

MSF - MS-DOS life manager. Complete life transfer capabilities. REQUIRES SDISK3 \$45.00 or with SDISK3 for \$65.00

L1 UTILITY PAK 40 utilities including MACGEN \$49.95

L2 UTILITY PAK Level 2 Ram Disk and Printerr driver plus 10 more \$39.95 BOTH L1+L2 Paks for \$75.00

PC-XFER File transfer utilities read/write/format MS-DOS format

## >my\_system >>no\_errors #512K &

disks under COCO OS-9, REQUIRES SDISK or SDISK3. \$45.00 FORTH09 A FORTH-83 Standard implementation specially taylored for OS-9. Includes complete forth 6809 assembler and more. Programs written in forth can instantly be saved as compact executable machine language modules. Supplied with complete printed documentation. \$150.00 (+ \$3 S&H).

SEND S.A.S.E FOR LATEST CATALOG

All diskettes are in CoCo OS-9 format unless otherwise requested; other OS-9 formats can be supplied for \$2.00 additional charge. All orders must be prepard or COD, VISA/MC accepted, add \$2 S&H for first software item, + .50 for each additional item, additional charge for COD.

D. P. Johnson, 7655 S.W. Cedarcrest St. Portland, OR 97223 (503) 244-8152

(You may best reach us between 9AM-NOON Pacific Time, Mon.-Fri.)
OS-9 is a trademark of Microware and Motorola Inc., MS-DOS is a trademark of Microsoft, Inc., FORTH09 is a trademark of D. P. Johnson

## Barden's Buffer

Simple CoCo interfacing for the all-thumbs CoCoNut

# Devices, Unlimited

# By William Barden, Jr. Rainbow Contributing Editor

top! Don't turn that page! Even if you've never held a soldering iron, even if you don't know what a transistor looks like. I'm going to show you how to do some amazing things with your CoCo 1, 2 or 3. For under \$20 and for about one hour's work, you'll be able to do these things (and more):

- Detect night and day
- Detect when room lights are turned on or off
- Measure wind direction
- Make a sensitive light meter
- Measure inside and outside temperature
- Count the customers coming through your shop's door
- Make a multi-circuit burglar alarm
- Make a water-level detector
- Sound an alarm when your mail is delivered

Does this sound like hype? It isn't. Does it sound as if you'll need a muster's degree in electrical engineering? You won't. I'll show you how to do these things and more with little cost, no modifications to your CoCo, easy-to-obtain parts, no dangerous voltages and no experience whatsoever. Interested? Read on . . .

The Simplest CoCo Interface

To do these things on the CoCo, you will use the joystick inputs as a simple interface and use simple, low-cost switches and devices available at your local Radio Shack or other electronic parts store. There are two joystick inputs on every CoCo, whether you have a CoCo 1, 2 or 3. Normally they are meant to be used with joysticks for games or screen

drawing programs. However, the inputs can be used for other purposes.

You don't really need to know how the joysticks work to hook up some of the devices I'm going to show you, but let me give you a thumbnail sketch anyway. The joystick internals are shown in Figure 1.

It's a simple electrical device, consisting of two potentiometers and two switches.

The potentiometers are variable resistors that change a resistance value from about 0 to 100,000 ohms. Resistance is an electrical quantity similar to friction in a water pipe—increase the resistance and less current flows, just as less water flows in a hose when you squeeze it. When you manipulate the joystick control of your CoCo, the resistance of the two potentiometers are changed according to the joystick's position.

One potentiometer is affected by the up/down motion of the joystick while the other is affected by the left/right motion. The resistance values of both joysticks are read by the special circuitry within the CoCo. The resistance values are then read by the JDYSTK command in BAStC, which returns values of 0 to 63, representing resistance values of 0 to about 100,000 ohms. Here's a simple BAStC routine to read the right joystick:


100 A=JOYSTK(0) 110 B=JOYSTK(1) 140 PRINT A;B 150 GOTO 100

To see the results, enter NEW

Enter lines 100 through 150. Then enter RUN. You'll see two columns of values — A followed by B. The A value changes from 0 to 63 as the joystick is moved from left to right while B changes from 0 to 63 as the joystick is moved from top to bottom.

Of course, you have two joystick plugs on all CoCos. The

Bill Barden has written 27 books and over 100 magazine articles on various computer topics. His 20 years' experience in the industry covers a wide background: programming, systems analysis and managing projects for computers ranging from mainframes to micros.



JOYSTK command in BASIC also reads the left joystick in this manner:

100 A=J0Y5TK(0) 110 B=J0Y5TK(1) 120 C=J0Y5TK(2) 130 D=J0Y5TK(3) 140 PRINT A; B 150 G0T0 100

To see how this code works, enter lines 120 and 130 and enter RUN. You'll see four columns representing the two joysticks' X and Y values.

In addition to the movable lever on the joystick, there's also a button or two to zap alien invaders or to mark screen positions. This button is a simple, normally open switch. (See Figure 1.) Normally open means no connection is made while the switch is not pushed. When the switch is pushed, a connection is made, and the CoCo can detect the change.

CoCo 3's BASIC has a special command not found in the other CoCos that detects joystick-button pushes. Appropriately, it's called BUTTON and works like this:


200 E=BUTTON(0) 210 F=BUTTON(1) 220 G=BUTTON(2) 230 H=BUTTON(3) 240 PRINT E;F;G;H 250 GOTO 200

To see how this works, enter DK and NEW and then lines 200 through 250. Finally, enter RUN and you'll see 0 0 0 0 on the screen until you press buttons on the right or left joystick. Then you'll see the number 1 in the position corresponding to the joystick switch. The 1 will remain there until the button is released.

If you have a CoCo 1 or 2, use the following code to read the buttons on the right and left joysticks:

200 E=(PEEK(&HFF00| AND 1) 210 G=(PEEK(&HFF00| AND 2) 220 IF E=0 THEN PRINT 1; ELSE PRINT 0; 230 IF G=0 THEN PRINT 1 ELSE PRINT 0 240 GOTO 200

The code above goes further into the hardware to read the input bits for each joystick button since there isn't a BUTTON




command in this BASIC. Here's the vital thing about the joystick ports on the CoCo: The CoCo doesn't really know whether it's reading an official joystick value or button push or if it's reading another resistance or switch. You can, for example, substitute a 0- to 100,000-ohm resistance value for one or both ports and any type of switch — even one located hundreds of feet away from the CoCo. The CoCo software will still return a value of 0 to 63 for the resistance and a 0 or 1 for the switch position — open or closed. Are there devices we can substitute for the official joysticks? You bet, and many will do wonderful things.


#### Substitute Switches

Let's talk about switches first. There's no reason you cannot hook two wires to the pins of the joystick plug and run them up to 50 feet away. When you touch them together, the CoCo will detect the switch closure. Bare wire will work, but there are all kinds of inexpensive switches available.

Figure 2 shows the simplest type of switch, called SPST (Single Pole, Single Throw). Once thrown, it remains in that position until thrown back the other way. A variation on this type is a momentary switch, which closes as long as your finger is on the button but opens when the switch is released. Momentary switches come in normally open and normally closed. For our purposes, normally open is probably best.

Another type of switch, the SPDT (Single Pole, Double Throw) is shown in Figure 2. This switch has two positions — A and B. It can be used the same way as the SPST by not connecting the other position. A DPDT switch uses another circuit enabled by the same mechanical switch. It's overkill for our purposes, but it can be used.





Many varieties of switches are momentary switches that operate when you step on a mat, push a button, use a lever, bring a magnet close (for security systems), etc. Almost any switch will work with this application since the voltages and currents are low and not dangerous. You can even make your own switch by using two pieces of tinfoil separated by a piece of cardboard with a cutout in the center. (See Figure 3.) Although you wouldn't want to use it to switch 700,000 volts, it is fine for CoCo joystick use.

Figure 4 offers another hint on switches. Switches can be put in series if they are normally closed. In this case, activating one or more switches will open the circuit. If you are using normally open switches, they can be put in parallel, so activating one or more switches will close the circuit. That way many switches can be joined together (e.g., for a burglar alarm circuit that uses a switch at each window).

Many electronic devices act as switches. Radio Shack carries such devices as *opto-isolators* and *analog switches* that can be connected to joystick inputs. These are out of the realm of this article, however, so we won't go into the details here.

#### Substitute Resistors


Besides the millions of switches lining those parts partitions at your local Radio Shack, there are many devices that can be used in place of the joystick potentiometers. These are a few we'll be using in this article:

- Thermistor: A resistor whose resistance varies according to temperature — a kind of thermal resistor. Using a thermistor, we can measure temperature reading.
- Cadmium Sulfide Photocell: A resistor whose resistance varies with the amount of light it receives. Used to measure the intensity of sunlight or room lights, or to detect when lights are turned off or on in a room. (See Figure 5.)
- Standard Potentiometer: A typical pot, or potentiometer, can be used in place of the one found in the CoCo joystick. Like switches, there are a million varieties of pots that range in ohms and may be either linear or audio taper. For our purposes, use a 100,000-ohm pot (100K) with a linear taper. The linear taper ensures that a rotation of one half turn will change the resistance by one half. (See Figure 5.)

#### How to Measure the World with Your CoCo

The first step in using your CoCo for the applications mentioned above is to replace one or more joysticks with a special cable. You can leave one joystick connected and plug the cable into the other joystick plug. Or you can unplug a joystick and replace it with a special cable.

One way to get a special cable is to sacrifice a joystick or



Joystick Potentiometer

high-resolution joystick interface (\$19.95 or \$9.95). Cut the cable, getting as much length as possible. Strip the outer covering with scissors or wire cutters and expose two inches of each wire. Then cut off about one-half inch of covering on each wire to expose the bare wire.

Figure 5: Resistive Devices Substituted for

You can also buy an Archer 6-Pin DIN Plug (Cat. No. 274-020). This plug fits the CoCo joystick connector. The bare DIN plugs require soldering five or six wires — no great chore if you're handy with tools. Use rosin-core solder and a small soldering iron. Use any general, stranded hooking wire, (Solid wire breaks easily after repeated bending.) Any gauge from 18 to 24 will do nicely.


The ideal cable has a 5- or 6-pin DIN plug on one end to fit the right joystick connector and five or six wires on the other end. Connect alligator clips (Cat. No. 270-1545) to the five or six ends. The result will look like Figure 6.


Find and mark the function of each wire. To do this, trace the wires from the connector end either visually or by a continuity tester. (The pin-out and a simple continuity tester are shown in Figure 7.) Put a piece of masking tape around each lead as it is identified. (By the way, as I write this, I am connecting each lead to all other leads. There's no blinding flash of light as the CoCo keyboard melts down into a slag of plastic and Tandy labels.) Don't be too concerned about getting the leads all correctly identified.

Are the leads identified and marked? Good, now we can get down to business.

#### Dark and Light Detector

A cadmium sulfide photocell (Cat. No.276-116A) can be used to detect light or dark conditions. Connect the photocell to a 15K-ohm, ¼-watt resistor (Cat. No. 271-1337) and to








Figure 8: A Dark- and Light-Detector

three leads from the special cable as shown in Figure 8. This brings in the photocell value as Variable A in the following routine:

100 A=JOYSTK(0) 140 IF A > 35 THEN PRINT "LIGHT" ELSE PRINT "DARK" 150 GDTO 100

Now the photocell can be used to measure dark or light. The limit value can be changed depending upon your interpretation of dark or light. In our test on a CoCo 3, the value shown was between a darkened room and a room in overcast daylight. Some potential uses for this application include sounding an alarm (with the BASIC SOUND command), signaling light leakage in a photo darkroom, or triggering a wake-up program that plays music when the sun comes up.


The photocell can be located hundreds of feet away from the CoCo — the resistance of the wire will be small in comparison to the photocell. The value of A will determine just what you want to do with the photocell.

A Sensitive Light Meter

The CdS photocell is capable of more than determining dark- and light-limit values. It can be used to discern differences in up to 64 shades of lighting. Use an inexpensive potentiometer as shown in Figure 9 to get a wide range of lighting values. Adjust the potentiometer for the best sensitivity under the lighting conditions you want to measure. In our test, a 100K-ohm potentiometer, adjusted to about mid-scale, measured lighting conditions inside a house.

You can scale the value measured by multiplying by a constant. This may change the measured value into more useful units. You can also establish as many limit values as you want based on these results:

1000 IF A<30 THEN PRINT "CLOUDY" ELSE IF A<40 THEN PRINT "PARTLY CLOUDY" ELSE PRINT "SUNNY"



Some potential uses for this application include a photographic contrast meter, ambient light measurement, weather conditions or a light pen. Use up to four inputs (two channels on each joystick connector) to measure light intensity at four locations.


#### A Thermometer


A thermistor (Cat. No. 271-110) can be used to measure temperature; however, since the maximum number of values is 64 (0 to 63), it may be difficult to get within a degree of the temperature. Use the thermistor for an approximation of temperature. Like the photocell, this application can do a limit check to test for high versus low temperatures or measure a range of temperatures. The software is identical to the code for the photocell.


I calibrated the thermistor by immersing it in ice water and allowing it to reach room temperature (about 68 degrees in chilly California) and then measuring the body temperature of a Shetland sheepdog (by a procedure I won't document). The reading with the setup in Figure 10 was 17 for ice water, 25 for room temperature, and 32 for the Sheltie. Unfortunately, intermediate readings are not linear (i.e., halfway between 32 degrees and 68 degrees — 49 degrees — will not necessarily give a value of 21). You might have to get a value and convert it in the following manner:

1000 IF A=XX THEN A=XX ELSE IF A=XX THEN A=XX ELSE IF A=XX THEN A=XX ELSE . . .

Like the photocell, the thermistor may be located hundreds of feet away and connected by a pair of wires. Use up to four inputs (two channels on each joystick connector) to measure temperatures at four locations. Potential uses for this application include fire detection, attic overheating, or freezing-point detection.









Measuring Wind Direction


A wind-direction measuring device may be made from a Radio Shack 100K linear taper potentiometer (Cat. No. 27t-092). The pot can be opened by bending back the side tabs. Inside you'll find a stop that limits the rotation of the shaft. Break off this tab (see Figure 11) and put the pot together again. You now have a pot that will rotate clockwise or counterclockwise without limit. It takes some force to rotate the shaft; however, a large wind vane (shown in Figure 12) will do the job — even for slight winds.

The value returned will have to be converted to direction. The setup 1 used is shown in Figure 13. This can be done with the following routine:

1000 IF A=0 THEN D\$="N"
1010 IF A>0 AND A<=5 THEN D\$="NE"
1020 IF A>5 AND A<=14 THEN D\$="E"
1030 IF A>14 AND A<=26 THEN D\$="SE"
1040 IF A>26 AND A<=37 THEN D\$="S"
1050 IF A>37 AND A<=47 THEN D\$="SW"
1060 IF A>47 AND A<=57 THEN D\$="W"
1070 IF A>57 AND A<=63 THEN D\$="NW"








There is a discontinuity in the pot's operation. When the pot is in the region where the stop was removed, it will read zero. Compensate for this by orienting the pot in a northwestern direction. Zero will then be read from northwest to northeast.

#### A Burglar Alarm

A burglar alarm can use one to four button inputs on one or both joystick connectors. Wire normally open switches in parallel and normally closed switches in series. The alarm may detect either one or zero (normally closed or normally open). Radio Shack and other stores have a host of security devices, many of which are switches — magnetic door switches, window switches, mat switches, etc. For more information on security, buy How to Hook Up High-Tech Electronics (Cat. No. 62-1088) at Radio Shack, A sample



security setup is shown in Figure 14. Use the following code for the CoCo 3:

100 A=BUTTON(0)

110 B=BUTTON(1)

120 C=BUTTON(2)

130 D=BUTTON(3)

140 IF A=0 ANO B=0 ANO C=1 ANO D=0 THEN GOTO 150

145 SOUND(100,100): GOTO 145

150 GOTO 100

Naturally, the switches can be located dozens of feet from the CoCo. This is not generally recommended procedure for this electronic connection, but I experienced no difficulties and no false readings on inputs from 60 feet away using intercom cable. Any size wire from about 18- to 24-gange may be used. Stranded wire is best because it is less susceptible to breakage after bending, but solid wire can be used in a permanent installation.

Roller-Switch Applications

Radio Shack sells a switch (Cat. No. 275-017) with a roller arm, which triggers with very light pressure. It can be used in an application such as detecting mail delivery. (See Figure 15.) Opening the mail box opens the switch, which can then be detected remotely by your CoCo. The roller switch can also be used in a burglar alarm application — when an object is lifted, the switch will spring open. To do this, use the code from above.

A water-level detector can be made by a toilet-bowl float and arm, as shown in Figure 16. Rising or falling water of a certain limit will trigger the switch.

If you would like to see another column with these applications, please write to me with your thoughts, comments, hopes, dreams and political views at P.O. Box 3568, Mission Viejo, CA 92692.

See you next month with more CoCo tips.

## Burke & Burke

. has relocated to Renton, Washington. We pledge to continue to offer Color Computer owners the high quality, affordable, and innovative products that have built our reputation.

INTERNATIONAL ORDERS: 206-235-0917

TOLL-FREE U.S. ORDER HOTLINE: 1-800-ADS-AHOY 1-800-237-2409

TECHNICAL SUPPORT: 1-206-235-0917



There is nothing wrong with your Color Computer. Do not attempt to adjust it.

Butke & Burke's new R.S.B. program gives you a complete, OS9-compatible version of Disk Extended Color BASIC. We've added new sollware for OS9-style graphics, sound, printer, and disk I/O. The BASIC you know and love is now running under Level 2 OS9 windows! OS-9 LEVEL 1WO VII. DECEMBER 1996
COPYRIGHT 1996 BY
MICROWARE SYSTEMS CORP.
LICENSEO TO TANOY CORP.
ALL RIGHTS RESERVED

July 11, 1988 14:37:30

Shall

OS9: amode lw5 lype=0 OS9; lncz /w5 OS9: >sb <>>>'w5 4 4007

Only \$39.95 OPR. ISBS NURKE & BUNKE NOSK EXTENDED COLOR BASIC 2.1 COPR. ISBS, 1985 BY IAUTOY UNDER LICENSE FROM MICHOSOFT AND MICROWARE SYSTEMS CORP.

LIST

LC31
6 PM-ODE 4:SCREEH 1,1
20 X:RND(256)-1;Y=DMO(197)-1
30 A:RNO(256-X|-1:8:RHO[192-Y|-1
40 LIRE (X,Y)-[X:A,Y:8],PSET,8F

R.S.B. loads and saves lifes using OS9's Ille formal, so we've also included utilities to transfer BASIC programs and data lifes betwee OS9 and BASIC disks. Of course, you can't use R.S.B. to run machine language programs, and some BASIC commaeds work slightly differently ueder R.S.B.

Your BASIC programs can take full advantage of great OS9 leatures like hard disks, no-half floppies, multi-tasking, and 2 MHz operation.

R.S.B. requires a CoCo 3 with at least 128K RAM (512K recommended), a floppy cocholler with either Tandy Disk Extended Color BASIC or DISTO CoCo 3 CDOS, and Level 2 OS9.

CLEAR

#### CoCo-XT Hard Disk Interfaces

We've sold hundreds of our allordable, high-performance hard disk interfaces to Color Computer enthusiasts worldwide!

Each includes a duroble, Jully enclosed metal housing, 100 page user manual, and sollware for use with OS9. The CoCo XT-RTC adds a ballery-powered real time clock / colectar for OS9 and BASIC.

- A line "NO HALT" hard disk system
- Controls 1 or 2 hard drives, which
- may be different sizes Full ECC / CRC error correction Average access 30% faster than SASI appropriate
- SASI systems
  Uses PC-type hard disk drives &
- controller's
- Full 5 Meg to 120 Mog storage per hard drive
- Does not use or disable interrupts Compatible with most RS-232
- Interlaces
- 20 Meg syslem cost: under \$450 Mulli-PAK recommended. Also werks with 12 Voll Y-cables EZGen Boot File Edilar sallward
- ic cluded with each interlace.
- Use with HYPER-I/O to share your hard disk between BASIC and OS9

Buy a haid disk kil and a case/power supply from the PC dealer of your choice. Plug them into the CoCo XT, plug the CoCo XT Into your Multi-PAK, and install the OS9 or BASIC sollware. Presiol

CoCo XT \$69.95 CoCo XT-RTC \$99.95

Handyman's note: A hard disk kil includes a hard dilvo, cable sol, and Western Digital, DTC, Adaptec, or oquivaled PC-compatible hard disk cachaller.

## HYPER-I/O

Now BASIC runs hard drives, big floppies, and more!

HYPER-I'O modilies the Disk BASIC in your CoCa 1, 2, or 3 to provide a "Dynamic Disk Interlace", Use you revising BASIC and M/L solivare with hard disk Interlaces (CoCo XT, DISTO, LR), RAM Disks, and any mlx of lioppy dilves from 160K to 720K each. Fully RESET protected, user conligurable, expandable, EPROW-able HYPER-I/O V2.6 is the most versalile hard / lioppy disk DOS available. Please specify HYPER-I/O, DISTO HYPER-I/O, or LR HYPER-I/O when ordering. \$29.95

HYPER-III (Adds RAM Disk and Print Spooler to CoCo 3 HYPER-I/O.

HYPER-I/O & HYPER-III work with your B&B, RGB, LR, or DISTO Hard Disk

HYPER-I/O Utilities

by Kevin Berner
oc your HYPER-I/O directories. Great Impession to moving data from Wilder Copy, details, and search operations of your HYPER-I/O directories. Great Impession from moving data from Hoppy disk to hard disk, or lor BBS maintenance. Kevin's DISK DOCTOR will lock out bad sectors on your hard or Hoppy disks, and includes a disk-zap utility designed specifically for use with HYPER-I/O.

DISK Doctor \$17.95 HYPER-I/O Hard Disk Utilities \$21.95

WOW! Both Great Utility Packages \$37.95

## The Profesional Touch: XT-ROM 2.3

Install XT-ROM in your CoCo XT hard disk controller's BIOS ROM socket. It automatically boots and reboots OS9 from your hard disk. XT-ROM

lect among any of two different hard disk boot lifes, two \$19,95 Adillatent Hoppy bool files, or your BASIC ROM at power up,
XT-ROM gives your system that "professional fouch". Great for unationded BBS, home socurity, or other fall-sale CoCo applications.

#### Wild & MV Version 2.1

Use "wildcards" with most OS9 commands, or rearrange your directory tree. Features recursive directory searches. A hard disk must! \$19.95

#### EZGen Version 1.06

Powerful OS9 bootfile editor. Change module names, add or delete modules, patch byles, or rearrange modules. Works on other files, too. \$19.95

OS9 Utilities



PERTASCII \$19.95

PERTASCII is a multi-user word game lai Level 2 OS9. The players are yoursell, the computer, other users on your system, or even triends that call in on a modem.

The game is played in limed rounds, until a certain score is reached. Players can join or leave the game of the beginning of acy round. The players make words from random fellers during each 3 minute round, aed then argue over whether ar not to accept each other's words,

Great for BBS and multi-user systems . . . or play practice tounds against the computer to hace your skills!

Includes a user-expandable 15,000 word dictionary.

512K CoCo 3, Level 2 OS9, and one disk drive required. CoCo 2 and 128K owners; watch for our 128K I 54K version!

Only

new Pear's Brschuttons Devara Ost 2) Bura Luro Disk

3) Clean Cavage

## Hardware, or What?

68B09É 2MHz Microprocessor \$14.95 4' Hard Disk Cable Sel-Blank 27128 EPROM \$9.95 HYPER-I/O) thou. Hard Disk BIOS Sockol Installed \$7.50

#### Maggorpaich

Market Don't be alraid of the dungeons . . .

\$9.951 DAGGORPATCH puls the thrill back into your Dyna Micro Dungeons of Daggorath<sup>TM</sup> game callidge by patching if to run from disk. Includes disk load & save, outo-repeat command, pause, DMP-100 screon dump, Tape-To-disk, and more!

Yel apoliter down not return!



#### Burke & Burke

P.O. Box 58342 Renton, WA 98058 235-0917 (206)



SALES TAX. COD's add \$2.50.

Minimim U.S. shipping & handling \$3.00.
\$4.00 minimum shipping to Conade,
Please allow 2 weeks lat delivery. Overaight of
2-day delivery avoitable for in-stack terms.
Telephone orders call (800) 237-2409



## Racksellers

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

ALABAMA

Birmingham Brewlon Greenville Madison Montgomery tuscalcosa

Jefferson News Co. McDowell Electronics Anderson News Co. M & B Electronics Madison Books Trade 'N' Books iniun John's, Inc.

ALASKA

ARIZONA

Cottonwood Lake Havasu City Phoenix tempo

tueson

ARKANSAS Favelteville El Smith Little Rock

CALIFORNIA Berkeley Citrus Helghts Hollywood

La Jolla Marysville Napa Ooktand Rancho Murielo Sacramenta

San Francisca

Santa Monica San Jose Stocklan

Sunnyvale torrance

COLORADO

Aurora

Colorado Springs Denver Glenwood Springs

Grand Junction Longmonl

DELAWARE Newark

Wilmington Narmai, inc.—The Smoke Shop DISTRICT OF COLUMBIA

Washington,

DC:

FLORIDA

News Room

Boca Ralun Clearwater Cocoa Davie

Fl. Lauderdale Gainesville Jacksonville North Miami Beach

Panama Crty Pensacola Pinellas Park South Posadena Storke

Sunifsa

Titusvilte

Arrow Appliance/Radio Shack

Book Nook TRI-1EK Camputers Books, Etc. Computer Library Anderson News Co.

A & W Grophics Co.

Vaughn Electrantos/Radra Shack Hot Off the Press Newssland Anderson News Co.

Lyon Enterprises Software Plus Levity Distributors Stet-Jen, Inc. Buller & Mayes Bookselleis Circus at Books (2 Locations) Bookland Bookends Bookstore DeLauer's News Agency

Software Plus Deiberl's Readerama Tower Magazine Bookworks

Castra Kiask Castra kiosk Mldnight Special Bookstare Camputer Liferacy Bookshaps Sowyer's News, Inc. Harding Way News Paperbacks Unifinited

Computer Literacy Et Camina Catlege Bookstore

Aurara Newsstand

**News Gallery** The Book Train

Readmore Book & Magazine City Newssland

Newark Newsstand

Chronichles World News, Inc.

Great American Book Co. The Avid Reader The Open Door Dania News & Books Software Plus More Bob's News & Book-Stare Clarks Out of town News Paper Chase

Almar Bookstare Boyd-Eberl Corp. Andorson News Ca. Wall's Newsstand

Poling Place Bookstore Record Junction, Inc. Radio Shack Dealer Sunny's at Sunset Anderson News Co. DuBey's News Center

**GEORGIA** 

Bremen Forest Park Jesup Thomasville Toccoa Border's Bremen Electronics/Radia Shack Ellers News Center Rodra Shack Smokehouse Newssland Martin Music Radia Shack

DAHO Boise Mascow

**ILLINOIS** Belleville Centralia Champatan Decatur

Fast Mallae Evanstan Kewanea Liste Lambard

Porls Peorlo Springfield

Sunnyland West Frankfart Wheeling

Angola Beme Bicomington Crawfordsville Dyer Franklin FI. Woyne Garrelt Indianapolis

Lebaron Marlinsville Rtchmand tOWA Davenport

Des Moines Fairliekt

Hutchinson Topeko

Wellington Wichtto

Hazard Hendersor Hopkinsville Louisville Middletown Nowport LOUISIANA

Lackport New Orleans Manrae MAINE

Bangor Brockton Carlbou Oxlard Sanfard

MARYLAND College Pork MASSACHUSETTS

Baston Biocklon Combridge Inswich.

Book Shell, Inc. Johnson News Agency

Software or Systoms

Books & Co., Inc Bookmark B. Dallon Booksellers Book Emporlum K-Mart Plaza Narthgate Mall Book Emporlum Norris Center Bookslore Book Emporlum Book Nook Empire Periodicals Bitts TV Radio Shock Book Emportum

Book Emporium Sheridan Village Weslicke Shopping Center Illinais News Service Book Emporium

Sangamon Center North Town & Country Shapping Cit. Book Emporium Paper Place

North Share Otstributars **INDIANA** D & D Electronics

Radio Shack White Catlago Electronics Book Colner Koch's Books Mitas Books Gallery Book Shap Michiana News Service Finn News Agency, Inc. Bookland, Inc Borders Bookshop Indiana Nevis Southside News Gallery Book Shop

Radio Shock Voyles News Agency, Inc. Interstalle Book Store Thackery's Books, Inc. Kramers Books & Gifts

Crossroads, inc. Crossodas, inc. Palmer News, Inc. Tawn Crer of topeka, Inc. Dandy's/Radia Shack Dealer Lloyd's Radia

Daniel Boone Gutt Mart Moti's News & Gitts Habby Shap Hawley-Cooke Bookselters (2 Locations) Software City Strnon's Costle News

City News Sland TV Dectar/Radia Shock Sidney's News Sland Uplawn The Book Rack

Magazines, Ind Voyager Bookstare Radio Shack Books-N-Things Radia Shack

University Bookstare

Eastern Newsstand Voyager Bookstare Out OI Town News Inswich News

MASSACHUSETTS (cont'd)

Lvnn Swansea Computer Plus North Shore News Co. Newsbreak, Inc.

Book Nock, Inc.

Border's Book Shap Robbins Electronics

Fris News Campany The Book Rall

The Eight Bit Comer Michigno News Service

New Horizans Book Shop

Shinder's Crystal Gallery Shinder's Leisure Lane

Shinder's (2 Locations) Shinder's Ridge Square Shinder's Rosevitie

Lowell Electronics

Perry Compulers

Riverview Book Slove

Shinder's Burnsville

Merit Book Center Electronics Express/Radio Shock

MICHIGAN Allan Park Stirningham Durand E. Detrott Hilisoate Halland Kalamazoo Lowell Muskegon Nilas Perry Rivervrew

MINNESO1A Burnsville Crystal Fdina Minnegoolis Minnelanko Roseville SI, Paul

Shinder's Annex Shinder's Maplewood Shinder's St. Pauls The Phota Shop Wilman MISSOURI Farmington Flat River

Florissant Jetterson City Kirksville

MONIANA **NESRASKA** 

Lincoth Omaha NEVADA Carsan City Las Vagas

Ray's TV & Radia Shack Ray's TV & Radio Shack Book Brokers Unlimited Cowley Distributing t&R Flectronics Book Emporium

Plaza Books Nebroska Bockstare

Hurley Electronics Steve's Books & Magazines

Bookwrights Verham News Corp. Manchester West Lebonon

NEW JERSEY Atlantic City Cedar Knolls Clinion NEW MEXICO Albuquerque Santa Fe

NEW YORK Brockport Brooklyn Etmira Halahts Fredania Hudson Fatls Huntington Jahnson City New York

Attantic City News Agency Village Computer & Software Micro Would It

Page One Newsstand Downtown Subscription

Village Green-Buffalo Books Lift Bridge Book Shap, Inc. Cramland, Inc. Southern Tei News Co., Inc. On Line, Computer Access Center G.A. West & Co. Oscar's Bookshop Unicom Electronics Unicom Electronas Barnes & Noble—Sates Annex Colfseum Books Eastern Newssland Giand Central Station, Track 37 200 Pork Ave. (Pan Arn #1) 55 Water Street World Trade Center #2 First Step News

First Stop News tate Hours Bookstore tnlernattanal Smake Shop Jonil Smake Penn Book

Walden Books World Wide Media Services Microcom Software Tandy Users Group Village Green World Wide News

NORTH CAROLINA

Rochester

News Center in Cary Village Chapel Hill University News & Sundry

Compuliac

NORTH CAROLINA (conl'd) Chailatte Hickory Newssland inl'1 C<sup>2</sup> Books & Camics Cr Books of Cernics
Michele's, Inc.
K & S Newssland
Martin's News Stand
Boomers Rhythm Center
K & 5 Newssland (3 Localians)
Rainbaw News Ud. Jacksonville Kernersville Lexinglan

Winston-Salem

OHIO Akron Canlon

Little Professor Book Center Thrasher Radio & TV Chardon Cincinnal i Cleveland Cinsoff Erleview News Fidelity Sound & Electronics B5 Software Columbiano Columbus

Churchill News & Tobacco

Micro Center The Newssland Daylon Books & Co. Wilke News Wright News & Books Book Boin Dub!In

News-Readers Fairbarn Sandbox Micro Systems Wilke's University Shoppe Findley

Open Book Lakewood International News Lakewood Lima Edu-Calerers Miamisburg Wilke News Parma

Bookmark Newscenter Book Nook, Inc. Warren Xenla Fine Print Books Youngslown Plaza Book & Smoke Shop

OKLAHOMA Oklahoma

Clty Taklequah Meril Micra Saftware Thamos Sales, Inc. dba Radio Shack Tulsa Sleve's Book Store

OREGON Eugeno Portland

Libra Books -- Book Mark Fifth Avenue News Rich Cigar Store, Inc Sixth & Washington News apilal News Center Checkmale Book

PENNSYLVANIA

5olem

Alleniown Alloona Owl Services Newborn Enlerprises Bryn Mawr Bryn Mawr News Global Books Feasierville King of Prussia Malvern Gene's Books Persanal Software Smith's News & Card Center Reading Software Corner Chester County Book Co. Temple West Chester Micro World The Computer Center of York York Tollgate Bookstore

RHODE ISLAND Newport

Bellevue News

SOUTH CAROLINA

Charleston His. Software Haus, Inc. Florence Greenville Palmetta News Co. Software City Spartanbura

TENNESSEE

Brentwood Chottanooga Bookwarld #5 Anderson News Co.
Guild Books & Periodicals Anderson News Ca. Davis-Kldd Bookseller Campuler Center Davis-Kldd Booksellers KnoxVIIIe Memphis Noshville Moska's Place R.M. Mills Bookslore

Smyrna TEXAS

Big Spring Desola Poncho's News Maxwell Books The Haming Pigeon Trinity News Book Mark Ft. Worth Hartinglan

UTAH

Volley Book Center

Delker Électronics

VIRGINIA Danville Hamplon

K & S Newssland Benders Self Serve Software I-O Computers Turn The Page Volume I Bookslore Lynchburg Richmand

WASHINGTON Port Angeles Seattle

Part Book & News Adams News Co., Inc. Buildog News B & I Magazines & Books Nybbles 'N Byles Tacoma

WEST VIRGINIA Huntington Madison Parkersburg South Charleston

Nick's News Communications, LTD Valley News Service

Spring Hill News

WISCONSIN

Appleton Cudahy Badger Periodicals Cudahy News & Habby R.K. News, Inc. Plc A Book Kenosho Madisan University Bookstore Juneou Village Reader Milwaukee Waukesha Holl Vanety

ARGENTINA

Information Telecommunicationes

AUSTRALIA Blaxland Blaxland Computers Kingslord Ports Radio Electronics

CANADA ALBERTA Banii

Bonii Rodio Shock Bannyville Brooks Paul Tercier Double "D" A.S.C. Radia Shack Calgary Claiesholm Billy's News Radio Shack Associated Stares Langard Electronics CMD Micro D.N.R. Furniture & TV Drayton Valley Edmonton Fairview Fox Creek Fox City Calor & Sound A.S.C. Radlo Shack

Ft. Saskalche wan Grande

FL Mall Radio Shack, ASC

Cache The Stereo Hut Grande Centre The Book Nook Hinton Jim Cooper L & 5 Stereo

Leduc Lelhbridge Radia Shack Associated Stores Dalalron Lloyd Rodlo Shack Okoloks Radia Shack Ltoydminsler Okalaks

Peace River Radio Shack Associated Stores Tavenei Saftware Waller's Electronics St. Paul Slettler Slettler Radio Shack Strathmore Wheatland Electronics Pynewcod Sight & Sound Westlock Sterea Westlock

Welaskiwin Radia Shack BRITISH COLUMBIA

Compull Burnaby Burns Loke VT. Video Works Campbell River Chilliwack TRS Flectionics Cody Books LTD Coquillam

BRITISH COLUMBIA (conl'd)

Coorlenay Dawson Creek Golden Langley Nelson New West minstor

Rick's Music & Slereo Bell Radja & TV Taks Home Furnishings Langley Radio Shack Oliver's Books

Cady Books LTD Parksville TV Parksville Penlician D.J.'s

Sidney Electronics Wall's Hame Furniture Skingy Smilhers Kotyk Electronics Active Components Squarnish. Vancouver Friendlyware Computers Granville Book Ca. Siliconnections Books LTD

100 Mile Tip Tap Radia & TV House

MANITOBA

Allona L.A. Wiebr I.Id. Lundar Goranson Flea Morden Central Sound Jodr's Sight & Sound Selkirk G.L. Enns Elec Archer Enterprises

NEW BRUNSWICK Jelfries Enlerprises Dewiff Elec Sussex

NEWFOUNDLAND

Seaport Elec-Carbanear Slade Reollies Labrador City NP. Investments (Mail Drugs)

NOVA SCOTIA

Allonlic News

ONTARIO

Angus Micro Computer Services Aurora Compu Visian Concard Excelei Ingram Software
J. Macleane & Sons Hanover Huntsville Modem Appliance Centre Huntsville Elec. Kenora Kingslañ Donny "B" T.M. Computers Modern Appliance Centre Max TV South River Dennis IV Taranta Gardon and Golch

QUEBEC

Messageries de Presse Benjamin Enr. LaSalle Panl. Rouge Boulique Bruno Laroche

felslar News

SASKATCHEWAN

Eslevan Moose Jow Nipiwan Saskaloon

Katyk Electronics D&S Computer Place Camerslane Sound Regina CoCo Club Software Supermarkel Everybody's Sall wore Library Shellbrooke Gec. Laberge Radio Shack Paul's Service Granl's Hause at Sound

Tisdale Unity YUKON Whilehorse

H & O Haldings

JAPAN Tokyo

America Ado, Inc.

PUERTO RICO East Isla Verde

The Color Computer State

Also available at all B. Dalton Booksellers, and selected Coles and W.H. Smith in Canada, Waldenbooks, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.

## Advertisers Index

We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning THE RAINBOW when you contact these firms.

Alpha Software Technologies 105 Arizona Small Computer
Company107
Burke & Burke
Cer-Comp133
CoCo Connection139
Cognitec29
Colorware19
Computer Island37
Computer Plus
CRC/Disto83
D.P. Johnson
Dayton Associates of
W. R. Hall, Inc
Dorsett Educational Systems 147
Dr. Preble's Programs99
EZ Friendly
Frank Hogg Laboratories 33
Game Point Software57
Gimmesoft
Granite Computer Systems81
HawkSoft, Inc
Howard Medical162, IBC
ICR FuturesoftOutsert
J & R Electronics97
JR & JR Softstuff45
JWT Enterprises89
Ken-Ton Electronics51
Kenneth Leigh Enterprises 89
Magus Systems Engineering 147
Metric Industries12
MichTronBC
Micro Works, The79
Microcom Software9, 11, 13,
<b>15</b> , 16, 17
Microtech Consultants.
Inc
Orion Technologies105
Owl-Ware

PXE Computing7	SD Enterprises25, 93
Perry Computers	Second City Software161
Puritas Springs	Simply Better Software141
Software/SoftWAR Tech 139	SpectroSystems45
Questron21	SPORTSware113
RGB Computer System	Sugar Software123
Rainbow Binder132	Sundog Systems
Rainbow Book of	T & D Software22, 23, 31, 73
Adventures IV120	Tandy/Radio Shack65
Rainbow Bookshelf119	Tepco55
Rainbow Gift Subscription 18	True Data Products39
Rainbow on Tape & Disk1FC	Try-O-Byte97
Renco Computer Supplies 135	Wasatchware14
Rulaford Research87	Zebra Systems145

Call:

Belinda Kirby Advertising Representative (502) 228-4497

☐ Call:

Kim Vincent Advertising Representative (502) 228-4492

The Falsoft Building 9509 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059 FAX (502) 228-5121



#### MasterCard VISA C.O.D. CHECKS ORDER

# Second City Software

#### CoCo CALENDER DELUXIE:

Organize all of your appointments with this 365 day Calender, Now with Hi-Res print driver for the DMP, CGP, Epson MX-80 and Star Gemini 10X printer. Please specify printer, 64k DISK.......\$19,95

#### BLACKJACK ROYALE:

Even your easino odds with this BlackJack card simulation and tutor! Program can be edited for different house rules, 64k DISK.....\$16.95

#### BSE - BASIC SCRIPEN EDITOR:

Gives Basic a full-screen editor to supplement the regular EDIT commands, Works on the CoCo 1&2 and with the CoCo 3, WIDTH 32, 40 or 80 is supported! Complete screen cursor control with the arrow keys plus features to make EDITing Basic programs a snap! BSE, a must have CoCo utility. Our low price was the only corner that was cut on this quality program, 64k DISK......S19.95

#### CHECK-09MV - Version 2,0:

Finally, a program that interacts with MultiVue for FAST and EASY check balancing, CHI7CK-09MV and you can now take control of your bank checking account. No more waiting on your bank statement for an ending balance. CHECK-09MV will provide a check-by-check balance in an easy to use format that climinates those monthly surprizes! Bring your money and you closer together and have the buck STOP HERE! Featuring an all new EDITING command. 512k DISK......\$25.95

#### CoCoMAX II: By Colorware

The 'CLASSIC' CoCo graphic program. 1) raw great works of art with the program that set a standard for allothers to follow. Supported by a Hi-Resinterface and numerous printer drivers for complete set-up. 

#### CoCoMAX III: By Colorware

All new program based off the 'CLASSIC' CoCo-Max II software. Allows for full animation, select 16 colors from a 64 color palette, fast & casy to use w/ pull down menus in a point-and-click environment. 128k or 512k DISK......\$78.45

#### DISK UTILITY 2.1A PLUS:

A complete disk utility package for all CoCo's. Full Disk I/O for FORMAT BACKUP, Supports single r 40 track INTRODUCING AT THE .US from ow price, CHICAGO d DISK .\$23.95 RAINBOWfest keys

7 ALL NEW SOFTWARE PROGRAMS FOR THE CoCo 1, 2, & 3

#### TELEPATOII:

Turn Telewriter 64 into the best Word Processorfor the CoCo 1&2!'TELEPATCH is compatible with all CoCo's. Comes with complete documentations for easy apgrading and changes.

#### SCHEMATIC DRAFFING PROCESSOR:

A FAST and FASY TO USE ELECTRONIC DRAFTING PROCESSOR, Create pro-looking diagrams using a 480x540 pixel screen with 6 viewing windows! Over '30' electronic symbols with 10 definable symbols. Even supports Logic gates & Multipin chips! Print hardcopy or save to disk for later editing. NOW CoCo 3 COM-PA'ITBLE. 64k DISK.....\$22.95

#### OS-9 SOLUTION;

Tame the hostile environment of OS-9 with OS-9 SOLUTION! Replaces 20 of the command calls with single keystroke, menu driven commands. No more long and complex pathnames or syntaxes to remember! Workswitheither OS-91.eve1One or Two.....\$24.95

#### TAPE/DISK UTILITY:

A utility package that transfers TAPE to DISK or DISK to TAPE automatically. If you just go your first disk drive, TAPE/DISK is a MUST HAVE program. Will print tape & disk directories to any supported printer, 64k DISK....\$19.95

DISCOUNT SOFTWARE By Color V	Venture
RAM DISKLIGHTINING DISK	\$16.95
PRINTER LIGITINING	
BACKUP LIGHTNINGBUY ALL THREE FOR ONLY	\$16.95
BUY ALL THREE FOR ONLY	\$42.99

III-RESJOYSTICK DRIVER	\$19.95
MAX FATCH,	\$19.95
BUYBOTH FOR ONLY	\$34.95

#### HGRXDUMP:

Produce hardcopy graphic files with your DMP and CGP (B&W) printer, CoCo 1,2 & 3 compatible, 64k DISK......\$19.95

#### MULTI-PAK CRACK:

Allows you to save your ROM-PAK programs over to disk...WHERE THEY BELONG! Ineludes POKES for problem PAKs and the new 16k PAKs. 6-Ik DISK......\$24,95

#### MAX-10: By Colorware

€ & 395

The Dazzling Word Processor & Document Creator for the CoCo3'. You asked for it and now it is available at an SCS special price. 128k DISK......\$78.45

#### SECOND CITY SOFTWARE

Accepts MasterCard, Visa, C.O.D. and Check orders. Please add \$2,50 for shipping (\$4.50 for Canada orders) & allow 1 to 3 weeks for delivery. C.O.D. orders, add an additional \$2.50.

## P.O. Box 72956

Roselle, IL 60172

Voice: 312-653-5610 BBS: 312-307-1519

#### SCS DOS:

Add24 new disk commands with 2 Hi-Res Screens! Supports 40 track & Double Sided drives, 6ms stepping, auto disk search, error trapping and burnable into an EPROM, 64k DISK......\$24.95

#### MY DOS: By Chris Hawks

Supports accesses to double sided drives, able to use the J&M Controller with the CoCo 3, DIR commands simplified and a host of other special features. 64k DISK......\$14.95

#### A-DOS 3:

The popular Disk Operating System from SpectroSystems for the CoCo 3. 128k DISK........\$34.95

SCS can custom 'burn' your purchased DOS program for only \$15.00! This includes the price of the EPROM chip and the BURN charge. Call or write for details.

#### VIP LIBRARY:

This popular 'intergraded' package includes, VIP Writer, Terminal, Data Base, Cale and Disk Zap which can fix a diskette with 1/O errors, SCS special price, 64k DISK......\$149.95

#### VIP WRITER III w/SPELL CHECKER:

All new and completely up-graded with expanded memory and pop-up main menus. You can also have up to 8 - 48k working text screens that will allow you to create 8 separate documents! Settle for only the best 100% MI, word processor for the CoCo 3. 128k DISK.....\$79.95

#### VIP DATABASEIII......\$69,95 VIP CALC III......\$69.95

SPECIAL: Orderany VIP program from SCS, and receive an additional program at NO EXTRA CHARGE! Call or write for full details.


#### THE NEWSPAPER PLUS:

DeskTop Publishing for the CoCo 3? With the ALL NEW NEWSPAPER PLUS, you now can ereate complete and sophisticated Banners, Headlines along with Text Columns and Graphics. THE NEWSPAPER PLUS allows for importing different pictures, fonts and fill patterns from disk for that pro-look. Comes complete with 32 fonts and 50 clip art pictures. THE NEWSPAPER PLUS is an all new upgraded program based on the original NEWSPAPER program. SCS is the ONLY company authorized to handle THE NEWSPAPER PLUS program. Why buy the old, overpriced and outdated program when you can get the newest release for less! 128k DISK......S48.95

THE NEWSPAPER GRAPHICS DISK...\$19.95

#### NewsArt A thru Z:

The most complete set of useable Clip Art for ANY CoCo DeskTop publishibg program. NewsArt was designed just for Newspaper Plus. \$9.95 each or \$100.00 for set of 26 disks.



MAGNAVOX 8CM515 COLOR

- 80 Column
- Use with Coco, Tandy 1000's, IBM PC CC-3 RGB cable 19.95 \$279 (14 ship)



DRIVE 0 PLUS

- Double sided 360K MPI 52
- Disto Controller and cable

\$178.45 (5 ship)



A.	DISTO 3 in 1 Board	\$59.45
В.	DISTO MEB	\$30.00
C.	DISTO RS-232	\$49.95



VIDEO AMPLIFIER VA-1 required in CoCo 1 or 2 to drive monitor \$29.45 (2 ship)



MAGNAVOX 7622 AMBER

- 80 Column
- Bullt in Speaker

\$98 (7 ship)



STAR NX-1000R COLOR

- Built in back tractor paper feed
- 144 cps, 4K input buffer

\$249 (5 ship)



#### Hard Drive — Complete!

20,000,000 Bytes or the equivalent to 125 R.S. 501's on line are packed into this hard drive, pre installed and ready to run. This complete, easy to use package includes a Seagate 20 Meg Hard Drive, a DTC 5150 Controller and interface', heavy duty case & power supply, and a 1 year warranty. This 20 meg Hard Drive will also work with Tandy and IBM clones, Basic driver, \$29.95, lets you access this hard drive without need for OS-9. (9 ship)

\$499 HD-1 20 Meg HD-2 30 Mea \$549 HD-3 40 Meg \$598

\*Burke & Burke



DOUBLE DRIVE 0 +

- Two double side 360K Teac 55B
- Disto controller & cable \$310 (8 ship)



PAL UPGRADE PAL - 1 or 2 Makes multi-pack interface work with Coco 3. Specify 26-3024 or 26-312W \$14.95 (2 ship)

#### 30 Day Money Back Guarantee

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatability. If you're not happy with it for any reason, return it in 30 days and we'll give your your money back (less shipping.) Shipping charges are for 48 states, APO,

Canada and Puerto Rico orders are higher.



## **Howard Medical Computers**

1690 N. Elston Chicago, Illinois 60622

Order Status and Inquiries 312-278-1440

> Show Room Hours 8:00 - 5:00 M-F 10:00 - 3:00 Sat.

> 24 Hour Order Line

800-443-1444





HOWARD SP-C

- Serial to Parallel Converter

\$68.45 (2 ship)



**RS 1.1 DOS** 

- ROM Chip for Disk Controller
- Works for CoCo 2 or 3

\$25 (2 ship)



#### TEAC 55B

- 360K Double Sided Half Ht. Floppy
- Fits R.S. 501 & 502

\$98 (2 ship)



- Connect CoCo to Parallel Printer



#### MURATA M1200 FAX

- Group 3 & 2 Compatible
- 203 by 196 Resolution

\$795 (7 ship)



#### **BROTHER M-11 PRINTER**

- Built-in Serial & Parallel Interface
- Dot Matrix; Tractor/Fricton Feed

\$156 (5 ship)



#### DISTO DC-3


- Original Disto Controller
- 2 ROM Slots; Gold Platted Contacts

\$98 (2 ship)



#### MICRO WORKS DIGITIZER

- DS-68B Color 1.5 Second/Picture \$150
- DS-69 B&W 2 Second/Picture



#### **MEMORY**

- 512K Bare Board
- Populated 512K

• 64K 8 Chip for CoCo 2

\$40 \$159 \$30



#### DISTO DC-7

- Mini Disk Controller for CoCo 1, 2, 3
   Includes RS 1.1. Modifyed to access DS \$75 (2 ship)



Y CABLE WORD PAK - RS \$28 \$49



**Howard Medical Computers** 1690 N. Elston Chicago, Illinois 60622

Order Status and Inquiries 312-278-1440

Master Card • Visa • Discover American Express
C.O.D. • School P.O.'s

> 24 Hour Order Line 800-443-1444

# Speed Racer

As the checkered flag drops your pulse rises in this lively arcade game. The road twists to the horizon on the 3-D panorama that sets the stage for exciting racing. Vie for time as you glide through the curves at incredible speeds. Step through the gears to stay ahead of the pack, but be quick! Some will stop at nothing to see the end of the race, or the end of you! Four challenging raceways, complete with obstacles and colorful 3-D scenery test your skills in this Pole Position<sup>TM</sup> type game.

32K Color Computer required...\$34.95





## Pinball Factory

Video games come full circle in this tribute to the original arcade game, *Pinball*. Classic pinball springs to life as never before, with fresh new angles that only a computer can offer. Crisp graphics, sound, and fast smooth action give this machine-language arcade game a realistic, responsive feel you'll hardly believe. There are even "tilt" buttons that let you "bump" the machine. In addition to playing a great game of pinball, you can enjoy hours of creative pleasure as you design, build, edit, and play your own screens.

64K Color Computer required...\$34.95

## Demon Seed

The first waves of flying, diving, bloodthirsty bats are arriving. Move, fire, and move again. It's a never ending battle. If you are lucky enough to defeat the bats, be ready for a much greater challenge, The *Evil Demons* themselves. Destroy a wing and another takes its place. Only a direct hit can save you now. It will take great skill to triumph. If you do, then you better be ready for the *End*. The Demon Flag Ship descends to destroy your remaining ships. Your only hope is to penetrate the hull, break through the shield, and destroy the dreaded Gargoyle.

32K Color Computer required...\$19.95



MICHTRON is always looking for programmers and programs. If you are interested in working with one of the most respected company's in the computer software field please give us a call.



For more information on these or other fine products call our knowledgeable staff!

576 S. Telegraph Pontiac, MI 48053 (313) 334-5700

Dealer inquiries welcome. Visa and Mastercard accepted.